Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 192.

## **List of Documents**

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus crinitus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus esculentus (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus ficulneus (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus manihot (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus moschatus MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abies densa W. Griff. ex.Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abies pindrow ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abies spectabilis (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abies webbiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abrus fruticulosus WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abrus precatorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abrus pulchellus WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon asiaticum (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon avicennae GAETRN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon glaucum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon graveolens (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon hirtum (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon indicum (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon indicum (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon pannosum (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon persicum (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon theophrasti MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia arabica SENSU BAKER vediana COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia arabica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia caesia (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia catechu (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia catechu (L.F.) WILLD. sundra (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia chundra (ROXB. EX ROTTLER) WILLD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia concinna (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia dealbata LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia decurrens WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia eburnea (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia farnesiana (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia ferruginea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia indica DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia intsia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia jacquemontii BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia leucophloea (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia melonoxylon R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia modesta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia nilotica (L.) WILLD. EX DEL. indica (BENTH.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia pennata (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia planifrons WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia polyacantha WILLD. polycantha BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia polyantha SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia pseudo-eburnea DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia pycnantha BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia rugata (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia senegal WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia sinuata (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia speciosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia suma (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia tomentosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia torta (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha alnifolia KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha betulina RETZ. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha ciliata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha fruticosa FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha hispida BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha paniculata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha racemosa WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acampe carinata (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acampe papillosa (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acampe praemorsa (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acampe wightiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acanthopanax trifoliatus (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acanthus ilicifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer caesium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer cappadocicum GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer laevigatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer mono MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer oblongum WALL. EX DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer pentapomicum STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer pictum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achillea millefolium LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achillea santolina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achras zapota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achyranthes aquatica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achyranthes aspera L. rubrofusca HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achyranthes bidentata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achyranthes lanata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achyranthes porphyristachya WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum atrox (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum balfourii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum bisma (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum chasmanthum STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum deinorrhizum STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum elwesii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum falconeri STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum ferox WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum heterophyllum WALL. EX ROYLE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum kashmiricum STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum laciniatum (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum laeve ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum lethale GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum luridum HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum moschatum (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum napellus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum palmatum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum rotundifolium KAR. & KIR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum soonoricum STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum spicatum (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconitum violaceum JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconogonum rumicifolium (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aconogonum tortuosum (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acorus calamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acorus gramineus AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrocarpus fraxinifolius WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrocephalus hispidus (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrocephalus indicus (BURM.F.) KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acronychia laurifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acronychia pedunculata (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acroptilon repens (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrostichum aureum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrotrema arnottianum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actaea racemosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actaea spicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actiniopteris australis (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actiniopteris dichotoma BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actiniopteris radiata (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne angustifolia NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne dichotoma FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne hookeri MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne obovata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adansonia digitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenanthera pavonina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenema hyssopifolium G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenia heterophylla (BLUME) KOORD and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenia hondala (GAERTN.) W.J.DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenia nicobarica KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenia palmata ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenia penangiana (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenia wightiana (WALL. EX WIGHT & ARN.)ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenosma capitatum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenosma indianum (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenosma indicum MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenostemma lavenia (L.) KUNTZE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adhatoda beddomei C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adhatoda vasica NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adhatoda zeylanica MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum aethiopicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum capillus-veneris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum caudatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum cuneipinnulum NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum flabellulatum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum incisum FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum lunulatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum melanacaulon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum pedatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum peruvianum A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum philippense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum tinetum MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum trapiziforme L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adiantum venustum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adina cordifolia BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adinobotrys atropurpureus DUNN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adonis aestivalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adonis chrysocyathus HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adonis majus GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adonis scrobiculata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adonis vernalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aegiceras corniculatum (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeginetia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aegle marmelos (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerides crispum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerides fieldingii WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerides multiflorum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerides odorata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerides rosea LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerides williamsii WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva javanica (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva lanata (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva monsonia MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva pseudotomentosa BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva sanguinolenta (L.) BL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva tomentosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva wightii HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeschynanthus hookerii CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeschynanthus maculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeschynomene aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeschynomene indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aesculus assamica GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aesculus hippocastamum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aesculus indica COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aframomum melegueta (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aganosma calycina A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aganosma caryophyllata G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aganosma cymosa (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aganosma dichotoma (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aganosma marginata G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aganosma wallichii G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agapanthus africanus (L.)HOFFMANNS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agathis robusta F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agati grandiflora (L.) DEN and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave angustifolia HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave cantala ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave sisalana PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave vera-cruz MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave vivipara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ageratina adenophora (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ageratum conyzoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ageratum houstonianum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia diepenhorstii MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia domestica (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia elaeagoidea (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia lawii (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia minutiflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia odorata LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia odoratissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia roxburghiana MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agni-jwalamonia eupatoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agni-jwalamonia pilosa LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agropyron repens BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostemma githago L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostis linearis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostistachys meeboldii PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ailanthus altissima SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ailanthus excelsa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ailanthus glandulosa DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ailanthus malabarica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ailanthus triphysa (DENNST.) ALSTON and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ainsliaea angustifolla HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ainsliaea aptera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ainsliaea pteropoda DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aisandra butyracea (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ajuga bracteosa WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ajuga macrocarpa WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ajuga macrosperma WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ajuga parviflora WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alangium begonifolium MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alangium decapetalum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alangium hexapetalum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alangium kurzii CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alangium lamarckii THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alangium salvifolium (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia amara (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia chinensis (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia julibrissin DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia lebbeck (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia lucida BENTH. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia lucidior (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia marginata MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia myriophylla BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia odoratissima (L.F.)BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia procera (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia stipulata BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alcbornea javensis MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alcbornea rugosa (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alcea rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alchornea tiliaeafolia MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alectra parasitaca RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alectra parasitica A.RICH. chitrakutensis RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aleurites moluccana (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alhagi camelorum FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alhagi maurorum DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alhagi pseudalhagi (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alisma plantago L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alisma plantago-aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alisma plantagoauatica L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alkanna tinctoria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., AllamKalam cathartica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alliaria officinalis ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alliaria petiolata (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium ampeloprasum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium ascalonicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium carolinianum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium cepa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium chinense DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium consanguineum KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium hookeri THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium humile KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium leptophyllum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium macleani BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium porrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium rubellum M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium schoenoprasum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium stracheyi BAKER and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium tuberosum ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium victorialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium wallichii KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allmania nodiflora (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allophylus cobbe (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allophylus rheedii (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allophylus serratus (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alloteropsis cimicina (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alnus nepalensis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alnus nitida ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alocasia cucullata SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alocasia denudata ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alocasia fornicata (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alocasia indica (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alocasia macrorhiza (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alocasia montana SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alocasia odora (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe abyssinica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe barbadensis MILL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe ferox MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe indica (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe littoralis KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe perryi BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe spicata L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe succotrina LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe vera L. chinensis BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe vera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe vera L. littoralis KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe vera(typica) (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloysia triphylla (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alphonsea verntricosa HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia allhugas ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia calcarata ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia chinensis ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia conchigera GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia galanga (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia khulanjan M. SHERIFF and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia malaccensis (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia nigra (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia nutans ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia officinarum HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia speciosa K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia zerumbet BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alseodaphne semicarpifolia NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alstonia constricta F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alstonia kurzii HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alstonia macrophylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alstonia scholaris R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alstonia spectabilis R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alstonia venenata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera ficoidea (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera philoxeroides (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera pungens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera sessilis (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera triandra LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Althaea ludwigii L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Althaea officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Althaea rosea (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Altingia excelsa NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus bupleurifolius (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus longifolius WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus monilifer DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus vaginalis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alyxia reinwartii BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alyxia stellata ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus atropurpureus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus blitum L. oleracea DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus blitum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus campestris WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus caudatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus dubius E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus fasciatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus gangeticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus gangeticus LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus gracilis DESF. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus graecizans AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus hybridus L. hybridus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus hybridus L. paniculatus THELL. cruentus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus hypochondriacus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus lividus L. polygonoides (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus lividus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus mangostanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus paniculatus L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus polygamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus polygonoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus spinosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus tenuifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus tristis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaryllis belladona LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amberboa divaricata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amberboa hookeri (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amberboa ramosa (ROXB.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amblyanthus glandulosus A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ambroma augusta (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amentotaxus assamica D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amischophacelus axillaris ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amischotolype hookeri (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ammannia auriculata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ammannia baccifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ammannia senegalensis LAM. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ammannia vesicatoria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ammi majus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum aromaticum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum costatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum dealbatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum fenzlii KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum granum-paradisi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum kepulaga SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum melegueta ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum racemosum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum subulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum xanthioides WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum zingiber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amoora cucullata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amoora rohituka (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorpha fruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus bulbifer BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus campanulatus BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus commutatus ENGL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus dubius BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus paeoniifolius (DENNST.) NICOLSON campanulatus (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus paeoniifolius (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus prainii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus sylvaticus (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus araneosa (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus arnottiana PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus barbata (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus indica (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus latifolia (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus tomentosa (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amphicome emodi LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amphilophis odorata CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amphineuron extensus (BI.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amyris gileadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anacardium occidentale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anacolosa densiflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anacyclus pyrethrum DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anagallis arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anamirta cocculus (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ananas comosus (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ananas sativus SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis adnata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis brevifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis cinnamomea C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis contorta HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis cuneifolia HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis neelgerriana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis nubigena DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis sarmentosa WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis semepervivoides JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis triplinervis CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anastatica hierochuntica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anchusa strigosa LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ancistrocladus heyneanus WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ancistrocladus tectorius (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andira araroba AGUIAR NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrachne cadishaw ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrachne cordifolia MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis atropurpurea (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis echioides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis lineata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis macrobotrys NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis serpyllifolia (ROTTL. EX VAHL)WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon citratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon contortus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon halepensis BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon jwarancusa JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon laniger DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon martini ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon muricatus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon nardus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon odoratus DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum phlomidis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum serratum (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum thomsonae Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum waiiichii Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Duranta erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gmelina arborea Roxb. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gmelina asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gmelina philippensis Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holmskioldia sanguinea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lantana camara L. var. aculeata (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lantana camara L.var. splendens (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lantana indica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lantana trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lantana veronicifolia Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lippia citriodora H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lippia javanica (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Petrea volubilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyla nodiflora (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna balakrishnanii Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna coriacea Clarke var.coriacea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna coriacea Clarke var. villosa (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna corymbosa (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna glaberrima Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna herbacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna latifolia Rozb. var. latifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna latifolia Roxb. var. henryi D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna latifolia Rozb. var. mollissima (Roth) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna latifolia Roxb. var. viburnoides Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna mundanthuraiensis Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna paucinervis (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna serratifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna tomentosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna wightiana Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Priva cordifolia (L.f.) Druce and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachytarpheta jamaicensis (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachytarpheta mutabilis (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachytarpheta urticaefolia (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tectona grandis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbena bipinnatifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbena bonariensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbena x hybrida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbena rigida Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex altissima L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex leucoxylon L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex negundo L. var. negundo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex negundo L. var. purpurascens Sivar. & Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex peduncularis Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Congea tomentosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphenodesme paniculata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symphorema involucratum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avicennia alba Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avicennia marina (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avicennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrocephalus hispidus (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrocephalus palniensis Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus argenteus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus carnosus (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus dysophylloides Benth. var. dysophylloides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus dysophylloides Benth. var. purpureus (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus eriocephalus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus henryi Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus paniculatus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus robustus Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus scaber Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus sericeus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus suffruticosus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisomeles heyneana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisomeles indica (L.) Kuntze and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisomeles malabarica (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Basilicum polystachyon (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Becium filamentosum (Forssk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clinopodium umbrosum (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colebrookea oppositifolia J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elsholtzia ciliata (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Endostemon viscosus (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eusteralis cruciata (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eusteralis deccanensis Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eusteralis quadrifolia (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geniosporum elongatum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geniosporum menthoides (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geniosporum menthoides (L.) Merr. var. longiracemosum (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphostemma eriocarpon Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphostemma heyneanum Wall. ex Benth. var. heyneanum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphostemma heyneanum Wall. ex Benth. var. rottleri Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphostemma keralensis Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphostemma strobilinum Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyptis suaveolens (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isodon coetsa (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isodon nigrescens (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isodon nilgherricus (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isodon walkeri (Arn.) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isodon wightii (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lavendula angustifolia Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lavandula lawii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonotis leonurus R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonotis nepetiifolia (L.) R.Br. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonurus sibiricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas anKalamraoana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas angularis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas aspera (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas biflora (Vahl) R.Br. var. biflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas cephalotes (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas chinensis (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas ciliata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas diffusa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas eriostoma Hook.f. var. eriostoma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas eriostoma Hook.f. var. lanata Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas eriostoma Hook.f. var. latifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas flaccida R.Br. var. scaberula (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas helianthemifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas hirta (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas indica (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas lamifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas lanata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas lanceaefolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas marrubioides Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas martinicensis (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas montana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas nutans Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas prostrata (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas rosmarinifolia Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas stelligera Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas stricta Benth. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas suffruticosa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas ternifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas urticaefolia (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas vestita Benth. var. vestita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas vestita Benth. var. angustifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas vestita Benth. var. oblongifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas vestita Benth. var. sericostoma Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas wightiana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas zeylanica (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha x piperita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meriandra bengalensis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micromeria biflora (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micromeria capitellata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta hindostana (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum basilicum L. var. basilicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum basilicum L. var. pilosum Benth. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum basilicum L. var. purpurascens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum basilicum L. var. thyrsiflorum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum gratissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum tenuiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Origanium hortensis Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon aristatus (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon comosus Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon pallidus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon rubicundus (D.Don) Benth. var. rubicundus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon rubicundus (D.Don) Benth. var. hohenackeri Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon thymiflorus (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus amboinicus (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus barbatus Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus bishopianus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus caninus Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus coleoides Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus deccanicus Briq. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus malabaricus (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus mollis (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus rivularis Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus rotundifolius (Poir.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus scutellarioides (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus stocksii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus subincisus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus urticifolius Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus vettiveroides (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon atropurpureus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon auricularius (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon benghalensis (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon cablin (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon gardneri Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon hedgei V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon heyneanus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon mollis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon myosuroides (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon nilagiricus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon paludosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon paniculatus (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon purpurascens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon rotundatus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon rugosus (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon speciosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon wightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunella vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosmarinus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia coccinea Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia farinacea Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia grahamii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia involucrata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia leucantha Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia microphylla Kunth var. neurepia (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia patens Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia rutilans Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia splendens Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia uliginosa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia verbenacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Satureja umbrosa (Bieb.) Scheele and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria colebrookiana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria rivularis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria violacea Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria wightiana Benth. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetradenia riparia (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teucrium fruticans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teucrium plectranthoides Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teucrium tomentosum Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teucrium wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thymus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago afra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago erosa Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago exigua Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago ovata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commicarpus chinensis (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boerhavia crispa Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wild Boerhavia diffusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boerhavia erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boerhavia helenae Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bougainvillea glabra Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bougainvillea spectabilis Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mirabilis jalapa L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mirabilis longiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisonia grandis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achyranthes aspera L. var. aspera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achyranthes aspera L. var. porphyristachya (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achyranthes aspera L. var. rubro-fusca (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achyranthes bidentata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva lanata (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva persica (Burm.f.) Merr. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva sanguinolenta (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerva wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allmania nodiflora (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera paronychioides A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera philoxeroides (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera pungens Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera sessilis (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera tenella Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alternanthera tenella Colla. var. bettzickiana (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus blitum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus caudatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus graecizans subsp. thelProstateianus (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus hybridus L. subsp. cruentus (L.) Thell. var. paniculatus (L.) Thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus spinosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaranthus viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celosia argentea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celosia cristata L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celosia polygonoides Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celosia pulchella Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathula prostrata (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digera muricata (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphrena globosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphrena serrata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indobanalia thyrsiflora (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iresine herbstii Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothosaerva brachiata (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psilotrichum elliotii Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psilotrichum nudum (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pupalia lappacea (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichuriella monsoniae (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthrocnemum glaucum (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthrocnemum indicum (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atriplex repens Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atriplex stockesii Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Beta vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium album L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium ambrosioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium carinatum R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium giganteum D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium murale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium pumilo R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haloxylon recurvum (Moq.) Bunge and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kochia indica Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salicornia brachiata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spinacia oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Suaeda maritima (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Suaeda monoica Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Suaeda vermiculata Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Basella rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ercilla spicata Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Petiveria alliacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phytolacca dioica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phytolacca octandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rivina humilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antigonon leptopus Hook. & Arn. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coccoloba uvifera (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emex spinosus (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagopyrum esculentum Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Muehlenbeckia gracillima Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Muehlenbeckia platyclada (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria attenuata (R.Br.) Sojak subsp. pulchra (Blume) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria barbata (L.) Hara var. gracilis (Danser) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria barbata (L.) Hara var. stagnina (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria capitata (Buch.-Ham. ex D.Don) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria chinensis (L.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria dichotoma (Blume) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria hydropiper (L.) Spach var.hydropiper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria hydropiper (L.) Spach subsp. flaccida (Meisn.) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria lapathifolia (L.) Gray var. lanigera (R.Br.) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria nepalensis (Meisn.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persicaria pedunculeris (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum dichotomum Blume var. angustissima (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum dichotomum Blume var. nilagirica (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum dichotomum Blume var. robusta (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum glabrum Willd. var. glabrum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum glabrum Willd. var. scabrinervis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum minus Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum molle D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum plebeium R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum sphaerocephalum Wall.ex Meisner and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum rhaponticumL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex nepalensis Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex vesicarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalzellia zeylanica (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Farmeria indica Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indotristicha ramosissima (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indotristicha tirunelveliana Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Podostemon barberi Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Podostemon subulatus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polypleurum dichotomum (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polypleurum stylosum (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Willisia selaginoides (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zeylanidium lichenoides (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zeylanidium olivaceum (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia bracteolata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia cymbifera Mart. & Zucc. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia grandiflora Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia ringens Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia tagala Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thottea barberi (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thottea siliquosa (Lam.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepianthes umbellata (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia blKalam (Jacq.) Kunth var. floribunda (Miq.) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia heyneana Miq. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia pellucida (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia candolleana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia tetraphylla (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia pseudo - rhombi C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia wightiana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper argyrophyllum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper betle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper galeatum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper glabrirhache C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper hapnium Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper hymenophyllum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper longum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper mullesua Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper obtusistigmum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper ootacamunbense C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper opacilimbum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper ovatostemon C.DC and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper pykarahense C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper schmidtii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper trichostachyon (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper trioicum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper wightii Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcandra chloranthoides Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knema attenuata (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica dactyloides Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica fatua Houtt. var. magnifica (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica fragrans Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne campanulata Hook.f. var. campanulata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne campanulata Hook.f. var. obtusa Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne lanata Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne maderaspatana Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne malabarica Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne salicina Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actinodaphne tadulingamii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alseodaphne semecarpifolia Nees var. semecarpifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alseodaphne semecarpifolia Nees var. angustifolia Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alseodaphne semecarpifolia Nees var. parvifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apollonias arnottii Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Beilschmiedia bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Beilschmiedia gammieana King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Beilschmiedia wightii (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassytha capillaris Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassytha filiformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum bejolghota (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum camphora (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum filipedicellatum Kosternm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum keralaense Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum macrocarpum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum malabatrum (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum multiflorum (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum nitidum Blume and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum perrottetii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum riparium Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum sulphuratum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum verum Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum walaiwarense Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum wightii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocarya anamalayana Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocarya beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocarya bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocarya lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocarya neilgherrensis Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocarya stocksii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laurus nobilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea coriacea (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea deccanensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea floribunda (Blume) Gamble and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea glabrata (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea glutinosa (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea hookeriana Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea insignis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea laevigata (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea monopetala (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea nigrescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea oleoides (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea quinqueflora (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea stocksii (Meisner) Hook.f. var. stocksii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea stocksii (Meisner) Hook.f. var. glabrescens (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea venulosa (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea wightiana (Nees) Hook.f. var. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea wightiana (Nees) Hook.f. var. tomentosa (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolitsea cassia (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolitsea fischeri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolitsea foliosa (Nees) Gamble var. caesia (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolitsea scrobiculata (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persea americana Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persea macrantha (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoebe lanceolata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoebe paniculata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoebe wightii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gyrocarpus asiaticus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Banksia marginata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grevillea banksii R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grevillea bipinnatifida R. Br. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grevillea hilliana F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grevillea punicea R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grevillea robusta A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hakea laurina R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hakea salicifolia (Vent.) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hakea sericea Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicia nilagirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicia robusta (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucadendron argenteum (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macadamia ternifolia F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Petrophile pulchella R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenocarpus salignus R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnidia glauca (Fresen.) Gilg var. glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnidia glauca (Fresen.) Gilg var. sisparensis (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gyrinops walla Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ovidia humboldtia Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wikstroemia indica (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus conferta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus indica Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus kologa Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrophthoe falcata (L.f.) Etting. var. falcata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrophthoe falcata (L.f.) Etting. var. pubescens (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrophthoe memecylifolia (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrophthoe neelgherrensis (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrophthoe sarcophylla (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrophthoe trigona (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicanthus elastica (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helixanthera hookeriana (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helixanthera intermedia (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helixanthera lepidophylla (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helixanthera obtusata (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helixanthera wallichiana (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrosolen capitellatus (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrosolen parasiticus (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scurrula cordifolia (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scurrula parasitica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxillus courtallensis (Gamble) Danser and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxillus cuneatus (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxillus heyneanus (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxillus recurvus (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxillus sclerophyllus (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxillus tomentosus (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Korthalsella japonica (Thunb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum angulatum Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum articulatum Burm.f. var. articulatum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum articulatum Burm.f. var. dichotomum Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum articulatum Burm.f. var. thelocarpum (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum capitellatum J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum heyneanum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum monoicum Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum orientale Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum ramosissimum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum trilobatum Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osyris quadripartita Salzm. ex Decne. var. quadripartita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osyris quadripartita Salzm. ex Decne. var. puberula (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Santalum album L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleropyrum pentandrum (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thesium wightianum Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var.minor (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. agastyamalayana Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. tirunelveliensis Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha alnifolia Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha brachystachya Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha ciliata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha fruticosa Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha hispida Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha lanceolata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha malabarica Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha racemosa Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acalypha amentacea Roxb. subsp. wilkesiana (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Actephila excelsa (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostistachys borneensis Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostistachys indica Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aleurites moluccana (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma acidum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma alexiteria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma bunius (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma ghaesembilla Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma menasu (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma walkeri (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aporosa acuminata Thw. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aporosa fusiformis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aporosa lindleyana (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Baccaurea courtallensis (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Baliospermum montanum (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bischofia javanica Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blachia calycina Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blachia reflexa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blachia umbellata (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Breynia retusa (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Breynia vitis-idaea (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia cinerascens Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia crenulata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia retusa (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia scandens (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrozophora prostrata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrozophora rottleri (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Claoxylon anomalum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Claoxylon wightii Hook.f. var. angustatum Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Claoxylon wightii Hook.f. var. hirsutum (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleidion spiciflorum (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleistanthus collinus (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleistanthus patulus (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleistanthus travancorensis Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Codiaeum variegatum (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelodepas calycinum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton bonplandianum Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton caudatus Geiseler var. caudatus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton caudatus Geiseler var. obovoideus Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton hirtus L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton klotzchianus (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton laccifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton malabaricus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton oblongifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton tiglium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton zeylanicus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalechampia indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalechampia scandens L. var. velutina (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimorphocalyx beddomei (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimorphocalyx glabellus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimorphocalyx lawianus (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes elata (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes longifolia (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes malabarica (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes porteri (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes roxburghii (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes sepiaria (Wight & Arn.) Pax & Hoffm. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes venusta (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes wightii (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epiprinus mallotiformis (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia agowensis Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia antiquorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia balakrishnanii Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia barnhartii Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia chamaesyce L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia corrigioloides Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia cotinifolia L. subsp. cotinoides (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia cristata Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia cyathophora Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia dracunculoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia heterophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia helioscopia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia heyneana Spreng. subsp. heyneana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia heyneana Spreng. subsp. nilagirica (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia hirta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia indica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia laciniata Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia longistyla Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia neriifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia milii Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia nivulia Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia pulcherrima Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia pycnostegia Boiss. var. zornioides (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia rosea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia rothiana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia santapaui Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia serpens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia thymifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia tirucalli L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia trigona Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia tortilis Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia vajravelui Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Excoecaria agallocha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Excoecaria cochinchinensis Lour. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Excoecaria crenulata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Excoecaria robusta Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fahrenheitia zeylanica (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flueggea leucopyrus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flueggea virosa (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Givotia rottleriformis Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion arboreum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion balakrishnanii G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion bourdillonii Gamble and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion candolleanum (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion ellipticum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion fagifolium Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion malabaricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion neilgherrense Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion pauciflorum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion tomentosum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion velutinum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion zeylanicum (Gaertn.) Juss. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hevea brasiliensis (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Homonoia retusa (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Homonoia riparia Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hura crepitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha curcas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha glandulifera Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha gossypifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha heynei Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha integerrima Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha maheshwarii Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha tanjorensis Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha villosa Wight var. villosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha villosa Wight var. ramnadensis Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga flexuosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga peltata (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus atrovirens Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus aureo-punctatus (Dalz.) Muell.-Arg. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus distans Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus philippensis (Lam.) Muell.-Arg. var. philippensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus philippensis (Lam.) Muell.-Arg. var. tomentosus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus repandus (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus resinosus (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus rhamnifolius Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus stenanthus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus subramanyamii Ellis and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus tetracoccus (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manihot esculenta Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manihot glaziovii Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Margaritaria indica (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meineckia longipes (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meineckia parvifolia (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micrococca beddomei (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micrococca mercurialis (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micrococca wightii (Hook.f.) prain var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micrococca wightii (Hook.f.) prain var. hirsutum (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mischodon zeylanicus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paracroton integrifolius (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedilanthus tithymaloides (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus acidus (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus amarus Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus baillonianus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus beddomei (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus chandrabosei Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus debilis Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus emblica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus fimbriatus (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus gageana (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus gardnerianus (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus indofischeri Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus kozhikodianus Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus lawii Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus leschenaultii Muell. Arg.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus longiflorus Heyne ex Hook.f. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus macraei Muell.-Arg. var. macraei and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus macraei Muell.-Arg. var. hispidus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus macrocalyx Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus maderaspatensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus megacarpa (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus myrtifolius Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus pinnatus (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus polyphyllus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus reticulatus Poir. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus rotundifolius Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus singampattiana (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus speciosus Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus urinaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus virgatus Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudoglochidion anamalayanum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ricinus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapium insigne (Royle) Benth. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapium sebiferum (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sauropus androgynus (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sauropus bacciformis (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sauropus quadrangularis (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sebastiania chamaelea (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Suregada lanceolata(Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Synadenium grantii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia bicolor Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia involucrata L. var. involucrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia involucrata L. var. angustifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia muelleriana Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia plukenetii R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trewia nudiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trewia polycarpa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonostemon nemoralis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernicia montana Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daphniphyllum neilgherrense (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buxus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcococca brevifolia (Muell.-Arg.) Stapf ex Gamble and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcococca saligna (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boehmeria glomerulifera Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boehmeria macrophylla Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boehmeria nivea (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamabaina cuspidata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Debregeasia ceylanica Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Debregeasia longifolia (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Debregeasia wallichiana (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrocnide sinuata (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Droguetia iners (Forssk.) Schweinf. subsp. urticoides (Wight) friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema acuminatum (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema cuneatum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema lineolatum Wight var. lineolatum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema lineolatum Wight var. falcigera Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema lineolatum Wight var. linearis Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema lineolatum Wight var. setosum Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema sessile Forst. var. sessile and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema sessile Forst. var. cuspidata (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema sessile Forst. var. pubescens Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema surculosum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Girardinia diversifolia (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laportea bulbifera (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laportea interrupta (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lecanthus peduncularis (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oreocnide frutescens (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oreocnide integrifolia (Gaudich.) Miq. var. integrifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oreocnide integrifolia (Gaudich.) Miq. var. sylvatica (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parietaria micrantha Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pellionia heyneana Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pilea angulata (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pilea kingii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pilea melastomoides (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pilea microphylla (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pilea wightii Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia auriculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia bennettiana Wight var. bennettiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia bennettiana Wight var. acuta (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia bennettiana Wight var. gardneri (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia bennettiana Wight var. macrophylla Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia bennettiana Wight var. mysorensis (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia bennettiana Wight var. ovalifolia (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia bennettiana Wight var. quadrialata (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia bennettiana Wight var. tomentosa (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia cymosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia hirta (Blume) hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia pentandra (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia wightii Benn. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia wightii Benn. var. caudata (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia wightii Benn. var. lawsoniana Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia wightii Benn. var. nilghirensis (Wight) Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia wightii Benn. var. scabra (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia wightii Benn. var. wallichiana Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia zeylanica (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Procris crenata Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urtica hyperborea Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urtica parviflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aphananthe cuspidata (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis australis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis philippensis Blanco var. wightii (Planch.) Soep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis tetrandra Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis timorensis Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holoptelea integrifolia (Roxb.) Planch. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trema orientalis (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cannabis sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antiaris toxicaria (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus incisus L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus gomezianus Wall. ex Trec. subsp. zeylanicus Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus heterophyllus Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocapus hirsutus Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Broussonetia papyrifera Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cudrania cochinchinensis (Lour.) Kudo & Masamune and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dorstenia indica Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus albipila (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus amplissima J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus amplocarpa Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus angladei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus arnottiana (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus auriculata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus beddomei King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus benghalensis L. var. benghalensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus benghalensis L. var. krishnae C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus benjamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus callosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus carica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus dalhousiae Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus drupacea Thunb. var. pubescens (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus elastica Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus exasperata Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus glaberrima Blume var. bracteata Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus guttata (Wight) Kurz ex King and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus heterophylla L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus hispida L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus hookeriana Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus laevis Blume var. macrocarpa (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus microcarpa L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus mollis Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus nervosa Heyne ex Roth var. nervosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus nervosa Roth var. minor King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus palmata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus pumila L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus religiosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus talbotii King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus tinctoria Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus tsjahela Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus virens Ait. var. virens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus virens Ait. var. lambertiana (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus virens Ait. var. wightiana (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morus alba L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morus australis Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plecospermum spinosum Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Streblus asper Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Streblus taxoides (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Platanus orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juglans regia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casuarina glauca Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casuarina equisetifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casuarina junghuhniana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casuarina stricta Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casuarina suberosa Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casuarina torulosa Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alnus nepalensis D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Betula alnoides Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Castanea crenataSieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Castanea sativa Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Castanopsis indica (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Castanopsis roxburghiana S.N. Biswas and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagus sylvatica L. var. sylvatica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagus sylvatica L. var. cuprea Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus baloot Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus coccifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus leucotrichophora A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus robur L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus serrata Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix babylonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix tetrasperma Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceratophyllum demersum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blyxa aubertii Rich. var. echinosperma (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blyxa octandra (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enhalus acoroides (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halophila beccarii Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halophila decipiens Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halophila ovalis (R. Br.) Hook.f. subsp. ovalis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halophila ovalis (R. Br.) Hook.f. subsp. ramamurthiana Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halophila ovata Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halophila stipulacea (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrilla verticillata (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nechamandra alternifolia (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ottelia alismoides (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalassia hemprichii (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vallisneria natans (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Burmannia candelabrum Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Burmannia coelestis D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Burmannia wallichii (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acampe praemorsa (Roxb.) Blatter & McCann and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acanthephippium bicolor Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aenhenrya rotundifolia (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerides crispaLindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerides maculosum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aerides ringens (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anoectochilus elatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anoectochilus rotundifolius (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aphyllorchis montana Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundina graminifolia (D. Don) Hochr. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachycorythis iantha (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachycorythis splendida Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum acutiflorum A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum albidum (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum aureum (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum elegantulum (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum fischeri Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum fuscopurpureum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum kaitiense Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum sterile (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophylum tremulum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophylum xylophyllum Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calanthe sylvatica(Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calanthe triplicata (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calanthe vestita Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cheirostylis flabellata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cheirostylis parvifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chiloschista fasciata(F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysoglossum hallbergii Blatter and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysoglossum maculatum (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne breviscapa Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne glandulosa Lindl. var. glandulosa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne glandulosa Lindl. var. bournei Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne glandulosa Lindl. var. sathyanarayanae Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne mossiae Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne nervosa A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne odoratissima Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne ovalis Lindl. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne prolifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne uniflora Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corymborkis veratrifolia (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cottonia peduncularis (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crepidium purpureum(Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbidium aloifolium (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbidium bicolor Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbidium ensifolium (L.) Sw. var. haematodes (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium anamalayanum Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium aqueum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrocium barbatulum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium diodon Reichb.f. subsp. kodayarensis Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium haemoglossum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium herbaceum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium heterocarpum Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium heyneanum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium macrostachyum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium microbulbon A. Rich. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium nanum Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium nutantiflorum Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium wightii A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium panduratum Lindl. subsp. villosum Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymoplexis pallens Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diplocentrum congestum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diplocentrum recurvum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Disperis neilgherrensis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epidendrum radicans Pav. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epipactis veratrifolia Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epipogium roseum (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria albiflora Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria dalzellii (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria microchilos (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria mysorensis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria nana A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria pauciflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria polystachya A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria pseudoclavicaulis Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria reticosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia cullenii (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia epidendraea (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia graminea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia pulchra (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia pratensis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia spectabilis (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flickingeria nodosa (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gastrochilus acaulis (Lindl.) Kuntze and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gastrochilus calceolaris (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geodorum densiflorum (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goodyera fumata Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goodyera procera (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria acuminata (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria barnesii Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria cepholotes Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria crassifolia A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria crinifera Lindl. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria decipens Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria denticulata Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria digitata Lindl. var. digitata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria digitata Lindl. var. foliosa (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria digitata Lindl. var. travancorica (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria elliptica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria elwesii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria furcifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria grandifloriformis Blatter & McCann and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria heyneana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria hollandiana Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria longicorniculata Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria longicornu Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria macrostachya Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria marginata Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria multicaudata Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria pallideviridis Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria perrottetiana A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria plantaginea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria polyodon Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria rariflora A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria richardiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria roxburghii Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria virens (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria viridiflora (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hetaeria ovalifolia Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kingidium deliciosum (Reichb.f.) Sweet and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis atropurpurea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis beddomei Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis biloba Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis caespitosa (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis duthiei Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis elliptica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis nervosa (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis platyphylla Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis prazeri King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis resupinata Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis viridiflora (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis walkeriae Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis wightiana Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luisia birchea Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luisia zeylanica Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malleola gracilis (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nervilia aragoana Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nervilia carinata (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nervilia plicata (Andr.) Schltr. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nervilia prainiana (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia anamalayana Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia balakrishnanii R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia brunoniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia ensiformis (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia iridifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia platycaulon Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia proudlockii King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia santapaui Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia sebastiana Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia seidenfadeniana Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia tenuis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia verticillata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia wightiana Lindl. var. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia wightiana Lindl. var. arnottiana (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia wightiana Lindl. var. nilgirienis R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oberonia zeylanica Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pachystoma senile (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paphiopedilum druryi (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papilionanthe cylindrica (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pecteilis gigantea (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus aristatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus brachyphyllus A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus densus (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus goodyeriodes (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus lawii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus plantagineus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pholidota pallida Lindl. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus secundus (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus spiralis A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus stocksii (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pholidota pallida Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Podochilus falcatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polystachya concreta (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Porpax jerdoniana (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Porpax reticulata Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Proteroceras leopardianum (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchostylis retusa (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhytionanthos nodosus (Rolfe) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Robiquetia josephiana Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Satyrium nepalense D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schoenorchis jerdoniana (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Seidenfadeniella filiformis (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Seidenfia densiflora (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Seidenfia intermedia (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Seidenfia rheedii (Sw.) Szlach. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Seidenfia versicolor (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sirhookera lanceolata (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sirhookera latifolia (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithsonia maculata (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spathoglottis plicata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiranthes sinensis (Pers.) Ames var. sinensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiranthes sinensis (Pers.) Ames var. wightiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taeniophyllum alwisii Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tainia bicornis (IIndl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thelasis pygmaea (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thrixspermum muscaeflorum A. S. Rao & Joseph var. nilagiricum Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trias stocksii Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichoglottis tenera (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tropidia angulosa (lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tropidia curculigoides Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam spathulata (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam tessellata (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam testaceae (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam wightii Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vanilla planifolia Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vanilla walkeriae Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vanilla wightiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zeuxine affinis (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zeuxine gracilis (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zeuxine longilabris (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia abundiflora Burtt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia calcarata Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia galanga Sw. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia malaccensis (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia nigra (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alpinia zerumbet (Pers.) B. L. Burtt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum cannicarpum (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum hypoleucum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum masticatorium Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum muricatum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amomum pterocarpum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma amada Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma aromatica Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma neilgherrensis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma pseudomontana Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma zedoaria (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elettaria cardamomum (L.) Maton var. cardamomum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elettaria cardamomum (L.) Maton var. major Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Globba marantina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Globba ophioglossa Wight and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium coronarium Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium flavescens Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium spicatum Hamilton ex Smith var. acuminatum (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium venustum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kaempferia galanga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber montanum (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber nimmonii (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber officinale Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber roseum (Roxb.) Roscoe and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber wightianum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber zerumbet (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Costus pictus D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Costus speciosus (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maranta arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phrynium pubinerve Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schumannianthus virgatus (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ensete superbum (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ensete ventricosum(Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliconia psittacorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa acuminata Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa balbisiana Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa parasidiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ravenala madagascarensis Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strelitzia reginae Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canna indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ananas comosus (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anigozanthos flavidus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Disporum leschenaultianum D. Don var. leschenaultianum and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Disporum leschenaultianum D. Don var. angustifolium Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lilium trigrinum Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lilium wallichianum Schultes & Schultes f. var. neilgherrense (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiopogon intermedius D. Don var. intermedius and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiopogon intermedius D. Don var. gracilipes Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiopogon intermedius D. Don var. pauciflorus Hook. f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peliosanthes teta Andr. subsp. humilis (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristea ecklonii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Babiana stricta (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Babiana villosa Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crocosmia x crocosmiiflora (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crocosmia pottsii (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dierama pulcherrima (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleutherine palmifolia (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Freesia refracta Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gladiolus natalensis (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gladiolus primulinus Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris germanica L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris unguicularis Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moraea iridioides L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Watsonia borbonica (Pourr.) Goldblatt subsp. ardernei (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Watsonia rosea Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amaryllis belladonna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum asiaticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum viviparum (Lam.) R.Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum latifolium L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum moorei Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucharis x grandiflora Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eurycles sylvestris Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haemanthus coccineus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haemanthus matalensis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hippeastrum x johnsonii (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hippeastrum reginae Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hippeastrum vittatum (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenocallis littoralis (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucojum aestivum L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucojum pulchellum Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Narcissus pseudo-narcissus L. subsp. moschatus (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Narcissus tazetta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nerine flexuosa (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nerine undulata Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pancratium triflorum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaedranassa dubia (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sprekelia formossissima Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenomesson coccineum Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zephyranthes carinata Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zephyranthes grandiflora Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zephyranthes tubispatha Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave angustifolia Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave sisalana Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agave vera-cruz Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordyline australis (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Furcraea foetida (L.) Haw. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polianthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Yucca gloriosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dianella ensifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phormium tenax Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracaena fruticosa (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracaena terniflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria roxburghiana Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria trifasciata Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria thyriflora Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria varians N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria zeylanica (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alstroemeria aurea Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bomarea caldasiana Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bomarea oligantha Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curculigo orchioides Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypoxis aurea Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Molineria trichocarpa (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tacca leontopetaloides (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea alata L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea belophylla Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea bulbifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea esculenta (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea hamiltonii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea hispida Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea kalkapershadii Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea oppositifolia L. var. oppositifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea oppositifolia L. var. dukhumensis Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea pentaphylla L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea spicata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea tomentosa Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea wallichii Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea wightii Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichopus zeylanicus Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stemona tuberosa Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipcadi montanum (Dalz.) Baker var. madrasicum (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucomis autumnalis (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucomis punctata L'Herit. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ornithogalum arabicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ornithogalum conicum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scilla hyacinthina (Roth) Mecbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urginea congesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urginea indica (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urginea polyantha Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asphodelus tenuifolius Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloe vera (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kniphofia uvaria (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus asiaticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus fysonii Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus gonoclados Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus laevissimus Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus setaceus (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus racemosus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum acaule Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum arundinaceum Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum attenuatum (Wight) Baker and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum heynei Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum laxum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum malabaricum Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum nimmonii (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum tuberosum (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gloriosa rothschildiana O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gloriosa superba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iphigenia indica (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iphigenia magnifica Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemerocallis aurantiaca Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agapanthus praecox Willd. var. orientalis (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agapanthus praecox Willd. var. albus Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium cepa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium porrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruscus aculeatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax perfoliata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax wightii A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eichhornia crassipes (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Monochoria hastata (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Monochoria vaginalis (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xyris capensis Thunb. var. schoenoides (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xyris pauciflora Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aclisia secundiflora (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aneilema montana (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aneilema ovalifolia (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Belosynapsis kewensis Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Belosynapsis vivipara (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina attenuata Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina benghalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina clavata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina diffusa Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina ensifolia R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina erecta L. var. erecta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina erecta L. var. glochidea (Koen.ex Clarke) Bhargavan and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina forskalaei Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina hirsuta (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina imberbis Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina indehiscens Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina longifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina paleata Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina paludosa Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina subulata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina tricolor Barnes and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina wightii R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis adscendens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis arachnoidea Clarke var. arachnoidea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis arachnoidea Clarke var. thwaitesii (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis arcotensis R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis axillaris (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis burmanniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis concanensis Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis cristata (L.) D. Don and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis cucullata (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis fasciculata (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis obtusa Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis papilionacea (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis pilosa Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis tuberosa (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis villosa (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis wightii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dictyospermum scaberrimum (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Floscopa scandens Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia dimorpha (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia edulis (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia esculenta (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mudannia gigantea (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia glauca (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia japonica (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia juncoides (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia lanceolata (Wight) Kammathy and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia lanuginosa (Wall ex Clarke) Beueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia loriformis (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia nudiflora (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia pauciflora Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia semiteres (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia simplex (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia spirata (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia vaginata (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia zeylanica (Clarke) Brueckner var. longiscapa (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhoeo discolor Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setcreasea purpurea Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zebrina pendula Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flagellaria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juncus bufonius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juncus effusus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juncus inflexus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juncus leschenaultii J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luzula indica Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Areca catechu L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arenga wightii Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bentinckia condapanna Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Borassus flabellifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus brandisii Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus gamblei Beccari ex Becari & Hook. var. gamblei and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus gamblei Beccari ex Beccari & Hook. var. sphaerocarpa Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus huegelianus Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus pseudo-tenuis Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus rheedii Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus rotang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus travancoricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caryota urens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corypha umbraculifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corypha macropoda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Livistona chinensis (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Livistona rotundifolia (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix canariensis Hort ex Chabaud and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix loureirii Kunth var. loureirii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix loureirii Kunth var. humilis (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix pusilla Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix rupicola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix sylvestris (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinanga dicksonii (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhapis excelsa (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Roystonea regia (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sabal mauritiiformis (Karsten) Griseb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachycarpus fortunei (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Washingtonia robusta Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus amaryllifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus canaranus Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus odoratissimus L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus tectorius Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus thwaitesii Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typha angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acorus calamus L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alocasia indica (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus paeoniifolius (Dennst.) Nicolson var. campanulatus (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amorphophallus sylvaticus (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphyllum beddomei Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphyllum wightii Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthurium spathiphyllum N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema auriculatum Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema leschenaultii Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema murrayi (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema tortuosum (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema translucens Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema tuberculatum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema tylophorum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema wightii Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caladium bicolor (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colocasia esculenta (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocoryne ciliata (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocoryne consobrina Schott and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocoryne retrospiralis (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocoryne spiralis (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epipremnum pinnatum cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagenandra meeboldii (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagenandra toxicaria Dalz. var. barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Monstera deliciosa Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistia stratiotes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plesmonium margaritiferum (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pothos armatus Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pothos scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pothos thomsonianus Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Remusatia vivipara (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhaphidophora pertusa (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Theriophonum fischeri Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Theriophonum minutum (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Theriophonum sivaganganum (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xanthosoma sagittifolium (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zantedeschia aethiopica (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lemna gibba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lemna perpusilla Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spirodela polyrhiza (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wolffia globosa (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyalisma janthina Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caldesia parnassiifolia (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophyton obtusifolium (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sagittaria guayanensis H.B.K. subsp lappula (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sagittaria sagittifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Najas graminea Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Najas indica (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Najas malesiana Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Najas marina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Najas minor All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruppia maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aponogeton appendiculatus Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aponogeton echinatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aponogeton natans (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aponogeton undulatus Roxb. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymodocea rotundata Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymodocea serrulata (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halodule pinifolia (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halodule uninervis (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halodule wrightii Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potamogeton crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potamogeton nodosus Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potamogeton pectinatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potamogeton perfoliatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syringodium isoetifolium (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon brownianum Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon cinereum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon conica (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon elenorae Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon ensiforme Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon leucomelas Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon longicuspis Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon nairii Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon nepalense Prescott ex Bongard and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon odoratum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon panagudianum Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon pectinatum Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon quinquangulare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon ramnadense Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon richardianum (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon ritchieanum Ruchl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon robusto-brownianum Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon robustum Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon talbotii Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon thwaitesii Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon truncatum Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon xeranthemum Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ascopholis gamblei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbostylis barbata (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbostylis densa (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbostylis puberula (Poir.) Kunth ex C. B. Clarke var. puberula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbostylis puberula (Poir.) Kunth ex C. B. Clarke var. gracilis C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex baccans Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex breviculmis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex brunnea Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex christii Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex eluta Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex foliosa D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex filicina Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex glaucina Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex hebecarpa C. Meyer var. ligulata (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex lateralis Kuek. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex lenta D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex leucantha Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex lindleyana Nees var. lindleyana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex lindleyana Nees var. mercarensis (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex longicruris Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex longipes D. Don var. longipes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex longipes D. Don var. dissitiflora Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex maculata Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex myosurus Nees and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex nubigena D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex phacota Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex pseudoaperta Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex raphidocarpa Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex rara Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex speciosa Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex vicinalis Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex walkeri Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex wallichiana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus alopecuroides Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus alternifolius L. subsp. flabelliformis (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus arenarius Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus bulbosus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus castaneus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus cephalotes Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus conglomeratus Rottb. subsp. pachyrrhizus (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus compressus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus corymbosus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus curvibracteatus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus cuspidatus Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus difformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus diffusus Vahl. var. diffusus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus diffusus Vahl. var. macrostachyus Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus digitatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus distans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus distans L. var. pseudonutans Kuek. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus elatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus exaltatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus halpan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus imbricatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus iria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus laevigatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus latovaginata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus lurida Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus michelianus (L.) Link. subsp. pygmaeus (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus nutans Vahl var. nutans and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus natans Vahl var. eleusinoides (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus pangorei Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus pilosus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus platyphyllus Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus platystylis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus plumbeonucea Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus polyanthelus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus procerus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus pygmaeus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus rotundus L. subsp. rotundus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus rotundus L. subsp. tuberosus (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus rubicundus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus rubriglumosus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus sesquifforus (Torr.) Mattf. & Kuek. var.cylindricus (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus sphacelatus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus stoloniferous Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus stricticulmis Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus sulcinux Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus tenuiculmis Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus tenuispica Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleocharis acutangula (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleocharis atropurpurea (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleocharis congesta D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleocharis dulcis (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleocharis geniculata (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleocharis retroflexa (Poir.) Urban subsp. chaetaria (Roem. & Schult.)

Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleocharis spiralis (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleocharis tetraquetra Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis aestivalis (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis aggregata Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis amplocarpa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis aphylla Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis argentea (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis bisumbellata (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis cinnamometorum (Vahl) Kunth and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis complanata (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis consanguinea Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis contorta Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis crystallina Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis cymosa R. Br. subsp. spathacea (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis dichotoma (L.) Vahl subsp. dichotoma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis dichotoma (L.) Vahl subsp. podocarpa (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis dichotoma (L.) Vahl subsp. glauca (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis dipsacea (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis eragrostis (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis falcata (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis ferruginea (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis kingii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis latiglumifera Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis latinucifera Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis longistigmata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis miliacea (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis monospicula Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis monticola Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis narayanii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis nutans (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis ovata (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis paupercula Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis pentaptera (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis pierotii Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis polytrichoides (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis pustulosa Govindarajalu and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis quinquangularis (Vahl) Kunth var. crassa C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis rectifolia Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis rigidiuscula Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis rugosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis salbundia (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis scabrisquama Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis schoenoides (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis semidisticha Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis sieberiana Kunth and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis squarrosa Vahl var. esquarrosa Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis strigosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis tenera Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis tetragona R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis tortifolia Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis triflora (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis tristachya R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis uliginosa Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis woodrowii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fuirena ciliaris (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fuirena pubescens (Lam.) Kunth var. pergamentacea Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fuirena trilobites Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fuirena umbellata Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fuirena unicinata (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fuirena wallichiana Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypolytrum nemorum (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kylinga brevifolius Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kylinga bulbosa P. Beavu. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kylinga hyalina (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kyllingia nemoralis (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kyllingia malanosperma Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lipocarpha chinensis (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lipocarpha raynaleana Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lipocarpha sphacelata (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mariscus clarkei (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mariscus compactus (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mariscus cyperinus (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mariscus dubius (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mariscus paniceus (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mariscus squarrosus (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mariscus sumaterensis (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycreus flavescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycreus flavidus (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycreus polystachyos (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycreus pumilus (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycreus puncticulatus (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycreus sanguinolentus (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycreus stramineus (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycreus unioloides (R. Br.) Urb. var. angulatus (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchospora corymbosa (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchospora gracillima Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchospora rubra (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchospora rugosa (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rikliella squarrous (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schoenoplectus articulatus (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schoenoplectus grossus (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schoenoplectus juncoides (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schoenoplectus littoralis (Schrad.) Palla subsp. subulatus (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schoenoplectus mucronatus (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schoenoplectus senegalensis (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schoenoplectus supinus (L.) Palla subsp. lateriflorus (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus fluitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus subcapitatus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria caricnia (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria corymbosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria lithosperma (L.) Sw. var. lithosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria lithosperma (L.) Sw. var. linearis Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria lithosperma (L.) Sw. var. multispiculata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria levis Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria mikawana Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria parvula Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria terrestris (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrachne henrardiana (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrachne racemosa (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrachne sundararajii Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeluropus lagopoides (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostis micrantha Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostis peninsularis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostis pilosula Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostis schmidii (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostis stolonifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostis zenkeri Trin. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alloteropsis cimicina (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon hallii Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon lividus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon longipes Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon polyptychus Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon pumilus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthoxanthum borii Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthoxanthum odoratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apluda mutica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apocopis courtallumensis (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apocopis vaginata Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristida adscensionis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristida funiculata Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristida hystrix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristida mutabilis Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristida setacea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthraxon castratus (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthraxon depressus Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthraxon lanceolatus (Roxb.) Hochst. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthraxon micans (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthraxon prionodes (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthraxon quartinianus (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinaria walkeriana Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinaria wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella ciliata (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella hookeri Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella leptochloa (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella mesophylla Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella nepalensis Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella nervosa (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella pumila (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella purpurea Hochst. ex Steud var. purpurea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella purpurea Hochst. ex Steud. var. laxa Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella setosa Trin. var. setosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella setosa Trin. var. nilagiriana Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella vaginata Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundo conspicua Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundo donax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avena byzantina K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avena fatua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avena sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avena sterilis L. var. ludoviciana (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Axonopus compressus (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bambusa bambos Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bothriochloa bladhii (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bothriochloa foulkesii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bothriochloa insculpta (Hochst. ex A. Rich.) A. camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bothriochloa kuntzeana (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bothriochloa pertusa (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bothriochloa pseudoischaemum (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria distachya (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria eruciformis (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria kurzii (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria miliiformis (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria munae Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria mutica (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria nilagirica Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria ramosa (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria remota (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria reptans (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria Semiundulata (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria Semiverticillata (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria setigera (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachypodium distachyon (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachypodium sylvaticum (Huds.) and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Briza maxima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Briza media L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Briza minor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bromus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bromus catharticus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bromus diandrus Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bromus ramosus Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capillipedium filiculme (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capillipedium huegelii (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capillipedium parviflorum (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cenchrus biflorus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cenchrus ciliaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cenchrus glaucus Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cenchrus pennisetiformis Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cenchrus setigerus Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centotheca lappacea (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionachne koenigii (Spreng.) THw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionachne Semiteres (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris barbata Sw. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris bournei Rang. & Tadl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris dolichostachya Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris gayana Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris pycnothrix Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris roxburghiana Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris virgata Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris wightiana Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysopogon aciculatus (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysopogon asper (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysopogon copei Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysopogon fulvus (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysopogon hackelii (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysopogon orientalis (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysopogon zeylanicus (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelachne perpusilla (Arn. ex Steud.) Thw. var. perpusilla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelachne perpusilla (Arn. ex Steud.) Thw. var. nilagirica Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelachne simpliciuscula (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelachyropsis lagopoides (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coix aquatica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coix gigantea Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coix lacryma-jobi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cortaderia selloana (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon caesius (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon citratus (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon coloratus (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon flexuosus (Nees ex Steud.) Wats var. flexuosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon flexuosus (Nees ex Steud) Wats var. coimbatorensis Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon gidarba (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon jwarancusa (Jones) Schultes subsp. olivieri (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopoogon martinii (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon nardus (L.) Rendle var. nardus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon nardus (L.) Rendle var. confertiflorus (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon polyneuros (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon travancorensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynodon arcuatus J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynodon barberi Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynodon dactylon (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynodon plectostachyus (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtococcum deccanense Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtococcum longipes (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtococcum muricatum (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtococcum oxyphyllum (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtococcum patens (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtococcum sparsicomum (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtococcum trigonum (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dactylis glomerata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dactyloctenium aegyptium (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrocalamus strictus (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmostachya bipinnata (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichanthium annulatum (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichanthium aristatum (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichanthium caricosum (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichanthium foveolatum (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichanthium oliganthum (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichanthium pallidum (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichaetaria wightii Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria abludens (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria bicornis (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria ciliaris (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria duthieana Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria griffithii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria longiflora (Retz.) Pers. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria microbachne (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria radicosa (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria setigera Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria stricta Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria ternata (A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria tomentosa (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria violascens Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitaria wallichiana (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimeria acutipes Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimeria avenacea (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimeria balakrishnaniana K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimeria fuscescens Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimeria kollimalayana Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimeria lehmanii (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimeria orissae Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimeria ornithopoda Trin. var. ornithopoda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimeria ornithopoda Trin. var. khasiana Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dinebra retroflexa (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diplachne malabarica (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa colona (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa crus - galli (L.) P. Beauv var. crus - galli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa crus - galli (L.) P. Beauv var. breviseta (Doll) Neilr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa frumentacea Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa oryzoides (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa picta (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa stagnina (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehrharta abyssinica Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleusine coracana (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleusine indica (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elytrophorus spicatus (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enneapogon schimperanus (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enteropogon coimbatorensis K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enteropogon monostachyos (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostiella bifaria (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostiella brachyphylla (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis aspera (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis atrovirens (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis cilianensis (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis ciliaris (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis ciliata (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis coarctata Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis curvula (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis dayanKalamnii P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis deccanensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis gangetica (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis japonica (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis kiwuelsis Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis macilenta (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis maderaspatana Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis minor Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis nigra Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis nutans (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis pilosa P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis riparia (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis rottleri Stapf and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis schweinfurthii Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis superba Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis tef (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis tenella (L.) P. Beauv ex Roem. & Schultes var. tenella and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis tenella (L.) P. Beauv. ex Roem. & Schultes var. insularis Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis tenuifolia (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis tremula (Lam.) Hochst ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis unioloides (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis viscosa (Retz.) Trin. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eremochloa muricata (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eremopogon foveolatus (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriochloa procera (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriochrysis rangacharii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euchlaena mexicana Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulalia phaeothrix (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulalia trispicata (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulalia wightii (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulaliopsis binata (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Festuca ovina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Festuca undata Stapf var. aristata Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garnotia arundinacea Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garnotia courtallensis (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garnotia elata (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garnotia exaristata Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garnotia fergusonii Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garnotia schmidii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garnotia tenella (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glyceria spicata Guss and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halopyrum mucronatum (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helictotrichon polyneurum (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helictotrichon schmidii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helictotrichon virescens (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemarthria compressa(L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heteropogon contortus (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heteropogon fischerianus Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heteropogon polystachyos (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holcolemma canaliculatum (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hordeum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygroryza aristata (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenachne acutigluma (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ichnanthus vicinus (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Imperata cylindrica (L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne angladei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne bourneorum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne deccanensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne dispar Trin. var. dispar and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne dispar Trin. var. villosa C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne elegans Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne globosa (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne kunthiana (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne miliacea Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne oreades (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne pulchella Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne walkeri (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum commutatum Hack. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum flumineum Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum indicum (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum koenigii (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum nilagiricum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum pilosum (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum rangacharianum Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum rugosum Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum tadulingamii Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum timorense Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum zeylanicolum Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iseilema anthephoroides Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iseilema jainiana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iseilema laxum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iseilema prostratum (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jansenella griffithiana (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leersia hexandra Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptochloa chinensis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptochloa neesii (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptochloa obtusiflora Hochst. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptochloa panicea (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptochloa uniflora Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lolium perenne L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lolium temulentum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lophatherum gracile Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lopholepis ornithocephala (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lophopogon tridentatus (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manisuris myuros L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melanocenchris jacquemontii Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melanocenchris monoica (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melica scaberrima (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microchloa indica (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microchloa kunthii Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microchloa kunthii Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microstegium ciliatum (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microstegium nudum (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miscanthus nepalensis (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mnesithea granularis (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mnesithea laevis (Retz.) Kunth and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myriostachya wightiana (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oclandra beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochlandra scriptoria (Dennst.) Fischer var. sivagiriana (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochlandra setigera Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochlandra travancorica Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiuros bombaiensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiuros exaltatus (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oplismenus burmannii (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oplismenus compositus (L.) P. Beauv and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oplismenus undulatifolius (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oropetium thomaeum (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza barthii A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza meyeriana (Zoll. & Mor.) Baill. var. granulata (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza minuta J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza officinalis Wall ex Watt subsp malampuzhaensis (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza rufipogon Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ottochloa nodosa (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxytenanthera monadelpha(Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxytenanthera ritcheyi (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum antidotale Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum brevifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum fischeri Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum gardneri Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum maximum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum miliaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum notatum Retz. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum paludosum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum psilopodium Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum sparsicomum Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum sumatrense Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum trypheron Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalidium flavidum (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalidium geminatum (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalidium punctatum (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum canarae (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum conjugatum Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum dilatatum Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum distichum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum longifolium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum scrobiculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum vaginatum Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum americanum (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum clandestinum Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum hohenackeri Hochst. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum pedicellatum Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum polystachyon (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum purpureum Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum villosum R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Perotis indica (L.) Kuntze var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Perotis indica (L.) Kuntze var. keelakaraiensis Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phalaris aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phalaris arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phalaris minor Retz. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phragmites karka (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poa annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poa gamblei Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poa trivialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogonatherum crinitum (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogonatherum paniceum (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polypogon fugax Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pommereulla cornucopiae L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudanthistiria heteroclita (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudanthistiria umbellata (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudechinolaena polystachya (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudobrachiaria deflexa (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudoraphis spinescens (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudosorghum fasciculare (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchelytrum repens (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rottboellia cochinchinensis (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum arundinaceum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum narenga (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum officinarum L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum spontaneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sacciolepis curvata (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sacciolepis indica (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sacciolepis interrupta (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sacciolepis myosuroides (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schizachyrium brevifolium (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sehima nervosum (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sehima sulcatum (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria homonyma (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria intermedia Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria italica (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria palmifolia (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria plicata (lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria poiretiana (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria pumila (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria sphacelata (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria verticillata (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sinarundinaria wightiana (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum arundinaceum (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum bicolor (L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum cernuum Host var. orbiculatum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum cernuum Host var. truchmenorum (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum conspicuum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum coriaceum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum dimidiatum Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum dochna (Forssk.) Snowden var. irungu (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum dochna (Forssk.) Snowden var. obovatum (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum durra (Forssk.) Stapf var. coimbatoricum (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum durra (Forssk.) Stapf var. mediocre (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum guineense Stafp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum halepense (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum laxiflorum F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum nitidum (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum roxburghii Stapf var. hians Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. subglabrescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. compactum (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. irungiforme (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. oviforme Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. rubidum (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum versicolor Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spinifex littoreus (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spodiopogon rhizophorus (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus capillaris Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus coromandelianus (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus hajrae Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus indicus (L.) R. Br. var. diander (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus indicus (L.) R. Br. var. fertilis (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus maderaspatanus Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus piliferus (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus spicatus (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus tenuissimus (Schrank) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus tremulus (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus virginicus (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sporobolus wallichii Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenotaphrum dimidiatum (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teinostachyum wightii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Themeda cymbaria Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Themeda quadrivalvis (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Themeda tremula (Nees ex Steud.) hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Themeda triandra Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thysanolaena maxima (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachys muricata (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragus roxburghii Panigrahi and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tripogon bromoides Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tripogon jacquemontii Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tripogon lisboae Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tripogon pungens Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tripogon wightii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tripsacum laxum Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triticum aestivum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triticum dicoccum Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urochloa panicoides P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vetiveria lawsonii (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vetiveria zizanioides (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vulpia bromoides (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vulpia megalura (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vulpia myuros (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zea mays L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zenkeria elegans Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zenkeria sebastinei Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zenkeria stapfii Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zoysia matrella (L.) Merr. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zoysia pungens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon schoenanthus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon sorghum BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andropogon squarrosus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Androsace rotundifolia HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aneilema conspicuum KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aneilema lineolatum KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aneilema nudiflorum BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aneilema scapiflorum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aneilema tuberosum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemarrhena asphodeloides BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemone falconeri THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemone narcissiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemone obtusiloba D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemone rivularis HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemone rupicola CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemone tetrasepala ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemone vitifolia HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aneseia martinicensis (JACQ.) CHOIS. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anethum foeniculum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anethum graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anethum sowa KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angelica archangelica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angelica archangelica L. himalayana (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angelica glauca EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angelica polymorpha MAXIM. SINENSIS OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angelonia salicariaefolia HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angiopteris evecta (FORST.) HOFFM. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aniseia martinicensis (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus carnosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus carnosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisochilus eriocephalus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisomeles indica (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisomeles malabarica R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisomeles ovata R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anisonema multiflorum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Annona cherimola MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Annona muricata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Annona reticulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Annona squamosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anodendron paniculatum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anoectochilus regalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anoectochilus roxburghii BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anoectochilus setaceus (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anogeissus acuminata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anogeissus latifolia WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anogeissus pendula EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anotis foetida (DALZ.) BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anplectrum assamicum CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthemis cotula L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthemis gayana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthemis nobilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthemis odontostephana BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthemis pyrethrum GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthocephalus cadamba MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthocephalus chinensis (LAM.) A.RICH. EX WALP. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthocephalus indicus A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthoxanthum odoratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthriscus cerefolium (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthriscus sylvestris HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anthyrium filix-femina (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antiaris innoxia BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antiaris saccidora DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antiaris toxicaria (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anticharis glandulosa ASCHERS. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma acidum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma bunius (L.)SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma diandrum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma ghaesembilla GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma menasu (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antidesma zeylanicum LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antirrhinum cymbalaria GUELDENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antirrhinum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antirrhinum orantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apama siliquosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apama tomentosa (BI.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aphanamixis polystachya (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aphananthe cuspidata (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apium graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apium leptophyllum F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aplotaxis auriculata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apluda mutica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apluda varia HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apocynum foetidum BURM.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apollonias arnottii NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aponogeton monostachyon L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aponogeton natans (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aporusa dioica (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aporusa lindleyana BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aporusa octandra (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aquilaria agallocha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aquilaria malaccensis LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aquilaria ovata L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aquilegia fragrans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aquilegia vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arabidopsis thaliana (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arabidopsis wallichii (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arabis chinensis ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arabis recta MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arabis tribetica HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arachis hypogaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arachne cordifolia (DECNE) and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aralia armata SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aralia cachemirica DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aralia pseudo-ginseng BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aralia quinquefolia DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aralia racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arbutus unedo L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arceuthobium minutissimum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Archangelica himalaica EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Archangelica officinalis HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Archidendron clypearia (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Archidendron monadelphum (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arctium lappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arctostaphylos uva ursi SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia colorata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia humilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia odontophylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia oxyphylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia solanacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Areca catechu L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Areca concinna THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Areca nagensis GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Areca triandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arenaria serpyllifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arenga obtusifolia MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arenga pinnata MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arenga saccharifera LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arenga wightii GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argemone alba LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argemone mexicana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia aggregata (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia argentea ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia cuneata KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia daltonii CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia fulgens CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia imbricata (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia involucrata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia kleiniana (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia malabarica CHOISY and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia nervosa (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia petaloidea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia pomacea (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia sericea Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia setosa (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia speciosa SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aricennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arikuryroba schizophylla BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema alba N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema curvatum KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema decipiens SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema flavum (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema jacquemontii BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema leschenaultii BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema murrayi (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema speciosum (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema tortuosum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema triphyllum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arisaema wallichianum HK.F. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristida adscenscionis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristida depressa RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristida humilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristida setacea RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia bracteata RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia bracteolata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia labiosa KER.-GAWL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia reticulata NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia rotunda L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia roxburghiana KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia saccata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia serpentaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aristolochia tagala CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Armoracia rusticana GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arnebia benthamii (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arnebia euchroma (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arnebia guttata BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arnica montana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artabotrys hexapetalus (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artabotrys odoratissimus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artabotrys suaveolens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artanema longifolia (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artanema longifolium (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artanema sesamoides (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia abrotanum SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia absinthium L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia austriaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia biennis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia brevifolia WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia capillaris THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia cina BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia dracunculus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia gmelinii WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia indica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia japonica THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia macrocephala JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia maderaspatana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia moorcroftiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia nilagirica (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia pallens WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia parviflora BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia persica BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia roxburghiana BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia sacrorum LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia scoparia WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia sieversiana EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia vestita WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia vulgaris AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthraxon nudus (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthrocnemum indicum MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arthrophyllum blumeanum ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus chaplasha ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus communis J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus gomezianus WALL. EX TREC. zeylanicus JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus heterophyllus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus hirsutus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus integra (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus integrifolia L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artocarpus lakoocha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arum campanulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arum colocasia L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arum macrorhizon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arum numphaeifolium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aruncus dioicus (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundina graminifolia (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundinella nepalensis TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundo donax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arundo karka RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asagraea officinalis LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asarum europaeum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asclepias asthmatica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asclepias curassavica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asclepias gigantea WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asclepias lactifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asclepias prolifera ROTTLER EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asclepias volubilis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asclepias vomitoria KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asechynanthus gracilis PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aspalathus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aspalathus linearis (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus adscendens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus curillus BUCH .-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus filicinus BUCH .-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus gonoclados BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus laevissimus STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus punjabensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus racemosus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus rottleri BAKER. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asparagus sarmentosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asperugo procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asphodelus fistulosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asphodelus tenuifolius CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aspidium polymorphum (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium adiantoides (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium adiantum-nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium alternans WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium ceterach L. ceterach Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium dalhousiae HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium falcatum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium furcatum THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium laciniatum D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium nidus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium parasiticum WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium polyodon G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium ruta-muraria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium septentrionale HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium trichomanes L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asplenium viride HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster amellus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster asteroides (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster falconeri HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster indamellus GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster tibeticus HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster trinervius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asteracantha longifolia (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asteriastigma macrocarpa BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astilbe rivularis BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astraeus hygrometricus (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus aegacanthoides PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus candolleanus ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus ciliolatus BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus graveolens BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus hamosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus heratensis BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus himalayanus KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus jacquemontii BUNGE NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus multiceps BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus munori BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus nivalis KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus polyacanthus ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus psilocentrus FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus rhizanthus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus sarcocola DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus strobiliferus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus tribuloides DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Astragalus verus OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asystasia coromandeliana NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asystasia dalzelliana SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asystasia gangetica (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asystasia violacea DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atalantia monophylla CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atalantia racemosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Athyrium filix-femina (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Athyrium hohenackerianum BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Athyrium puncticaule (BL.) MOORE NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Athyrium schimperi (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atriplex hortensis LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atropa acuminata ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atropa belladonna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atylosia barbata (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atylosia candollei WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atylosia goensis DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atylosia lineata WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atylosia mollis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atylosia platycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atylosia scarabeoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atylosia volubilis GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Auricularia sambucina MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avena fatua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avena sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Averrhoa acida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Averrhoa bilimbi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Averrhoa carambola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avicennia alba BLUME and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avicennia marina (FORSK.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avicennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Avicennia tomentosa JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Azanza lampas (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Azima tetracantha LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Baccaurea ramiflora LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanites aegyptiaca (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanites roxburghii PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanocarpus utilis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanophora dioica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanophora fungosa J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanophora involucrata Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanophora polyandra GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Baliospermum axillare BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Baliospermum calycinum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Baliospermum montanum (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Baliospermum sinuatum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Baliospermum solanifolium (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balsamodendron agallocha WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balsamodendron kataf KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balsamodendron mukul HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balsamodendron myrrha N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balsamodendron stocksiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bambusa arundinacea WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bambusa balcooa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bambusa bambos DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bambusa nana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bambusa nutans WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bambusa oSkiniana GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bambusa tulda ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bambusa vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barbarea vulgaris R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria acanthoides VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria acuminata NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria buxifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria courtallica NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria cuspidata HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria involucrata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria longiflora L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria longifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria lupulina LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria montana NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria mysorensis ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria noctiflora LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria prattensis SANT. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria prionitis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria strigosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barringtonia acutangula (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barringtonia asiatica (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barringtonia racemosa (L.) K.SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barringtonia speciosa FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Basella alba L. rubra (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Basella alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Basella cordifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Basella rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Basilicum polystachyon (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bassia butyracea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bassia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bassia longifolia KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bassia malabarica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia acuminata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia candida WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia diphylla BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia macrostachya WALL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia malabarica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia phoenica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia phoenicea HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia racemosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia retusa HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia roxburghiana VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia rufescens LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia tenuiflora WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia vahlii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia wallichii MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia cathcartii J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia hatacoa BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia inflata C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia josephii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia laciniata ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia luxurians SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia malabarica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia palmata DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia picta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia rex PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia rubro-venia HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia thomsonii DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., NripatimcKalam chinensis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Benincasa cerifera SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Benincasa hispida (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Benkara malabarica (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bentinckia condapanna BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis aristata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis asiatica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis chitria EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis insignis HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis jaeschkeana SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis kashmiriana AHRENDT and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis kumaoensis SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis lamberti PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis lycium ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis nepalensis SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis pachyacantha JAFRI zabeliana JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis petiolaris WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis pseudumbellata PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis tinctoria LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis ulicina HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis umbellata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis wallichiana DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berchemia lineata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergenia ciliata (HOW.) STERN. fa ligulata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergenia ciliata (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergenia ligulata SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergenia purpurascens (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergenia stracheyi (HOOK.F.& THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergera koenigii L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergia capensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergia odorata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergia suffruticosa (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Beta benghalensis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Beta maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Beta vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Betula alnoides BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Betula bhojpattra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Betula utilis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bidens biternata (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bidens cernua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bidens pilosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bidens tripartita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biebersteinia odora STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bignonia chelonoides L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bignonia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bigonia longifolia (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum apodisciac TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum candolleanum WIGHT and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum nervifolium THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum petersianum KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum reinwardtii (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum sensitivum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bischofia javanica BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bistorta amplexicaulis GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bixa orellana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blastania garcini COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blechnum orientale L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blechnum spicant (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharis boerhaviifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharis edulis PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharis linariaefolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharis maderaspatensis (L.) ROTH. maderaspatensis NAPPER maderaspatensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharis persica (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharispermum subsessile DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharistemma serratum (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blighia sapida KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea aurita DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea balsamifera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea densiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea erientha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea fistulosa (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea hieracifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea lacera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea laciniata (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea lanceolaria (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea membranacea DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea mollis (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea myriocephala DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea obliqua DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea oxyodonta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea pubigeru (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea riparia (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea sessiliflora DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea wightiana DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumeopsis falcata (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumeopsis flava (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blyxa octandra (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bocagea dalzellii HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boehmeria macrophylla HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boehmeria nivea (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boehmeria repens NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boenninghauseni albiflora (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boenninghausenia albiflora (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boerhavia chinensis (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boerhavia diffusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boerhavia erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boerhavia repKalam WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boerhavia repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boerhavia verticillata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boesenbergia rotunda (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bolbitis subcrenata (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boletus crocatus BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bombax ceiba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bombax cibaricum DC. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bombax insigne WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bombax malabaricum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bombax pentandrum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bongardia chrysogonum (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bongardia rauwolfii C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bonnaya oppositifolia SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bonnaya reptans SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Borago officinalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Borassus flabellifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Borassus flabelliformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Borreria articularis (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Borreria hispida (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Borreria pusilla (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bosea amherstiana HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boswellia carteri BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boswellia frereana BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boswellia glabra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boswellia ovalifoliolata BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boswellia serrata ROXB. glabra (ROXB.) BENNETT and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boswellia serrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boswellia thurifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bothriochloa odorata (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Botrychium lunaria (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Botrychium ternatum (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Botrychium virginianum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boucerosia aucheriana DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bougainvillaea spectabilis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria eruciformis (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria ramosa STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachiaria reptans (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachyactis roylei WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bragantia tomentosa BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bragantia wallichii R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brasenia sachreberi J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brasenia schreberi J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassaiopsis glomerulata BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica alba (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica campestris L. dichotoma (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica campestris L. glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica campestris L. rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica campestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica cernua (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica integrifolia (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica juncea (L.) CZERN. integrifolia (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica juncea (L.) CZERN. SSP. JUNCEA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica napus L. dichotoma (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica napus L. glauca (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica nigera (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica nigra (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica oleracea L. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica oleracea L. gongylodes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica rapa L. campestsris (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica tournefortii GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Breea arvensis (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bremekampia verticillata (ROXB.) SREEMADHAVAN NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Breynia patens (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Breynia retusa (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Breynia rhamnoides MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Breynia vitis-idaea (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia crenulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia montana WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia retusa SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia scandens (ROXB.) WIILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia squamosa (LAM.) GEHRM. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia stipularis BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bridelia tomentosa BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bromelia ananas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bromus unioloides H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Broussonetia papyrifera (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brucea javanica (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brucea mollis WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bruguiera cylindrica (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bruguiera gymnorrhiza (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brunfelsia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brunfelsia calycina BENTH. MACRANTHA RAFFILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bruxanellia indica DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryonia epigoea ROTTL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryonia grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryonia laciniosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryonia rostrata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryonia scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryonia umbellata KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryonopsis laciniosa NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryophyllum calicynum SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryophyllum pinnatum (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryum bicolor DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buchanania angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buchanania axillaris (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buchanania angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buchanania latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buddleja asiatica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buddleja davidii FRANCH. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buddleja macrostachys BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buddleja neemda HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buettneria herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum congestum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum neilgherrense WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbophyllum sterile (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bulbostylis barbata (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bunium persicum (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum falcatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum jucundum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum lanceolatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum longicaule WALL. EX DC. himalayense (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum setaceum FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum thompsoni CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bursera serrata COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butea buteiformis (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butea frondosa ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butea monosperma (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butea parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butea superba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butia yatay (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buxus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buxus wallichiana BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bytineria Kalammanensis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Byttneria herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Byttneria pilosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cacalia kleinia HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cacalia pentaloba HAND.-MAZZ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cacalia sonchifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caccinia crassifolia O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cachrys pabularia (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cactus ficus-indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cadaba farinosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cadaba fruticosa (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cadaba indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cadaba trifoliata WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia bonduc (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia bonducella (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia coriaria WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia crista L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia cuculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia decapetala (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia digyna ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia jayabo NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia mimosoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia nuga AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia paniculata DESF. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia pulcherrima (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia sappan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia spicata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesulia axillaris ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus bicolor DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus cajan (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus indicus SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calacanthus grandiflorus (DALZ.) RADLK.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caladium bicolor VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caladium sagittaefolium SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamintha clinopodium BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamintha umbrosa FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus draco WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus erectus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus extensus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus huegelianus MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus latifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus rheedei GRIFF. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus rotang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus tenuis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus thwaitesii BECC. canaranus Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus travancoricus BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calamus viminalis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calanthe masuca (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calanthe sylvatica (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calanthe triplicata (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calanthe veratrifolia (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calendula arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calendula officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa arborea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa cana L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa lanata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa longifolia LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa macrophylla VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa psilocalyx CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa rubella LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa tomentosa (L.) MURRAY and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calligonum polygonoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callistemon lanceolatus DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callitris inophyllum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calonyction bona-nox BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calonyction muricatum G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calophyllum apetalum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calophyllum calaba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calophyllum elatum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calophyllum inophyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calosanthes indica BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calotropis gigantea (L,) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calotropis gigantea (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calotropis procera R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caltha alba CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caltha palustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calvatia cyathiformis (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calycopteris floribunda LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calyptranthes caryophyllifolia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calyptranthes jambolana MOON. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Camellia kissi WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Camellia sinensis (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Camellia thea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campanula colorata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Camphora officinarum NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campsis grandiflora (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campsis radicans (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cananga odorata HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canangium odoratum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canarium bengalense ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canarium commune L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canarium euphyllum KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canarium resiniferum BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canarium strictum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canarium vulgare LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia ensiformis SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia gladiata (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia lineata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia rosea (SW.) DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia virosa (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canella alba Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canella winterana (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canna coccinea MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canna indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canna orientalis ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cannabis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cannabis sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora andrographioides GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora decussata SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora diffusa (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora perfoliata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cansjera rheedi J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium angustifolium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium coromandelicum (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium dicoccum (GAERTN.) TEIJSM. & BINN. dicoccum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium parviflorum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium rheedei DC. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium umbellatum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caoxylon indicum (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis aphylla ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis assamica HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis bisperma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis corundas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis decidua (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis diffusa RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis divaricata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis horrida L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis micrantha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis moonii WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis olacifolia HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis pedunculosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis sepiaria L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsella bursa-pastoris MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsella thomsoni HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsicum annuum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsicum festigiatum BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsicum frutescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsicum grossum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsicum minimum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caragana crassicaulis BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caragana cuneata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caragana pygmaea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carallia brachiata (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carallia integerrima DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma adscendens (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma attenuata WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma edulis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma tuberculata BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma umbellata HAW. SYN. PL. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carapa granatum (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carapa gromatum (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carapa moluccensis LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carapa obovata BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardamine impatiens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardamine loxostemonoides O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardamine pratensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardamine scutata THUNB. flexuosa (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardanthera uliginosa BENTH. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardaria draba (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardiocrinum giganteum (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardiospermum canescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardiospermum halicacabum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carduus edelbergii RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carduus gigas UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carduus nutans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex atrata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex cernua BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex nivalis BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex notha KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carex nubigena D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Careya arborea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Careya herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carica cKalammarcensis HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carica papaya L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa carKalams L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa congesta WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa opaca STAPF and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa paucinervia A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa spinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carmona microphylla (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carmona retusa (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carpesium abrotanoides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carpesium cernuum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carpopogon pruriens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carthamus lanatus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carthamus oxyacantha BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carthamus tinctorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carum bulbocastanum Auct. Non Koch:C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carum carvi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carum copticum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carum roxburghianum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carum strictocarpum C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caryophyllus aromaticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caryopteris odorata ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caryota mitis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caryota urens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., CascaNripati thevetia (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia elliptica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia esculenta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia esculentta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia graveolens DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia grewiaefolia VENT. deglabrata KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia ovata (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia tomentosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia vareca ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia zeylanica (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia absus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia acutifolia DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia alata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia angustifolia VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia arborea MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia auriculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia didymobotrya FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia elongata LEMAIRE - LIS and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia glauca LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia italica (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia javanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia kleinii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia laevigata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia lanceolata COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia marginata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia mimosoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia montana HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia obovata COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia obtusifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia occidentalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia pumila LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia senna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia siamea LAMK. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia sophera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia surattensis BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia tora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia uniflora Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassine glauca (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassiope fastigiata DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassytha filiformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Castanea sativa MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Castanopsis indica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Castanopsis tribuloides A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Castanospermum australe A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casuarina equisetifolia FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catha edulis FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catharanthus pusillus (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catharanthus roseus (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catimbium malaccense (BURM.F.) HOLTTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catimbium speciosum (WENDL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catunaregam rugulosa (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catunaregam uliginosa (RETZ.) SIVARAJAN NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catunaregum spinosa (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caulophyllum thalictroides MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia auriculata (ROXB.)GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia carnosa (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia mollissima (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia pedata (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia pedata JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia trifolia (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cedrela serrata ROYLE NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cedrela toona ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cedrus deodara (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cedrus libani BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cedrus libani BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceiba pentandra (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celastrus paniculatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celosia argentea L. cristata (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celosia argentea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celosia cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celosia cristeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celsia coromandeliana VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis australis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis cinnamomea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis philippensis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis tetrandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis timorensis SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celtis wightii PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cenchrus barbatus SCHUM. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cenchrus biflorus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cenchrus ciliaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centaurea behen L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centaurea calcitrapa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centaurea cyanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centaurea iberica TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centaurea picris PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centaurea solstitialis ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centaurium centaurioides (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centaurium roxburghii (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centella asiatica (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centipeda minima (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centipeda orbicularis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centranthera grandiflora BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centranthera indica (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centratherum anthelminticum (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centrosema pubescens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centrostachys aquatica (R.BR.) WALL.EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cepa alba RENAULT and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cepa flava MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cephaelis ipecacuanha RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cephalandra indica NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cephalanthera ensifolia RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cephalanthera longifolia (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cephalostachyum capitatum MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cephalostachyum pergracile MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cephalotaxus griffithi Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerastium cerastoides (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerastium fontanum BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerastium glomeratum THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerastium indicum THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerastium thomsoni HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerastium vulgatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerasus hexagonus MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceratocephalus falcatus (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceratonia siliqua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceratophyllum demersum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceratopteris siliquosa COPELAND and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceratopteris thalictroides (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerbera manghas L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerbera odollam GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cereus grandiflorus MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceriops candolleana ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceriops roxburghiana ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceriops tagal C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceriscoides turgida (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia bulbosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia candelabrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia hirsuta Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia juncea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum diurnum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum nocturnum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum parqui L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceterach officinarum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chaerophyllum acuminatum LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chaerophyllum villosum WALL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamaemelum nobile (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamaerops ritchieana GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Champereia griffithii PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Champereia manillana (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chasallia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chassalia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chassalia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chassalia curviflora (WALL. EX KURZ) THW. ophioxyloides (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chassalia ophioxyloides (WALL.) CRAIB and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chavica betle MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chavica roxburghii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cheilanthes albomarginata C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cheilanthes farinosa (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cheilanthes fragrans (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cheilanthes rufa D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cheilanthes tenuifolia (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cheiranthus cheiri L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium ambrosioides BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium blitum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium botrys L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chenopodium murale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chesneya nubigena (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthemum segetum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cichorium endivia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cichorium intybus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cirsium wallichii DC. var. wightii (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissampelopsis ansteadii (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissampelopsis corymbose (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissampelopsis walkeri (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conyza aegyptiaca (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conyza bonariensis (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conyza japonica (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conyza leucantha (D.Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conyza stricta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coreopsis grandiflora Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coreopsis tinctoria Nutt var. tinctoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coreopsis tinctoria Nutt var. atkinsoniana (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cosmos caudatus Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cosmos sulphureus Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotula australis (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crassocephalum crepidioides (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathocline purpurea (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dahlia coccinea Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dahlia imperialis Roezel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendranthema x grandiflorum (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichrocephala chrysanthemifolia (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichrocephala integrifolia (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicoma tomentosa Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinops echinatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eclipta prostrata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elephantopus scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emilia coccinea (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emilia javanica (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emilia ramulosa Gamble and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emilia scabra DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emilia sonchifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emilia zeylanica Clarke var. zeylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emilia zeylanica Clarke var. paludosa Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epaltes divaricata (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epaltes pygmaea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron alpinus L. var. wightii (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron karvinskianus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron multiradiatus (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron sublyratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium ianthinum Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium repandum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Filago arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flaveria contrayerba Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flaveria trinervia (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gaillardia pulchella Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galinsoga parviflora Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galinsoga quadriradiata Ruiz. & Pavon and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gamochaeta coarctata (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gamochaeta pensylvanica (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gamochaeta purpurea (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gazania linearis (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gerbera jamesonii Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glossocardia bosvallea (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glossogyne bidens (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnaphalium hypoleucum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnaphalium luteo-album L. subsp. luteo-album and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnaphalium luteo-album L. subsp. affine (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnaphalium polycaulon Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniocaulon indicum (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grangea maderaspatana (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guizotia abyssinica (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura aurantiaca (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura bicolor (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura lycopersicifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura nitida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura pseudo-china (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura travancorica W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helianthus annus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helianthus debilis Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helianthus tuberosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helichrysum buddleioides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helichrysum perlanigerum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helichrysum wightii Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helipterum citrinum Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helipterum roseum Benth. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypochoeris glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypochoeris radicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kleinia grandiflora (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca hastata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagascea mollis Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laggera crispata (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea acaulis (Roxb.) Babc. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea intybacea (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea procumbens (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea sarmentosa (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucanthemum x superbum (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Montanoa bipinnatifida C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moonia heterophylla Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myriactis wightii DC. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myriactis wightii DC. var. bellidioides Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Notonia shevaroyensis Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Notonia walkeri (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olearia cassiniae F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oligochaeta ramosa (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osteospermum ecklonis (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osteospermum moniliferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parthenium hysterophorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentanema cernuum (Dalzell) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentanema indicun (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllocephalum courtallense (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllocephalum indicum (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllocephalum phyllolaenum (DC.) Narayana and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllocephalum rangacharii (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllocephalum scabridum (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllocephalum sengaltherianum (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picris hieracioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pluchea tomentosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Proustia pyrifolia Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psiadia ceylanica (Arn.) Grierson var. ceylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psiadia ceylanica (Arn.) Grierson var. beddomei (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pulicaria angustifolia DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pulicaria wightiana (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rudbeckia maxima Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Santolina chamaecyparissus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sclerocarpus africanus Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio ansteadi Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio articulatus (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio calcadensis Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio candicans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio cineraria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio confusus Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio edgeworthii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio hohenackeri Hook.f. var. hohenackeri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio hohenackeri Hook.f. var. rupestris (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio intermedius Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio kundaicus Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio lavandulaefolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio lessingianus (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio ludens Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio neelgherryanus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio polycephalus (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio tenuifolius Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio wightii (DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio zeylanicus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sigesbeckia orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silybum marianum (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solidago canadensis L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solidago gigantea Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solidago microglossa Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solidago nemoralis Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solidago virga-aurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus asper (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus jainii Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus wightianus DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaeranthus africanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaeranthus amaranthoides Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaeranthus indicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spilanthes calva DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spilanthes radicans Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spilanthes uliginosa Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stokesia laevis (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Struchium sparganophorum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Synedrella nodiflora (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tagetus erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tagetus lucida Cav. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tagetus minuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tagetus patula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum parthenium (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taraxacum javanicum Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taraxacum officinale Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum cinerariaefolium Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tithonia diversifolia (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tricholepis radicans (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tridax procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbesina encelioides (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia albicans Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia anamallica Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia anthelmintica (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia arborea Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia bourneana W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia cinerascens Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia cinerea (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia comorinensis W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia conyzoides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia dalzelliana Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia divergens (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia elaeagnifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia fysonii Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia gossypina Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia heynei Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia indica Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia malabarica Hook.f. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia membranacea Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia monosis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia pectiniformis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia peninsularis (Clarke) Clarke ex Hook.f. var. peninsularis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia peninsularis (Clarke) Clarke ex Hook.f. var. kodayarensis Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia pothigaiana Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia ramaswamii Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia recurva Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia saligna DC. var. nilghirensis Hook.f. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia salvifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia setigera Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia shevaroyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia travancorica Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vittadinia australis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wedelia chinensis (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wedelia trilobata (L.)A. Hitchi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wedelia urticaefolia (Blume) DC. var. urticaefolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wedelia urticaefolia (Blume) DC. var. wightii DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xanthium indicum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Youngia fuscipappa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Youngia japonica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Youngia nilgiriensis Babc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zinnia elegans Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scaevola plumieri (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scaevola sericea Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asyneuma fulgens (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campanula alphonsii Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campanula benthamii Wall. ex Kitam. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campanula drabifolia Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campanula latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campanula medium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campanula ramulosa Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campanula rapunculoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campanula wightii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laurentia longiflora (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wahlenbergia erecta (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wahlenbergia flexuosa (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wahlenbergia marginata (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia alsinoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia angulata Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia chinensis Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia courtallensis K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia heyneana Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia leschenaultiana (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia nicotianifolia Roth ex Schultes var. nicotianifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia nicotianifolia Roth ex Schultes var. trichandra (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphenoclea zeylanica Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vaccinium leschenaultii Wight var. leschenaultii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vaccinium leschenaultii Wight var. pubescens S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vaccinium leschenaultii Wight var. rotundifolia (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vaccinium leschenaultii Wight var. zeylanica Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vaccinium neilgherrense Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arbutus unedo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calluna vulgaris (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erica arborea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erica vagans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gaultheria fragrantissima Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron arboreum J.E. Smith subsp. nilagirium (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron indicum (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron mucronatum G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron ponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron simsii Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clethra arborea Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limonium sinuatum (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumbago auriculata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumbago indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumbago zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anagallis arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anagallis pumila Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lysimachia candida Lindl. subsp. obovata (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lysimachia leschenaultii Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lysimachia procumbens Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aegiceras corniculatus (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antistrophe serratifolia (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia amplexicaulis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia blatteri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia littoralis Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia missionis Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia pauciflora Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia rhomboidea Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia solanacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ardisia sonchifolia Mez and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia adnata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia basaal (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia ribes Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia tsjeriam-cottam (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maesa indica (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrsine wightiana Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rapanea capitellata (Wall.) Mez var. capitellata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rapanea capitellata (Wall.) Mez var. sessilis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rapanea daphnoides Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rapanea thwaitesii Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jacquinia barbasco (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jacquinia aculeata Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysophyllum cainito L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysophyllum roxburghii G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isonandra lanceolata Wight forma lanceolata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isonandra lanceolata Wight forma anfractuosa (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isonandra montana (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isonandra perrottetiana A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isonandra stocksii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca indica J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca longifolia (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca neriifolia (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manilkara hexandra (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manilkara roxburghiana (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manilkara zapota (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimusops elengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Palaquium bourdillonii Brandis and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Palaquium ellipticum (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xantolis tomentosa (Roxb.) Rafin. var. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xantolis tomentosa (Roxb.) Rafin. var. elengioides (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros affinis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros assimilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros barberi Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros buxifolia (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros candolleana Wight and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros chloroxylon Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros cordifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros ebenum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros ferrea (Willd.) Bakh. var. buxifolia (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros ferrea (Willd.) Bakh. var. neilgherrensis (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros foliolosa Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros humilis Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros insignis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros malabarica (Desr.) Kostel. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros melanoxylon Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros nigresens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros nilgirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros oocarpa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros paniculata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros pruriens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros sylvatica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros walkeri (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos anamallayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos authilingomii Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos cochinchinensis (Lour.) Moore subsp. laurina (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos foliosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos macrocarpa Wight ex Clarke subsp. macrocarpa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos macrocarpa Wight ex Clarke subsp. kanarana (Talbot) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos macrophylla Wall. ex A.DC. subsp. macrophylla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos macrophylla Wall. ex A.DC. subsp. microphylla (Wight) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos macrophylla Wall. ex A.DC. subsp. rosea (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos monantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos nairii Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos obtusa Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos oligandra Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos pendula Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos pulchra Wight subsp. pulchra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos pulchra Wight subsp. coriacea Gopalan & Henry and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos wynadense (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionanthus leprocarpa Thw. var. courtallensis (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionanthus linocieroides (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionanthus macrophylla Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionanthus mala-elengi (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionanthus ramiflorus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionanthus zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum angustifolium (L.) Willd. var. angustifolium and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum angustifolium (L.) Willd. var. sessiliflorum (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum arborescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum auriculatum Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum azoricum L. var. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum azoricum L. var. travancorense (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum bignoniaceum Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum brevilobum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum calophyllum Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum cordifolium Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum cuspidatum Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum grandiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum malabaricum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum mesnyi Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum multiflorum (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum polyanthum Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum ritchiei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum rottlerianum Wall. ex A.DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum sambac (L.) Ait. var. sambac and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum sambac (L.) Ait.var. heyneanum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum scandens Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum trichotomum Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum wightii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum decaisnei Clarke var. decaisnei and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum decaisnei Clarke var. microphylla Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum gamblei Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum lucidum Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum perrottetii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum robustrum (Roxb.) Blume subsp. walkeri (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myxopyrum serratulum A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olea dioica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olea paniculata R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olea polygama Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schrebera swietenioides Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nyctanthes arbor-tristis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Azima tetracantha Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvadora persica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenium obesum Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aganosma cymosa (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aganosma dichotoma (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., AllamKalam cathartica L. var. nobilis Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., AllamKalam violacea Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alstonia scholaris (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alstonia venenata R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anodendron paniculatum A.DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Beaumontia grandiflora Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Beaumontia jerdoniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa carKalams L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa congesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa grandiflora A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa hirsuta Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa inermis Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa paucinervia A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa salicina Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carissa spinarum L. var. spinarum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catharanthus pusillus (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catharanthus roseus (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerbera odollam Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chonemorpha fragrans (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ellertonia rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Funtumia africana (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holarrhena pubescens (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hunteria zeylanica (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ichnocarpus frutescens (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kopsia fruticosa (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mandevilla laxa (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nerium oleander L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parsonsia alboflavescens (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumeria obtusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumeria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia hookeri Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia micrantha Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia serpentina (L.) Benth. ex Kurz and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia tetraphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia verticillata (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strophanthus wightianus Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana divaricata (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana gamblei Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana heyneana Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thevetia peruviana K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vallaris solanacea (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vinca major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Voacanga grandiflora (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia arborea (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia indica Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia tinctoria (Roxb.) R.Br. var. tinctoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia tinctoria (Roxb.) R.Br. var. rothii (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asclepias curassavica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachystelma bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachystelma brevitubulatum (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachystelma maculatum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brachystelma rangacharii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calotropis gigantea (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calotropis procera (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma adscendens (Roxb.) Haw. var. adscendens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma adscendens (Roxb.) Haw. var. attenuata (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma bhupinderana Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma diffusa (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma indica (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma nilagiriana Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma pauciflora (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma procumbens Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma stalagmifera Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caralluma umbellata Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia barnesii Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia bulbosa Roxb. var. bulbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia bulbosa Roxb. var. lushii (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia candelabrum L. var. candelabrum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia candelabrum L. var. biflora (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia ciliata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia decaisneana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia elegans Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia ensifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia fimbriifera Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia hirsuta Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia intermedia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia juncea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia maculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia mannarana Umamahesw. & P. Daniel and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia metziana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia oculata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia omissa Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia pusilla Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia spiralis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceropegia thwaitesii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cosmostigma racemosum (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynanchum alatum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynanchum callialatum Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynanchum tunicatum (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphocarpus fruticosus (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphocarpus physocarpus E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema alterniflorum (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema elegans Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema hirsutum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema lactiferum (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema montanum (Roxb.) Hook.f. var. montanum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema montanum (Roxb.) Hook.f. var. beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema montanum (Roxb.) Hook.f. var. pubiflora Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema sylvestre (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema tingens (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heterostemma tanjorense Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holastemma ada-kodien Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya alexicaca (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya kanyakumariana Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya ovalifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya pauciflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya wightii Hook.f.subsp. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya wightii Hook.f. subsp. palniensis K.T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptadenia reticulata (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia brunoniana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia tenacissima (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia tirunelvelica Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentatropis capensis (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pergularia daemia (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Raphionacme purpurea Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma acidum (Roxb.) Voigt and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma brunonianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma intermedium Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma secamone (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Secamone emetica (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stapelia gigantea N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stapelia grandiflora Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Telosma minor (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Telosma pallida (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toxocarpus beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toxocarpus kleinii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toxocarpus palghatensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora capparidifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora fasciculata Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora macrantha Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora mollissima Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora multiflora (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora pauciflora Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora rotundifolia Buch.-Ham. ex Wight and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora subramanii Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora tertrapetala (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora zeylanica Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wattakaka volubilis (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bacolepis nervosa (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptolepis buchananii Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptolepis grandiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptostegia grandiflora R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Decalepis hamiltonii Wight & Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemidesmus indicus (L.) R.Br. var. indicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemidesmus indicus (L.) R.Br. var. pubescens (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Decalepis arayalpathra Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utleria salicifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagraea ceilanica Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardneria ovata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mitrasacme indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spigelia anthelmia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos lenticellata Hill and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos minor Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos nux-vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos potatorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos vanprukii Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos wallichiana Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buddleja asiatica Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buddleja davidii Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buddleja madagascariensis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buddleja volubilis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora decurrens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora decussata (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora diffusa (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora heteroclita (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora perfoliata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canscora roxburghii Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enicostema axillare (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum anamallayanam Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum atropurpureum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum courtallense Arn. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum grande Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum lawii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum pedunculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum petiolare Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum pumilum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum sessile L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum tetragonum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum travancoricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum wightianum Arn. var. wightianum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum wightianum Arn. var. uniflorum Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana pedicellata Griseb.var. wightii Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana quadrifaria Blume var. zeylanica (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halenia perrottetii Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoppea dichotoma Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoppea fastigiata (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia angustifolia Buch.-Ham. var. pulchella (Buch.-Ham.ex D.Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia beddomei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia corymbosa (Griseb.) Wight ex Clarke var. corymbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia corymbosa (Griseb.) Wight ex Clarke var. grisebachiana (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia densifolia (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia minor (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia trichotoma (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphoides aurantiacum (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphoides hydrophylla (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphoides indicum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrolea zeylanica (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wigandia canacasana H.B.K. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlox drummondii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carmona retusa (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coldenia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia alba Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia diffusa Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia domestica Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia evolutior (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia gharaf (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia macleodii (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia monoica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia obliqua Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia wallichii G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia sebestena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia subcordata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynoglossum zeylanicum (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia aspera Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia canarensis (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia laevis Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia wightiana Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium arborescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium bracteatum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium curassavicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium marifolium Retz. subsp. marifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium marifolium Retz. subsp. wallichii (Clarke) Kazmi and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium ovalifolium Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium peruvianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium rottleri Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium strigosum Willd. subsp. brevifolium (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium subulatum (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium supinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium zeylanicum (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotula aquatica Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symphytum officinale L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tournefortia argentea L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tournefortia heyneana Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tournefortia reticosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tournefortia wightii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichodesma indicum (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichodesma inaequale Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichodesma zeylanicum (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aniseia martinicensis (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia argentea Choisy var. venusta (Choisy) Clarke and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia coonoorensis W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia cuneata (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia cymosa (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia daltonii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia elliptica (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia fulgens Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia hirsuta Wight & Arn. var. hirsuta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia imbricata (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia involucrata Clarke and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia kleiniana (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia nellygherya Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia nervosa (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia osyrensis (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia pilosa Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia pomacea (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia populifolia Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia sericea Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyreia setosa (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bonamia evolvuloides (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bonamia Semidigyna (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus flavus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus rottlerianus Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cressa cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuscuta campestris Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuscuta chinensis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuscuta hyalina Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuscuta reflexa Roxb. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erycibe paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evolvulus alsinoides (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evolvulus nummularius (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hewittia sublobata (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea aquatica Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea asarifolia (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea barlerioides (Choisy) Benth.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea batatus (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea cairica (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea campanulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea carnea Jacq. subsp. carnea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea carnea Jacq. subsp. fistulosa (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea coptica (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea deccana Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea dichroa Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea diversifolia R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea eriocarpa R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea hederifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea involucrata Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea marginata (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea mauritiana Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea nil (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea obscura (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea pes-caprae (L.) R.Br. var. pes-caprae and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea pes-caprae (L.) R. Br. var. perunkulamensis Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea pes-tigridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea pileata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea purpurea (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea quamoclit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea rumicifolia Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea sepiaria Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea sinensis (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea staphylina Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea tuberculata Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea turbinata Lag. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea violacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea wightii (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jacquemontia caerulea Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jacquemontia paniculata (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jacquemontia pentantha (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepistemon leiocalyx Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia aegyptia (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia dissecta (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia emarginata (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia hederacea (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia quinata (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia quinquefolia (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia tridentata (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia umbellata (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia umbellata (L.) Hall.f. subsp. Orientalis Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia vitifolia (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Operculina turpethum (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Porana paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Porana racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rivea hypocrateriformis (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rivea ornata (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stictocardia tiliifolia (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Browallia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Browallia speciosa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Browallia viscosa Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brugmansia arborea (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brugmansia suaveolens (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brugmansia versicolor Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brunfelsia undulata Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsicum annuum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsicum frutescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum aurantiacum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum corymbosum Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum diurnum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum elegens Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum fasciculatum Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum nocturnum L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cestrum parqui L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyphomandra betacea (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura cornigera Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura innoxia Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura metal L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura ferox L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura sanguinea Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura stramonium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iochroma coccinea Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycium barbatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycianthes laevis (Dunal) Bitter subsp. laevis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycianthes laevis (Dunal) Bitter subsp. bigeminata (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycianthes laevis (Dunal) Bitter subsp. kaitisis (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycianthes laevis (Dunal) Bitter subsp. kaitisis (Dunal) Deb var. gouakai (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycopersicon esculentum Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicandra physalodes (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana alata Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana glauca Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana glutiniosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana plumbaginifolia Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana repKalam Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana tabacum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nierembergia gracilis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Petunia axillaris (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Petunia x hybrida Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis ixocarpa Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis angulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis lagascae Roem. & Schult. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis pruinosas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis peruviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schizanthus pinnatus Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schizanthus wisetonensis Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solandra grandiflora Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum americanum Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum anguivi Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum ariculari G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum barbisetum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum capsicastrum Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum capsicoides Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum clavatum Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum convolvulus Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum elaeagnifolium Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum erianthum D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum giganteum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum grandiflorum Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum hispidum Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum jasminoides Paxt. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum kurzii Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum macrocarpon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum macrophyllum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum marginatum L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum mauritianum Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum melongena L. var. melongena and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum insanum J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum lasiocarpum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum pseudo-capsicum L.var. pseudo-capsicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum pseudo-capsicum L. difflorum (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum pubescens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum robustum H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum seaforthianum Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum sisymbrifolium Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum stramoniifolium Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum torvum Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum trilobatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum tuberosum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum vagum Heyne ex Nees and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum viarum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum violaceum Ortega Subsp. violaceum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum violaceum Ortega Subsp. multiflorum (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum wendlandii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum wrightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Streptosolon jamesonii (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Withania somnifera (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenosma indianum (Lour.) Merr. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angelonia biflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antirrhinum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antirrhinum orontium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Antirrhinum purpureum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artanema longifolia (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bacopa floribunda (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bacopa hamiltoniana (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bacopa monnieri (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buchnera hispida Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calceolaria gracilis Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celsia arcturus Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centranthera indica (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centranthera tranquebarica (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbalaria muralis Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitalis purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dopatrium junceum (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dopatrium lobelioides (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dopatrium nudicaule (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glossostigma diandrum (L.) Kuntze and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hebe speciosa (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hebe andersonii Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kickxia ramosissima (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila aromatica (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila chinensis (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila connata (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila heterophylla (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila indica (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila polystachya Benth. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila repens (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila rugosa (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindenbergia indica (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia anagallis (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia antipoda (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia caespitosa (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia ciliata (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia crustacea (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia hyssopioides (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia minima (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia nummulariifolia (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia oppositifolia (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia parviflora (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia procumbens (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia rotundifolia (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia ruellioides (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia srilankana Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia sessiliflora (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia tenuifolia (Colsm.) Alston and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia viscosa (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maurandya barclaiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maurandya erubescens (D.Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maurandya lophospermum Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maurandya semperflorens Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mazus pumilus (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mecardonia procumbens (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micrargeria wightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microcarpaea minima (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paulownia tomentosa (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis perrottetti Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis zeylanica Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Penstemon azureus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Penstemon campanulatus (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peplidium maritimum (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Russelia equisetiformis Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scoparia dulcis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sopubia delphiniifolia (L.) G.Don var. delphiniifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sopubia delphiniifolia (L.) G.Don var. parviflora Benth. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sopubia stricta G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sopubia trifida Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stemodia viscosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Striga angustifolia (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Striga asiatica (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Striga densiflora (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Striga gesnerioides (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Striga masuria Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sutera dissecta (Del.) Walp. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia bicolor Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia cordifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia courtallensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia fournieri Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia hirsuta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia vagans Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbascum chinense (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbascum thapsus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbascum virgatum Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica javanica Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica polita Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica speciosa R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica persica Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeginetia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeginetia pedunculata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christisonia bicolor Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christisonia neilgherrica Gard. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christisonia saulierei Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christisonia subacaulis Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christisonia tubulosa (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orobanche cernua Loefl. var. nepalensis Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia aurea Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia australis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia bifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia caerulea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia exoleta R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia graminifolia Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia hirta Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia minutissima Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia nayarii Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia polygaloides Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia reticulata J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia roseo-purpurea Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia scandens Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia smithiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia stellaris L.f. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia striatula J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia uliginosa Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia wightiana Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeschynanthus ceylanica Gard. var. pinguis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeschynanthus perrottetii A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus fischeri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus gambleanus Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus humboldtianus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus innominatus Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus lyrata Wight var. lyrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus lyrata Wight var. prostrata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus meeboldii W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus missionis Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus repens Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus tomentosus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus wightii (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epithema carnosum (G.Don) Benth. var. hispida Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gesneria cardinalis Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jerdonia indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchoglossum notonianum (Wall) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchoglossum obliquum Blume var. parviflora Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchotechum permolle (Nees) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arrabidaea magnifica Sprague ex SteenisBull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bignonia megapotamica Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Campsis radicans (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catalpa bignonioides Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clytostoma callistegioides (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clytostoma purpureum (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parmentiera alata Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crescentia cujeta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichandrone arcuata (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichandrone atrovirens (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichandrone falcata (Wall.ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haplophragma adenophyllum (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., JacarKalam mimosifolia D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kigelia africana (Lam.) Benth. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macfadynea unguis-cati (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Markhamia stipulata Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millingtonia hortensis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nyctocalos cuspidata (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oroxylum indicum (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pandorea jasminoides (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaedranthus buccinatorius (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllarthron bojerianum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleonotoma jasminifolia (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Podranea ricasoliana (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrostegia venusta (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Radermachera xylocarpa (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spathodea campanulata Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stereospermum colais (Buch.-Ham. ex Dillw.) Mabberley var. colais and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stereospermum colais (Buch.-Ham. ex Dillw.) Mabberley var. angustifolium (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabebuia rosea (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabebuia arjentea Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabebuia pallida Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabebuia palmeri Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tecoma stans (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tecomaria capensis (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cobaea scandens Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedalium murex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesamum alatum Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesamum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesamum laciniatum Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesamum prostratum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesamum radiatum Schumach. & Thonn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Martynia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acanthus ilicifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acanthus mollis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis affinis Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis alata (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis atropurpurea (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis ceylanica Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis echioides Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis elongata (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis explicata (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis lineata Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis lobelioides Wight var. lobelioides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis lobelioides Wight var. composita Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis longipedunculata (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis macrobotrys Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis neesiana Wight var. neesiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis neesiana Wight var. producta Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis neesiana Wight var. rotundifolia Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis ovata (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis paniculata (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis rothii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis serpyllifolia (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis stellulata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis stenophylla Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Andrographis viscosula Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aphelandra deppeana Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asystasia chelonoides Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asystasia crispata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asystasia dalzelliana Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asystasia gangetica (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Asystasia travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria acuminata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria buxifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria courtallica Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria cuspidata Heyne ex Nees and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria gibsonii Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria involucrata Nees var. elata (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria longiflora L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria montana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria mysorensis Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria nitida Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria noctiflora L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria paniculata Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria pilosa Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria prattensis Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria prionitis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria strigosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria tomentosa Roth var. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria tomentosa Roth var. glandulosa Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barleria vestita T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharis maderaspatensis (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharis repens (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clinacanthus nutans (Burm.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crossandra infundibuliformis (L.) Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicliptera cuneata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicliptera foetida (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicliptera verticillata (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diotacanthus albiflorus (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diotacanthus grandis (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipteracanthus beddomei (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipteracanthus patulus (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipteracanthus prostratus (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dyschoriste madurensis (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dyschoriste nagchana (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dyschoriste vagans (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ecbolium ligustrinum (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ecbolium viride (Forssk.) Alston var. viride and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ecbolium viride (Forssk.) Alston var. dentata (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ecbolium viride (Forssk.) Alston var. rotundifolia (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elytraria acaulis (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eranthemum capense L. var. capense and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eranthemum capense L. var. concanensis (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eranthemum nervosum (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eranthemum purpurascens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eranthemum roseum (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Graptophyllum hortense Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnostachyum canescens (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnostachyum ceylanicum Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnostachyum latifolium (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haplanthodes neilgherryensis (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haplanthodes verticillatus (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemigraphis latebrosa (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila balsamica (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila heinei Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila quadrivalvis (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila salicifolia (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila schulli (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jacobinia carnea (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia adhatoda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia beddomei (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia betonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia diffusa Willd. var. diffusa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia diffusa Willd. var. hedyotidifolia (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia diffusa Willd. var. orbiculata (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia gendarussa Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia glabra Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia glauca Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia japonicaThunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia latispica (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia neesii Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia nilgherrensis (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia prostrata (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia salsoloides T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia santapaui Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia simplex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia tranquebariensis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia trinervia Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia vahlii Roth and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia wynaadensis (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis cristata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis cuspidata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis diffusa Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis fasciculata (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis incurva Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis mitis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis pungens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis scariosa Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis spinosa Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis subarmata (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptostachya wallichii Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meyenia hawtayneana (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Monothecium aristatum (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neuracanthus neesianus Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristrophe montana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristrophe paniculata (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Petalidium barlerioides (Roth) Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaulopsis imbricata (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseuderanthemum malabaricum (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhinacanthus nasutus (L.) Kurz var. nasutus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhinacanthus nasutus (L.) Kurz var. montana (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruellia colorata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruellia tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia apiculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia crenata T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia laeta Clarke and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia latior Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia parviflora (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia pectinata (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia repens (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia sisparensis T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sanchezia nobilis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sanchezia parvibracteata Spraque & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Santapaua madurensis Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Staurogyne glauca (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Staurogyne zeylanica (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenosiphonium confertum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenosiphonium cordifolium (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenosiphonium parviflorum T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenosiphonium russellianum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenosiphonium wightii Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes asperrimus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes amabilis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes anamallaica J. R. I. Wood and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthus andersonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes barbatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthus bolampattiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes ciliatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes consanguineaus (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes cuspidatus (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes decurrens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes foliosus (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes gracilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes heyneanus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes hamiltoniana (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes heteromallus T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes homotropus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes humilis (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes isophylla (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes ixiocephala Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes kunthianum (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes lanatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes lawsonii Gamble and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes lupulinus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthus luridus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthus matthewiana R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthus micranthes Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes microstachya Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes neoasper Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes neilgherrensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes papillosus T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes perrottetianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes pulneyensis C. B.Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes rubicundus (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes sessilis Nees var. sessilis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes sessilis Nees var. sessiloides (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthus sexennis Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes tristis (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes urceolaris Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes violaceus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes wightianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes wightianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthus zenkerianus (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia alata Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia bicolor (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia erecta (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia fragrans Roxb. var. fragrans and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia fragrans Roxb. var. vestita Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia grandiflora (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia mysorensis (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia tomentosa Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aloysia triphylla (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bouchea hyderabadense Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callicarpa tomentosa (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citharexylum fruticosum L. forma subserratum (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum aculeatum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum cordatum D. Don and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum indicum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum inerme (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum infortunatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum neriifolium Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum paniculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum philippinum Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionachne koenigii (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionanthus macrophylla BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chionanthus mala-elengi (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlondrus crispus LYNGBYE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloranthus elatior LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloranthus glaber (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloranthus inconspicuus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloranthus officinalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris barbata SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloris virgata SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophora excelsa BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum arundinaceum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum attenuatum BAKER NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum laxum R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chlorophytum tuberosum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloroxylon dupada BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloroxylon swietenia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chondrus crispus STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chonemorpha fragrans (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chonemorpha macrophylla (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chorchorus trilocularis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christella arida (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christella contiguum (ROSENT) HOLTTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christella crinipes HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christella parasitica (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christella subpubescens (BL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chromolaena odorata (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrozophora plicata A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrozophora prostrata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrozophora rottleri (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrozophora tinctoria A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthellum americanum (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthellum indicum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthemum cinerariifolium (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthemum coccineum WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthemum coronarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthemum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthemum purethroides (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthemum roxburghii DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysobalanus icaco L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysophyllum cainito L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysophyllum roxburghii DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysopogon aciculatus TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysopogon fulvus (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chukrasia tabularis A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cibotium barometz LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cicca acida MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cicca disticha L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cicer arietinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cicer microphyllum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cichorium endivia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cichorium intybus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cichorium noeanum BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cicuta virosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cimicifuga foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cimicifuga racemosa NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona calisaya WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona calisaya WEDD. ledgeriana HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona excelsa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona ledgeriana MOENS EX TRIMEN and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona robusta HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona succirubra PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum aromaticum NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum bejolghota (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum camphora (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum cassia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum cecidodaphne MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum glanduliferum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum glaucescens (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum impressinervium MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum iners REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum javanicum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum macrocarpum HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum malabathrum BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum obtusifolium NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum parthenoxylon MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum pauciflorum NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum sulphuratum NEES. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum tamala NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum travancoricum GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum verum PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum wightii C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinnamomum zeylanicum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cipadessa baccifera (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Circaea alpina L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Circaea cordata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cirrhopetalum sutepense (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cirsium argyracanthum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cirsium arvense (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cirsium sinense CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cirsium verutum (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cirsium wallichii DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissampelos pareira L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus acida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus adnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus discolor BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus javanica DC. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus lanceolata MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus latifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus pallida (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus pedata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus repKalam VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus repens LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus setosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus trilobata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus vitiginea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cistanche tubulosa WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cistus creticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citharexylum subserratum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrullus colocynthis (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrullus lanatus (THUNB.) MATSUMARA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrullus lanatus (THUNB.) MATSUMURA & NAKAI fistulosus (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrullus vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrullus vulgaris SCHRAD. fistulosus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus acida PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus aurantifolia (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus aurantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus aurantium L. bergamia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus bergamia RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus bigaradia LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus decumana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus grandis (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus hystrix DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus jambhiri LUSH. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus karna RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus latipes (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus limetta RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus limon (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus limonum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus macroptera Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus madurensis LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus maxima MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus medica L. medica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus medica L. limetta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus medica L. limonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus paradisi MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus pyxidata (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus reticulata BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus sinensis (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cladonia alpestris (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Claoxylon indicum HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Claoxylon polot (Burm.f.) Merr. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena dentata (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena excavata BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena heptaphylla WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena lansium (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena pentaphylla (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena wampi BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena willdenowii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Claviceps purpurea (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Claxylon indicum (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleidion nitidum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleisostoma tenuifolium (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleisostoma williamsonii (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleistanthus collinus (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis barbellata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis buchananiana DC. vitifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis connata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis gouriana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis grata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis graveolens LINDL. IN JOURN. HORT. SOC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis hedysarifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis montana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis smilacifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis triloba HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis wightiana WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome brachycarpa VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome burmanni WIGHT & ARN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome chelidonii L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome felina L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome gynandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome heptaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome icosandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome monophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome vahliana FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome viscosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum colebrookianum WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum indicum (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum inerme (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum infortunatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum kaempferi (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum multiflorum (Burm.f.)Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum paniculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum philippinum SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum phlomides L.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum serratum (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum siphonanthus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum splendens G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum viscosum H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clerodendrum wallichii MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clinogyne dichotoma SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clinogyne grandis BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clinopodium umbrossum (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clinopodium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clitoria mariana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clitoria ternatea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coccinia cordifolia COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coccinia glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coccinia grandis (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coccinia indica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coccoloba uvifera L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus cordifolius (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus hirsutus (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus laurifolius DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus leaeba DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus macrocarpus W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus pendulus (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus suberosus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus villosus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cochlearia armoracia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cochlearia cochlearioides (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cochlospermum gossypium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cochlospermum religiosum (L.) ALSTON and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocos schizophylla MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Codiaeum variegatum (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Codonacanthus pauciflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Codonopsis clematidea (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Codonopsis ovata BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelodepas calycinum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne cristata LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne ovalis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne punctulata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coelogyne stricta (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coffea arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coffea bengalensis HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coffea travancorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coix gigantea KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coix lachryma L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coix lacryma-jobi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cola nitida (VENT.) SCHOTT & ENDL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colchicum autumnale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colchicum luteum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colchicum variegatum BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coldenia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colebrookea oppositifolia SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coleus ambonicus LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coleus aromaticus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coleus barbatus (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coleus forskohlii (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coleus osmirrhizon W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coleus rotundifolius (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coleus scutellarioides (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coleus vettiveroides K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coleus zeylanicus (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colocasia antiquorum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colocasia esculenta (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colocasia macrorrhiza SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colocasia virosa KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colophospermum mopane KIRK EX LEON. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colubrina asiatica (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colutea arborescens L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colutea nepalensis SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum acuminatum (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum decandrum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum extensum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum latifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum nanum DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum pilosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum roxburghii SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina benghalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina communis EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina diffusa BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina longifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina nudiflora (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina obliqua BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina paludosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina salcifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commelina suffruticosa BI. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commicarpus chinensis (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commicarpus helenae (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commicarpus verticillatus STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora abyssinica ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora agallocha ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora berryi (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora caudata (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora molmol ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora mukul (HOOK. EX. STOCKS) ENGL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora myrrha ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora opobalsamum (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora playfairii HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora roxburghii ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora schimperi ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora stocksiana ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora wightii (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conium maculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Connarus monocarpus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conocarpus latifolia ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conocephalus suaveolens BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Consolida ajacis (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Consolida ambigua (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Consolida regalis S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convallaria majalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus auricomus (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus gemellus BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus grandiflorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus malabaricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus microphyllus SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus nil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus paniculatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus pluricaulis CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus prostratus FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus scammonia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus speciosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus spinosus BURM. F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Convolvulus turpethum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conyza bonariensis (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conyza cinerea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conyza japonica (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Conyza stricta WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Copernicia cerifera MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coptis teeta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corallocarpus epigaea HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corallocarpus epigaeus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corbichonia decumbens EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus acutangulus AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus aestuans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus antichorus ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus capsularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus depressus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus fascicularis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus olitorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus trilocularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus urticifolius WIGHT & ARM. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia dichotoma FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia gharaf (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia grandis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia macleodii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia monoica ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia myxa SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia obliqua WILLD. wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia obliqua WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia rothii ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia sebestena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia vestita HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordia wallichii G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordyceps sinensis (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordyline fruticosa GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cordyline terminalis (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coriandrum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coriaria nepalensis WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coronilla picta WILLD. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coronopus didymus (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cortia depressa (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corydalis adiantifolia HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corydalis flabellata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corydalis govaniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corydalis meifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corydalis ramosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corydalis rutifolia (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corydalis vaginans ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corylus avellana L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corylus colurna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corylus jacquemonti DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corymbis veratrifolia RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corymborkis veratrifolia (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corypha umbraculifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coscinium fenestratum (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cosmostigma racemosa WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Costus arabicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Costus speciosus (KOEN. EX RETZ.) SM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotinus coggygria SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotinus racemiflora (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotoneaster bacillaris WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotoneaster buxifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotoneaster microphylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotoneaster microphyllus WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotoneaster nummularia FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotula anthemoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotula aurea Loefl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cousinia thomsonii CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crambe cordifolia STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crassocephalum crepidioides (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crataegus laevigata (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crataegus oxyacantha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crataegus songarica KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crataeva adansonii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crataeva magna (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crataeva marmelos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crataeva nurvala SENSU KANJ. & DAS and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crataeva religiosa FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crataeva tapia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cratoxylum cochinchinense (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cratoxylum neriifolium KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cremanthodium arnicoides DC. GOOD trigida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cremanthodium decaisnei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cremanthodium plantagineum MAX. maximowiczii GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cremastra appendiculata (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cremastra wallichiana LINDL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crepidium acuminatum (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crepis flexuosa (DC) BETH. & HK.F. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crepis japonica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crescentia cujete VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cressa cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum amoenum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum asiaticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum defixum KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum powellii HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum pratense HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum revolutum HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crinum viviparum (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crocus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crossandra infundobuliformis (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crossandra undulaefolia SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria alata BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria albida HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria anagyroides H.B. & K. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria angulosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria benghalensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria bialata SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria biflora LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria burhia BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria calycina SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria laburnifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria linifolia L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria medicaginea LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria mucronata DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria mysorensis ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria pallida DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria paniculata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria prostrata ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria pulchra ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria quinquefolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria ramosissima ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria retusa L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria saltiana ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria sericea RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria spectabilis ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria striata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria trifoliastrum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria verrucosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton argyratus BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton aromaticus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton bonplandianum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton caudatus GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton joufra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton malabaricus BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton oblongifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton plicatum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton polyandrum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton reticulatus HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton roxburghii BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton sebiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton sparsiflorus MORONG. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton tiglium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Croton zeylanicus MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocarya wightiana THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptocoryne spiralis FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptolepis buchananii ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptolepis elegans WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptolepis grandiflora WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cryptostegia grandiflora R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ctenitis apiciflora (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ctenolepis cerasiformis NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ctenolepis garcinii BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cubeba officinalis RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucubalus baccifer L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis acutangulus DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis agrestis NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis anguinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis callosus (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis colocynthis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis hardwickii ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis lagenarius DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis madraspatanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis melo L. utilissimus DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis melo L. momordica DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis melo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis momordica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis myriocarpus NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis prophetarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis pseudo-colocynthi ROYLE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis pubescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis trigonus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis utilissimus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucurbita citrullus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucurbita lagenaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucurbita maxima DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucurbita moschata (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucurbita pepo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cudrania javanensis TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cullenia exarillata ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuminum cyminum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cupressus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curanga amara JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curanga fel-terrae MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curculigo capitulata (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curculigo crassifolia GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curculigo orchioides GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curculigo prainiana (DEB.) BENNET & RAIZ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curculigo recurvata DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma amada ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma aromatica SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma caesia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma domestica (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma inodora BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma leucorhiza ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma montana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma pseudomontana GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma rubescens ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma zedoaria (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Curcuma zerumbet ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuscuta capitata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuscuta chinensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuscuta europaea BOVE & ENGELM. indica ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuscuta hyalina ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuscuta reflexa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyamopsis psoralioides (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyamopsis tetragonoloba (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyamopsis tetragonolobus (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis axillaris (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis concanensis HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis cristata (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis papilionaceae (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyanotis tuberosa (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathea albo-setacea (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathea gigantea (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathea spinulosa WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathocline purpurea (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathostemma micranthum J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathula prostrata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathula tomentosa MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathus limbatus TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathus stercoreus (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cycas beddomei DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cycas circinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cycas revoluta THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cycas rumphii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclamen europaeum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclamen persicum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclea arnotii MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclea bicristata GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclea burmanni (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclea fissicalyx DUNN and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclea peltata (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclosorus dentatus (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclosorus gongylodes (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclosorus parasiticus (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cydonia oblonga MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cydonia vulgaris PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cylista scariosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbalaria muralis G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbidium aloifolium (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbidium aloifolium (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbidium grandiflorum RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbidium hookerianum RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbidium pendulum (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon caesius STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon citratus (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon coloratus STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon flexuosus WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon jwarancusa (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon jwarancusa (JONES) SCHULT. olivieri (BOISS.)

SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon martini (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon nardus (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cymbopogon schoenanthus (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynanchum arnottianum WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynanchum extensum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynanchum heydei HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynanchum vincetoxicum (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynanthus lobatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynara scolymus L. and 15 wasteland weeds based Green Spray with

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynodon dactylon (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynodon linearis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynoglossum denticulatum A. DC. zeylanicum HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynoglossum glochidiatum WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynoglossum lanceolatum FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynoglossum micranthum DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynoglossum wallichii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynoglossum zeylanicum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynometra cauliflora L. and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynometra iripa KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynometra mimosoides WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynometra ramiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynometra ramiflora Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynosurus coracanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus alopecuroides ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus amabilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus brevifolius (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus bulbosus VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus compactus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus compressus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus corymbosus ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus cyperoides (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus denticulatus SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus diffusus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus distans L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus exaltatus RETZ. and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus haspan BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus inundatus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus iria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus jeminicus HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus juncifolius ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus kyllingia ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus laevigatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus longus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus malaccensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus michelianus (L,) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus nutans VAHL. eleusinoides (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus pangorei ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus pedunculatus (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus pertenius BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus pilosus VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus platyphyllus ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus platystylis R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus rohita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus rotundus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus scariosus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus stoloniferus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus triceps (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus tuberosus ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyperus undulatus KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyphostemma setosum (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtomium caryotideum (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtomium falcatum (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyrtophyllum peregrinum BL. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cythocline purpurea (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cytisus scoparius (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dactylis glomerata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dactyloctenium aegyptium BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dactyloctenium sindicum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dactylorhiza hatagirea (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daedalacanthus roseus T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daemia cordata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daemia extensa R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daemonorops draco BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dahlia rosea CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia arborea HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia candenatensis (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia emarginata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia horrida (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia lanceolaria L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia oogeinensis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia paniculata ROXB. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia pinnata PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia sissoides GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia sissoo ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia stipulacea ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia sympathetica NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia tamarindifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia volubilis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergla spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalechampia indica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalhousiea bracteata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daphne cannabina WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daphne oleo SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daphne oleoides SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daphne papyracea WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daphniphyllum himalayense MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daphniphyllum neilgherrense ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datisca cannabina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura alba NEES and 15 wasteland weeds based Green Spray with

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura fastuosa L. alba (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura fastuosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura innoxia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura metel L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura metel L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura nilhummatu DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura stramonium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Datura tatula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daucus carota L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daucus carota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Davallia tenuifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Davallia trichomanoides BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Debregeasia longifolia (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Decalepis hamiltonii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Decaspermum fruticosum FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Deeringia amaranthoides (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delima scandens (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delonix elata (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delonix regia (L.) GAMBLE and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphaenium denudatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphaenium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium altissimum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium bruonianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium caeruleum JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium cashmirianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium denudatum WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium glaciale HOOK.F. & THOMSON and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium kashmirianum ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium kohatense (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium paciflorum ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium roylei MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium saniculifolium AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium semibarbatum BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium speciosum JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium vestitum WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium viscosum HK. & TH. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium zalil AITCH & HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium aduncum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium aggregatum - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium amoenum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium chrysanthum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium coerulescens LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium crumenatum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium crumentum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium densiflorum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium jenkinsii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium macraei AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium moschatum (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium nobile LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium ovatum (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrobium paxtonii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrocalamus hamiltonii NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrocalamus strictus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrocnide sinuata (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrophthoe elastica (DESR.) DANSER and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrophthoe falcata (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dendrophthoe pentandra (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dentella repens (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris elliptica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris ferruginea (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris indica (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris malaccensis PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris robusta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris scandens (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris trifoliata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris uliginosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Descurainia sophia (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmanthus cinereus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmanthus virgatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmochaeta atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium biarticulatum (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium dichotomum (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium elegans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium gangeticum (L.) DC. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium gyrans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium gyroides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium heterocarpon - strigosum VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium heterocarpon (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium heterophyllum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium lasiocarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium latifolium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium laxiflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium microphyllum (THUNB.) DC. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium motorium (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium oojeinense (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium polycarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium pseudotriquetrum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium pulchellum BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium retroflexum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium styracifolium (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium tiliaefolium G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium triangulare (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium triflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium triquetrum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium umbellatum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium velutinum (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmos chinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmos cochinchinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmos dumosa (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmos longiflorus (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmostachya bipinnata STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmotrichum fimbriatum BL. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Deutzia scrabra THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dianthus anatolicus BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dianthus caryophyllus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dianthus chinensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicaelospermum ritchiei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicentra chrysantha WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicentra thalictrifolia HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichanthium caricosum (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichanthium pertusum CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichopsis ellipticum BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichroa febrifuga LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichrocephala bicolor (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichrocephala integrifolia (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichrocephala latifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichrostachys cinerea WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicliptera bupleuroides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicliptera cuneata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicliptera micranthus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicliptera roxburghiana NEES and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicliptera verticillata (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicoma tomentosa CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicranopteris linearis (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dictamnus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus aromaticus WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Didymocarpus pedicellata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dieffenbachia seguine (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dienia muscifera LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digera arvensis FORSK. and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digera muricata (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitalis lanata EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Digitalis purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dillenia aurea SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dillenia bracteata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dillenia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dillenia pentagyna ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimocarpus longan LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimorphocalyx glabellus THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dinebra arabica JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dinebra retroflexa (VAHL) PANZER retroflexa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dinochloa Kalammanica KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dionysia diapensiaefolia BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea alata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea belophylla VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea bulbifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea composita HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea crispata ROXB. and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea daemona ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea deltoidea WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea esculanta (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea glabra AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea globosa ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea hamiltonii HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea hirsuta DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea hispida DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea prazeri PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea puber BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea purpurea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea rubella L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea sativa AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea tomentosa KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea triphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dioscorea wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros bourdilloni BRANDIS and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros buxifolia (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros candolleana WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros chloroxylon ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros cordifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros ebenum KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros embryopteris PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros exsculpta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros ferrea (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros glutinosa KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros insignis THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros kaki L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros lancaefolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros lotus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros malabarica (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros melanoxylon ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros montana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros oocarpa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros paniculata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros peregrina (GAERTN.) GURKE. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros quaesita THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros racemosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros sylvatica ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros tomentosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diospyros toposia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipcadi erythraeum WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diplazium esculentum (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diplazium stoliczkae BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diploclisia glaucescens (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diplocyclos palmatus (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diploknema butyraceae (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diplospora singularis KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diplospora sphaerocarpa HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipsacus fullonum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipsacus inermis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipsacus mitis D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipteracanthus patulus (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipteracanthus prostratus (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipteracanthus suffruticosus (ROXB.) VOIGT and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipterocarpus alatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipterocarpus bourdilloni BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipterocarpus gracilis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipterocarpus indicus BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipterocarpus laevis HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipterocarpus pilosus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipterocarpus tuberculatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipterocarpus turbinatus GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dischidia rafflesiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Disporum cantoniense (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Distemon indicum WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dittelasma raraka (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dodonaea angustifolia (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dodonaea burmanniana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dodonaea viscosa (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dodonaea viscosa JACQ. angustifolia (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichandrone arcuata C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichandrone atrovirens (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichandrone falcata SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichandrone spathacea (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichandrone stipulata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos biflorus SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos bulbosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos catiang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos catjang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos cylindricus DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos falcatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos gladiatus JACQ. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos lablab L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos lablab L. typicus Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos pruriens (L,) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos sinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos trilobus (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos uniflorus LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolomaea macrocephala DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dombeya cayeuxii HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Donax connaeformis (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dopatrium junceum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dopatrium lobelioides BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dopatrium nudicaule HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dorema ammoniacum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dorema aureum STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Doronicum falconeri HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Doronicum hookeri C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Doronicum pardalianches L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Doronicum roylei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dorstenia indica WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dosma bracteatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Douepia tortuosa CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Draba muralis (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Draba setosa ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracaena angustifolia (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracaena cinnabari BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracaena petiolata HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracaena terminalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracaena terniflora ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracocephalum heterophyllum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracocephalum moldavica LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracocephalum royleanum ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracocephalum stamineum KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dracontium polyphyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dregea volubilis (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drimia indica (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drimys winteri FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drosera burmannii VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drosera indica L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drosera lunata HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drosera peltata SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drymaria cordata (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drymaria cordata WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drymaria diandra BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drymoglossum carnosum (WALL.)SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drynaria quercifolia (L.) J.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dryobalanops aromatica GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dryopteris barbigera (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dryopteris blanfordii (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dryopteris cochleata (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dryopteris filix-mas (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dryopteris marginata (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dryopteris odontoloma (MOORE) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dryopteris schimperiana (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dryopteris sparsa (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes confertiflora (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes macrophylla (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes roxburghii (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drypetes zeylanica (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Duboisia myoporoides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Duchesnea indica (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Duranta repens L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Durio zibethinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dyschoriste madurensis (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysophylla auricularia (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysophylla rugosa HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysophylla stelata BENTH. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysophylla stellata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysoxylum alliarum (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysoxylum binectariferum HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysoxylum hamiltonii HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysoxylum malabaricum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysoxylum procerum HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ebermaiera glutinosa CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ecbolium linneanum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ecbolium viride (FORSK.) ALSTON and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ecbolium virids (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echeveria glauca BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinacea angustifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa colona LINK. frumentacea BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa crusgalli (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa frumentacea LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinochloa stagnina (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinops cornigerous DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echinops echinatus ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echioglossum williamsonii (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Echites dichotoma ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eclipta alba HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eclipta erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eclipta parviflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eclipta prostrata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Edgeworthia gardneri (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Edgeworthia tomentosa NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Edwardsia griffithii (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia acuminata BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia aspera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia buxifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia canarensis MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia laevis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia laevis ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia microphylla LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ehretia obtusifolia HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eichhornia crassipes SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Codariocalyx motorius (Houtt.) H. Ohashi and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria acicularis Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria agatiflora Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria alata Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria albida Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria anagyroides H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria angulata Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria barbata Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria berteroana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria bidiei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria bifaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria bourneae Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria calycina Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria candicans Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria clarkei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria clavata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria conferta Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria digitata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria dubia Graham ex benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria epunctata Dalz. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria evolvuloides Wight ex Wight & Arn. var. evolvuloides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria evolvuloides Wight ex Wight & Arn. var. acutifolia Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria formosa Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria fysonii Dunn var. fysonii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria fysonii Dunn var. glabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria globosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria grahamiana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria hebecarpa (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria heyneana Grahma ex Wight and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria hirta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria humifusa Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria laburnifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria laevigata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria beddomeana Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria spectabilis Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria linifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria longipes Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria lunulata Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria madurensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria medicaginea Lam. var. medicaginea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria medicaginea Lam. var. neglecta (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria multiflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria mysorensis Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria nana Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria notonii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria obtecta Graham ex Wight & Arn. var. obtecta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria obtecta Graham ex Wight & Arn. var. glabrescens (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria orixensis Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria ovalifolia Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria pallida Dryand. var. pallida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria pallida Dryand. var. obovata (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria paniculata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria peduncularis Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria priestleyoides Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria prostrata Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria pulchra Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria pusilla Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria quinquefolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria ramosissima Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria retusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria rigida Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria salicifolia Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria scabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria scabrella Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria semperflorens Vent. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria shevaroyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria speciosa Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria subperfoliata Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria tecta Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria trifoliastrum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria triquetra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria umbellata Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria verrucosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria wightiana Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria willdenowiana DC. subsp. willdenowiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crotalaria willdenowiana DC. subsp. glabrifoliolata Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyamopsis tetragonoloba (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cytisus canariensis Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cytisus hirsutus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cytisus monspessulanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cytisus multiflorus Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cytisus proliferus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cytisus scoparius (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cytisus supinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia congesta Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia coromandeliana Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia gardneriana Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia horrida (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia lanceolaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia latifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia malabarica Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia melanoxylon Guill. & Perr. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia pinnata (Lour.) prain var. acaciaefolia (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia pseudo-siso Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia rubiginosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia sissoides Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia sissoo Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia spinosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia tinnevelliensis Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dalbergia volubilis Roxb. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris benthamii (Thw.) Thw. var. benthamii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris benthamii (Thw.) Thw. var. wightii (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris brevipes (Benth) Baker var. brevipes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris brevipes (Benth) Baker var. coriacea Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris canarensis (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris scandens (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris thothathrii Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Derris trifoliata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium alysicarpoides Van Meeuwen and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium barbatum (L.) Benth. subsp. sauliereri (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium dichotomum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium dolabriforme Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium ferrugineum Wall ex Thw. subsp. ferrugineum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium ferrugineum Wall ex Thw. subsp. wynaadense (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium gangeticum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium heterocarpon (L) DC. var. heterocarpon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium heterocarpon (L.) DC. var. strigosum Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium heterophyllum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium laxiflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium laxum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium microphyllum (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium oojeinense (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium pryonii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium pulchellum (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium repandum (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium styracifolium (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium tortuosum (Sw.) DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium triangulare (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium triflorum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium triquetrum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium velutinum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmodium zonatum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicerma biarticulatum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dolichos trilobus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dumasia villosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dunbaria ferruginea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dunbaria heynei Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleiotis monophylla (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina crista-galli L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina stricta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina suberosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina subumbrans (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia grahamiana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia lineata (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia macrophylla (Willd.) Prain ex Merr. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia nilgheriensis (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia Semialata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia stricta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia strobilifera (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia tuberosa Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia wallichii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia wightiana Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galactia longifolia Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galactia tenuiflora (Klein ex Willd.) Wight & Arn var. lucida Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galactia tenuiflora (Klein ex Willd.) Wight & Arn var. villosa (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geissaspis cristata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gliricidia sepium (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycine max (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hardenbergia comptoniana (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera aspalathoides Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera astragalina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera caerulea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera cassioides Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera colutea (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera constricta (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera cordifolia Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera glandulosa Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera hochstetteri Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera karnatakana Sanjappa and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera karuppiana Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera linifolia (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera linnaei Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera longiracemosa Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera mysorensis Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera nummularifolia (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera oblongifolia Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera parviflora Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera pedicellata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera prostrata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera spicata Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera stachyodes Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera tinctoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera tirunelvelica Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera trita L.f. var. trita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera trita L. f. var. maffeii (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera trita L. f. var. marginulata Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera uniflora Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera vicioides Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera wightii Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera zollingeriana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lablab purpureus (L.) Sweet var. purpureus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lablab purpureus (L.) Sweet var. lignosus (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laburnum anagyroides (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus aphaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus latifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus odoratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lens culinaris Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptodesmia congesta (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lespedeza cuneata (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonchocarpus violaceus OSkin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lupinus angustifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lupinus luteus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lupinus pilosus Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macroptilium atropurpureum (DC.) Urban and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macroptilium lathyroides (L) Urban var. semierectum (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrotyloma ciliatum (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrotyloma uniflorum (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Medicago sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melilotus alba Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millettia racemosa (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millettia rubiginosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millettia splendens Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna atropurpurea DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna gigantea (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna monosperma DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna pruriens (L.) DC. var. pruriens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna pruriens (L.) DC. var. hirsuta (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mundulea sericea (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neonotonia wightii (Graham ex Wight & Arn.) Lackey var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neonotonia wightii (Wight & arn.) Lackey var. coimbatorensis (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ormocarpum cochinchinense (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ormosia travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ougeinia oojeinensis (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paracalyx scariosa (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parochetus communis Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus coccineus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus lunatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus vulgarisL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllodium pulchellum (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pongamia pinnata (L.) Pierre and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudarthria viscida (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psophocarpus tetragonolobus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psoralea corylifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psoralea pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterocarpus marsupium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterocarpus santalinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pueraria triloba (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pueraria tuberosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycnospora lutescens (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia albiflora (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia aurea (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia cana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia capitata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia densiflora (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia filipes Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia heynei Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia jacobii Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia minima (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia nummularia DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia rothii Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia rufescens (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia suaveolens (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia velutina Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia viscosa (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Robinia pseudo-acacia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rothia indica (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania bispinosa (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania grandiflora (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania procumbens (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania sesban (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania speciosa Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Shuteria involucrata (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia bigemina Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia blKalam Wall. ex Wight & Arn. var. blKalam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia blKalam Wall. ex Wight & Arn. var. racemosa (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia capitata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia conferta Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia gracilis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithis hirsuta Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia sensitiva Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithis setulosa Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sophora glauca Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sophora interrupta Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sophora wightii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spartium junceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stylosanthes fruticosa (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stylosanthes sundaica Taub. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia barberi Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia calophylla Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia candida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia canarensis Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia fusca Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia hookeriana Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia maxima Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia pulcherrima (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia pumila (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia purpurea (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia spinosa (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia strigosa (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia tinctoria Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia vegellii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia villosa (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teramnus labialis (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teramnus mollis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium alexandrium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium cernuum Brot. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium dubium Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium incarnatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium subterraneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonella foenum-graecum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ulex europaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria alopecuroides Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria lagopodioides (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria rufescens (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicia faba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicia hirsuta (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicia sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicia villosa Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna aconitifolia (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna adenantha (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna bourneae Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna dalzelliana (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna grahamiana (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna hosei (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna khKalamlensis (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna mungo (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna radiata (L.) Wilczek var. radiata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna radiata (L.) Wilczek var. sublobata (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna subramaniana (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna trilobata (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna umbellata (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna unguiculata (L.) Walp. subsp. cylindrica (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna vexillata (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna wightii Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Virgilia oroboides (Berg.) Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wisteria sinensis (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zornia diphylla (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zornia gibbosa Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrocarpus fraxinifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amherstia nobilis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia acuminata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia malabarica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia phoenicea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia racemosa Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia vahlii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bauhinia variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brownea grandiceps Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brownea macrophylla Linden and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia bonduc (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia coriaria (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia cucullata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia decapetala (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia mimosoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia pulcherrima (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Caesalpinia sappan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia grandis L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia javanica L. var. javanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia javanica L. var. nodosa Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia javanica L. var. renigera Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia montana Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia siamea Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassia spectabilis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceratonia siliqua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamaecrista absus (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamaecrista auricoma (Graham ex Benth.) Singh and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamaecrista kleinii (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamaecrista lechenaultiana (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamaecrista mimosoides (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamaecrista nigricans (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chamaecrista pumilla (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynometra cauliflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cynometra travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delonix elata (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delonix regia (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hardwickia binata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Humboldtia bourdillonii Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Humboldtia brunonis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Humboldtia decurrense Bedd. ex OSkin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Humboldtia unijuga Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Humboldtia vahliana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kingiodendron pinnatum (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parkinsonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peltophorum africanum Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peltophorum pterocarpum (DC.) and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterolobium hexapetalum (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saraca asoca (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saraca thaipingensis Cantley ex.Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schizolobium parahybum (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna alata (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna alexandrina Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna auriculata (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna didymobotrya (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna hirsuta (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna intermedia (Sharma et al.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna italica Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna multiglandulosa (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna occidentalis (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna pallida (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna septumtrionalis (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna sophera (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna surattensis (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna timoriensis (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna tora (L.) Roxb. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarindus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia armata R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia auriculiformis A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia baileyana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia caesia (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia catechu (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia chundra (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia confusa Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia cultriformis A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia concurrens Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia dealbata Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia decora Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia decurrens (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia eburnea (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia elata Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia farnesiana (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia ferruginea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia grahamii Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia hohenackeri Craib and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia homalophylla A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia holosericea A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia horrida (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia leucophloea (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia longifolia Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia maidenii F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia mearnsii Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia melanoxylon R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia myrtifolia Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia neriifolia A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia nilotica (L.) Willd. ex Del. subsp. indica (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia pennata (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia planifrons Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia podalyriifolia A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia polyacantha Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia pruinescens Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia pruinosa A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia pulchella R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia pycnantha Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia retinodes Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia saligna (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia sinuata (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia tomentosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia torta (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia verticillata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acacia wightii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenanthera pavonina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia amara (Roxb.) Boivin and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia chinensis (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia lathamii Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia lebbeck (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia odoratissima (L.f.) Benth. var. odoratissima and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia odoratissima (L.f.) Benth var. mollis Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia procera (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia Kalamn (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Albizia thompsonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Archidendron clypearia (Jack) Nilson and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Archidendron monadelphum (Roxb.)Nielsen var. monadelphum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Archidendron monadelphum (Roxb.)Nielson var. gracile (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calliandra brevipes Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calliandra calothyrsus Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calliandra haematocephala Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calliandra inmeris (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cathormion umbellatum (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmanthus virgatus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichrostachys cinerea (L.) Wight & Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichrostachys muelleri Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichrostachys santapaui Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Entada pursaetha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enterolobium cyclocarpum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haematoxylum campechianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucaena leucocephala (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa intsia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa hamata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa pudica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neptunia prostrata (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neptunia plena (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neptunia triquetra (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paraserianthes falcataria (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paraserianthes lophantha (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parkia biglandulosa Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecellobium dulce (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prosopis cineraria (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prosopis juliflora (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alchemilla indica Gard. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chaenomeles speciosa (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotoneaster bacillaris Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotoneaster buxifolia Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotoneaster microphyllus Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cotoneaster transens G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriobotrya japonica (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fragaria chiloensis (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fragaria nilgerrensis Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fragaria vesca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kerria japonica (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malus baccata (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malus sylvestris (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Photinia integrifolia Lindl. var. sublanceolata Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Photinia serratifolia (Desf.) Kalkman var. serratifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Photinia serratifolia (Desf.) Kalkman var. tomentosa (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla indica (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla leschenaultiana Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla sundaica (blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prinsepia utilis Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus avium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus cerasoides D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus ceylanica (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus domestica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus laurocerasus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus persica (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus salicina Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus serrulata Lindl. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quillaja saponaria Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa banksiae R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa brunonii Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa x centifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa x damascena Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa gigantea Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa laevigata Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa leschenaultiana Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa multiflora Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus ellipticus Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus fairholmianus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus glomeratus Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus idaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus indicus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus micropetalus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus niveus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus racemosus Roxb. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus rugosus Smith var. rugosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus rugosus Smith var. thwaitesii Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiraea canescens D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiraea cantoniensis Lour. var. cantoniensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiraea cantoniensis Lour var. florepleno Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiraea japonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiraea nipponica Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atuna indica (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atuna travancorica (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysobalanus icaco L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saxifraga stolonifera Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vahlia dichotoma (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vahlia digyna (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parnassia mysorensis Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parnassia wightiana Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Deutzia scabra Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrangea macrophylla (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Philadelphus coronarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Escallonia rubra (Ruiz & Pav.) Pers. var. macrantha Hook. & Arn. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Escallonia montevidensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeonium arboreum (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bryophyllum fedtschenkoi (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crassula multicava Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crassula quadrifida Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe bhidei Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe grandiflora Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe lanceolata (Forsk.) Pers. var. lanceolata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe lanceolata (Forsk.) Pers. var. glabra (Clarke) Srinivasan and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe lanceolata (Forsk.) Pers. var. glandulosa (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe olivacea Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe pinnata (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe schweinfurthii Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe tubiflora Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rochea coccinea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum mexicanum Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tillaea pentandra Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drosera burmannii Vahl and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drosera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drosera peltata Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exbucklandia populnea (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liquidambar styraciflua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laurembergia coccinea (Blume) Kan. var. coccinea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laurembergia coccinea (Blume) Kan. var. zeylanica (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myriophyllum oliganthum (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callitriche stagnalis Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bruguiera cylindrica (L.) Blume and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bruguiera gymnorrhiza (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carallia brachiata (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassipourea ceylanica (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceriops decandra (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceriops tagal (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kandelia candel (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhizophora x annamalayana Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhizophora apiculata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhizophora mucronata Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anogeissus acuminata (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anogeissus latifolia (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calycopteris floribunda Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum albidum G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum coccineum (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Combretum nanum Willd.Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lumnitzera racemosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quisqualis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quisqualis malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia bellirica (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia catappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia chebula Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia cuneata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia elliptica Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia gella Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia pallida Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia paniculata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia travancorensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acca sellowiana (Berg) Burret and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agonis flexuosa Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angophora costata (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angophora intermedia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angophora lanceolata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Angophora subvelutina F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Baeckea virgata (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callistemon brachyandrus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callistemon citrinus (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callistemon polandii Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callistemon rigidus R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callistemon salignus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callistemon viminalis (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus alpina Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus amygdalina Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus blakelyi Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus bosistoana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus botryoides Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus bridgesiana R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus calophylla R. Br. ex Lindl. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus camaldulensis Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus cephalocarpa Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus citriodora Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus cladocalyx F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus crebra F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus cypellocarpa L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus elata Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus diversicolor F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus eugenioides Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus ficifolia F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus globulus Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus grandis W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus hemiphloia F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus leucadendron Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus leucoxylon F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus longifolia Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus macarthurii Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus maculata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus megacornuta C. A. Gardener and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus microcorys F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus melliodora A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus nitida Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus nova-anglica Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus obliqua L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus ovata Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus paniculata Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus pauciflora Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus pipertia Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus polyanthemos Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus ptychocarpa F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus punctata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus radiata Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus regnans F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus resinifera Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus robusta Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus rossii R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus saligna Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus siderophloia Benth. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus sideroxylon A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus staigeriana F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus tereticornis Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus torelliana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus viminalis Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia bracteata (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia calcadensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia continifolia Jacq.subsp. codyensis (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia discifera Gamble and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia floccosa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia indica (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia mabaeoides Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia manickamia Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia rottleriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia singampattiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia thwaitesii Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia uniflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptospermum flavescens Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptospermum scoparium Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptospermum stellatum Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lophostemon confertus (R.Br.) Peter G.Wilson & J.T.Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melaleuca armillaris Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melaleuca hypericifolia Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melaleuca leucadendron L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melaleuca nesophylla F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melaleuca quinquenervia S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melaleuca styphelioides Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meteoromyrtus wynaadensis (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrtus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimenta dioica (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psidium cattleyanum Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psidium guajava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhodomyrtus tomentosa (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syncarpia glomerulifera (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syncarpia laurifolia Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium alternifolium (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium aqueum (Burm. F.) Alston and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium aromaticum (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium beddomei (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium benthamianum (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium bourdillonii (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium calophyllifolium Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium caryophyllatum (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium chandrasekharanii Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium courtallense (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium cumini (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium densiflorum Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium fergusonii (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium gambleanum Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium gardneri Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium hemisphericum (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium jambos (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium laetum (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium lanceolatum (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium malabaricum (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium malaccensis (L.) Merr. & Perry and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium megacarpum (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium mundagam (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium munronii (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium myhendrae (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium rama - varmae (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium revolutum (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium rubicundum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium scoparium Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium spathulatum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium sriganesanii Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium tamilnadensis Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium venosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium zeylanicum (L.) DC. var. zeylanicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium zeylanicum (L.) DC. var. ellipticum Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium zeylanicum (L.) DC. var. lineare (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium zeylanicum (L.) DC. var. megamalayanum K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Couroupita guianensis Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gustavia superba Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barringtonia acutangula (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barringtonia asiatica (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barringtonia racemosa (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Careya arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kendrickia walkeri (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Medinilla beddomei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Medinilla fuchsioides Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Medinilla malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melastoma malabathricum L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon angustifolium Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon bremeri Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon depressum Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon edule Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon flavescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon gracile Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon gracillimum Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon grande Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon heyneanum Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon kollimalayana Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon leucanthemum Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon lushingtonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon manickamii C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon molestum (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon mundanthuraianum Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon randerianum S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon rivulare Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon rostratum Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon sisparense Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon subcordatum Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon subramanii Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon talbotianum Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon tirunelvelicum Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon umbellatum Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon variens Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia aspera (L.) Blume var. aspera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia aspera (L.) Blume var. travancorica (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia aspera (L.) Blume var. wightiana (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia brachystemon Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia buxifolia Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia gracilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia leschenaultiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia muralis Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia reticulata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia rubicunda Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia parvifolia Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia stellata Buch. Ham. ex Ker-Gawl. var. hispidissima (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia stellata Buch. Ham. ex Ker-Gawl. var. rostrata (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia tirunelvelica Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia virgata D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia wynaadensis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia zeylanica L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila brunonis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila clarkei Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila devicolamensis Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila elegans Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila grandiflora R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila inaequalis Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila kanyakumariana Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila longipetiolata Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila parameswaranii Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila pulneyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila rotundifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila sadasivanii Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila speciosa Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila tenera Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila tinnevelliensis Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila versicolor Wight var. versicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila versicolor Wight var. axillaris (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila wallichii Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila zeylanica Wifht & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tibouchina urvilleana (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ammania baccifera L. subsp baccifera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ammania baccifera L. subsp.aegyptiaca (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ammania multiflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ammania octandra L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuphea hyssopifolia Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuphea ignea A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuphea platycentra Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia microcarpa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia parviflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia reginae Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lawsonia inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nesaea brevipes Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nesaea prostrata (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pemphis acidula Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala densiflora (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala fimbriata Wight and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala illecebroides (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala indica (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala macrKalam Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala rosea (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala rotundifolia (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala verticillaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonneratia apetala Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Punica granatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Circaea alpina L. subsp. imaicola (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fuchsia arborescens Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fuchsia boliviana Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fuchsia magellanica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia adscendens (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia hyssopifolia (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia octovalvis (Jacq.) Raven subsp. sessiliflora (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia perennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia peruviana (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia prostrasta Roxb. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oenothera biennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oenothera glazioviana Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oenothera nocturna Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oenothera odorata Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oenothera rosea Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oenothera stricta Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oenothera tetraptera Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trapa natans L. var. bispinosa (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turnera subulata Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turnera ulmifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenia hondala (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenia wightiana (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora alba Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora antioquiensis Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora caerulea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora edulis Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora holosericia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora laurifolia L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora ligularis Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora mollissima (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora suberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora subpeltata Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carica papaya L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Benincasa hispida (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrullus colocynthis (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrullus lanatus (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coccinia grandis (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corallocarpus epigaeus (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ctenolepis garcinii (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis melo L. var. melo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis melo L. var. utilissimus (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis prophetarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucumis trigonus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucurbita maxima Duchesne ex Lam. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucurbita moschata (Duchesene ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cucurbita pepo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diplocyclos palmatus (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnopetalum wightii Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynostemma pentaphyllum (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kedrostis courtallensis (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kedrostis foetidissima (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagenaria siceraria (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa acutangula (L.) Roxb. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa cylindrica (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica charantia L. var. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica charantia L. var. muricata (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica cymbalaria Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica dioica Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica subangulata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mukia leiosperma (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mukia maderaspatana (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sechium edule (Jacq.) Sw. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solena amplexicaulis (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solena angulata (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes anaimalaiensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes cucumerina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes lobata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes nervifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes tricuspidata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zehneria maysorensis (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zehneria scabra (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zehneria thwaitesii (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia albo-coccinea Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia aliciae Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia anamalayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia cordifolia (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia floccifera Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia integrifolia Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia malabarica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Begonia subpeltata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrameles nudiflora R. Br. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cereus pterogonus Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cylindropuntia ramosissima (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epiphyllum oxypetalum (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hylocereus undatus (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nopalea cochenillifera (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia elatior Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia ficus - indica (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia stricta (Haw.) Haw. var. dillenii (Ker Gawl.)L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia vulgaris Mill. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pereskia aculeata Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lampranthus spectabilis (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesuvium portulacastrum (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema triquetra Rottl. var. triquetra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema salsoloides Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zaleya decandra (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corbichonia decumbens (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gisekia pharnaceoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glinus lotoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glinus oppositifolius (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo cerviana (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo disticha Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo nudicaulis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo stricta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anethum graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apium graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum distichophyllum Wight & Arn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum plantaginifolium Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum wightii Mukh. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bupleurum wightii Mukh. var. ramosissimum (Wight &Arn.) Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carum nothum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centella asiatica (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coriandrum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cuminum cyminum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Daucus carota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Foeniculum vulgare Mill. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum aquilegifolium Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum candolleanum (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum ceylanicum Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum courtallense Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum hookerianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum rigens Wall ex DC. var. rigens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum rigens Wall ex. DC. var. elongatum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum rigens Wall ex DC. var. multiradiatum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum sprengelianum Wight & Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocotyle conferta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocotyle javanica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocotyle sibthorpioides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pastinaca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Petroselinum crispum (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peucedanum anamallayense Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella candolleana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella heyneana (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella pulneyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella wallichiana (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sanicula elata Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachyspermum ammi (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachyspermum roxburghianum (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vanasushava pedata (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aralia malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedera australiana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedera helix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyscias acuminata (Wight) Seem. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyscias fruticosa (L.)Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentapanax leschenaultii (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera capitata (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera clarkiana Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera maduraiensis Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera racemosa (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera rostrata (Wight) Harms var. rostrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera rostrata (Wight) Harms var. micrantha (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera roxburghii Gamble and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera stellata (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera venulosa (Wgith & Arn.) Harms var. venulosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera venulosa (Wgith & Arn.) Harms var. obliquinervia Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera wallichiana (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrapanax papyrifer (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cornus capitata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mastixia arborea (Wight) Bedd. subsp. arborea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mastixia arborea (Wight) Bedd. subsp. meziana (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alangium salvifolium (L.f.) Wang. subsp. salvifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alangium salvifolium (L.f.) Wang. subsp. hexapetalum (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diervilla florida Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera caprifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera etrusca Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera leschenaultii Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera ligustrina Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera periclymenum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum cylindricum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum erubescens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum hebanthum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum punctatum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sambucus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acranthera anamallica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acranthera grandiflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aidia gardneri (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostemma courtallense Arn. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Agrostemma verticillatum Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Benkara malabarica (Lam.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Byrsophyllum tetrandrum (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium angustifolium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium ficiforme Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium neilgherrense Wight var. neilgherrense and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium neilgherrense Wight var. chartacea (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium coromandelicum (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium rheedii DC. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canthium travancoricum (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catesbaea spinosa Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Catunaregam spinosa (Thunb.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceriscoides turgida (Roxb.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chassalia curviflora (Wall. ex Kurz) Thw. var. ophioxyloides (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona calisaya Wedd. var. calisaya and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona calisaya Wedd. var. ledgeriana How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cinchona succirubra Pav. ex Klotzsch and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coffea arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coffea canephora Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coffea liberica Bull. ex Hiern var. dewevrei (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coffea travancorensis Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Deccania pubescens (Roth) Tirvengadum var. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Deccania pubescens (Roth) Tirvengadum var. candolleana (Wight & Arn.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dentella repens (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dentella serpyllifolia Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fergusonia tetracocca (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium asperifolium Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia angusta (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia gummifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia latifolia Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia resinifera Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geophila repens (L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guettarda speciosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haldina cordifolia (Roxb.) Ridsdale and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hamelia patens Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis affinis Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis albo-nervia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis anamalayana (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis articularis R.Br. ex Wight & Arn. subsp. articularis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis articularis R.Br. ex Wight & Arn. subsp. santapaui (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis aspera Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis auricularia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis barberi (Gamble) Henry & Subram. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis biflora (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis brachiata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis buxifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis caerulea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis corymbosa (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis devicolamensis Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis diffusa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis erecta Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis eualata (Gamble) Henry & Subram. var. eualata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis eualata (Gamble) Henry & Subram. var. agastyamalayana Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis gamblei Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis gracilis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis graminifolia L.f. var. graminifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis graminifolia L.f. var. shuteri (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis herbacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis hirsutissima Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis lessertiana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis nitida Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis ovatifolia Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis pruinosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis pterita Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis puberula (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis pumila L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis purpurascens Hook.f. var. purpurascens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis purpurascens Hook.f. var. pallida (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis ramarowii (Gamble) R.Rao & Hemadri var. ramarowii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis ramarowii (Gamble) R. Rao & Hemadri var. kannikattica Sundaresan, Manickam, G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis shettyi Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis sisparensis Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis leschenaultiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis swertioides Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis villosostipulata (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis viscida Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrophylax maritima L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenodictyon obovatum Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenodictyon orixense (Roxb.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora brachiata Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora coccinea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora cuneifolia Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora elongata Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora finlaysoniana Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora johnsoni Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora leucantha Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora malabarica (Dennst.) Mabberley and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora monticola Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora nigricans R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora notoniana Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora pavetta Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knoxia sumatrensis (Retz.) DC. var. sumatrensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knoxia sumatrensis (Retz.) DC. var. glaberrima Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knoxia sumatrensis (Retz.) DC. var. hookeriana Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knoxia sumatrensis (Retz.) DC. var. linearis (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knoxia wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus acuminatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus blumeanus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus capitulatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus ciliatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus cinereus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus dichotomous Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus jackianus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus oblongifolius Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus parvifolius Wight and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus rostratus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus strigillosus Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus truncatus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus venulosus (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luculia grandifolia Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luculia gratissima Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luculia pinceana Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mitracarpus villosus (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mitragyna parvifolia (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mitragyna tubulosa (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda citrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda pubescens J.E. Smith var. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda pubescens J.E. Smith var. tomentosa Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda pubescens J.E. Smith var. stenophylla (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda reticulata Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda belilla Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda frondosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda glabrata (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda hirsutissima (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda tomentosa Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mycetia acuminata (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis decipiens (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis hutchinsonii Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis indica (DC.) W.H. Lewis var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis indica (DC.) W.H. Lewis var. affinis (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis indica (DC.) W.H. Lewis var. deltoidea (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis monosperma (Wall. ex Wight & Arn.) W.H. Lewis var. monosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis monosperma (Wall. ex Wight & Arn.) W.H. Lewis var. tirunelvelica Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis nummularia (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis rheedei (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis richardiana (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis tubulosa (G.Don) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis wightiana (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolamarckia cadamba (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neonauclea purpurea (Roxb.) Merr. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neurocalyx calycinus (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nostolachma crassifolia (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochreinauclea missionis (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Octotropis travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza brunonis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza eriantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza grandiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza hirsutula Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza incarnata Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza pectinata Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza pykarensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza roxburghiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza rugosa Wall. var. argentea (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza rugosa Wall. var. merguensis (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza rugosa Wall. var. prostrata (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza tirunelvelica Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxyceros rugulosus (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta blKalam Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta breviflora DC. var. breviflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta breviflora DC. var. ciliolata Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta breviflora DC. var. glaberrima Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta breviflora DC. var. pubescens Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta breviflora DC. var. subcoriacea Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta brunonis Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta calophylla Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta hispidula Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta hohenackeri Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta indica L. var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta indica L. var. minor Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta indica L. var. montana Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta laeta Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta oblanceolata Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta praeterita Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta thomsonii Bremek. var. puberula Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta tomentosa Roxb. ex J.E. Smith and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta zeylanica (Hook.f.) Gamble var. zeylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta zeylanica (Hook.f.) Gamble var. puberula Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentas lanceolata (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentas zanzibarica (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleiocraterium verticillare (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portlandia grandiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudaidia speciosa (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psilanthus wightianus (Wight & Arn.) J. Leroy and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria anamallayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria beddomei Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria bisulcata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria connata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria flavida Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria fosbergii Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria globicephala Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria johnsonii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria macrocarpa Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria nigra (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria nilgiriensis Deb & Gang. var. nilgiriensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria nilgiriensis Deb & Gang. var. astephana (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria nudiflora Wight & Arn. var. nudiflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria nudiflora Wight & Arn. var. latifolia Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria octosulcata Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria sarmentosa Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria subintegra (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria truncata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psydrax dicoccos Gaertn. var. dicoccos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psydrax dicoccos Gaertn. var. lanceolatus (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psydrax ficiformis (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psydrax umbellata (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Richardia brasiliensis Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Richardia scabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubia cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saprosma corymbosum (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saprosma foetens (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saprosma fragrans (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saprosma glomeratum (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce articularis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce assurgens Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce hispida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce latifolia Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce mauritiana Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce pusilla Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce ramanii Sivarajan & Nair and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce ocymoides Burm.f. var. ocymoides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce ocymoides Burm.f. var. thekkumalensis (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamilnadia ulginosa (Retz.) Tirvengadum & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tarenna alpestris (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tarenna asiatica (L.) Kuntze ex K. Schum. var. asiatica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tarenna asiatica (L.) Kuntze ex K. Schum. var. asiatica forma rigida (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tarenna asiatica (L.) Kuntze ex K. Schum. var. montana (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tarenna canarica (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tarenna monosperma (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tarenna nilagirica (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tricalysia apiocarpa (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tricalysia sphaerocarpa (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urophyllum ceylanicum (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wendlandia angustifolia Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wendlandia thyrsoidea (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana arnottiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana hookeriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana leschenaultii DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana moonii Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipsacus leschenaultii Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scabiosa atropurpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Achillea millefolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acroclinium roseum Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenoon indicum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenostemma lavenia (L.) Kuntze var. lavenia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenostemma lavenia (L.) Kuntze var. madurense (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenostemma lavenia (L.) Kuntze var. reticulatum (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adenostemma lavenia (L.) Kuntze var. rugosum (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ageratina adenophora (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ageratum conyzoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ageratum houstonianum Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Amberboa ramosa (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis aristata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis bournei Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis brevifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis busua (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis elliptica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis lawii (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis leptophylla (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis marcescens (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis meeboldii W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis neelgerryana (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis notoniana (DC.) DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis subdecurrens (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis travancorica W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anaphalis wightiana (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arctotis venusta Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argyranthemum frutescens Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia nilagirica (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia pallens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artemisia sieversiana Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster indamellus Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster laevis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster cordifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aster rotundifolius Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bidens biternata (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bidens pilosa L. var. pilosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bidens pilosa L. var. minor (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bidens triplinervia H.B.K. var. macrantha (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blainvillea acmella (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharispermum petiolare DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blepharispermum subsessile DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea alata (D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea aurita (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea barbata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea Nripatingeriana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea bifoliata (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea clarkei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea eriantha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea fistulosa (Roxb.) Kurz and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea hieracifolia (D.Don) DC. var. hieracifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea hieracifolia (D.Don) DC. var. flexuosa (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea hieracifolia (D.Don) DC. var. hamiltonii (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea hieracifolia (D.Don) DC. var. macrostachya (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea lacera (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea lanceolaria (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea malcolmii (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea membranacea Wall. ex DC. var. membranacea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea membranacea Wall. ex DC. var. jacquemontii (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea mollis (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea obliqua (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea oxyodonta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea virens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Blumea flava DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bracteantha bracteata (Vent.) Andr. & Haegi var. bracteata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bracteantha bracteata (Vent.) Andr. var. albidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calendula officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Callistephus chinensis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carpesium cernuum L. var. nilagiricum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Carthamus tinctorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centaurea cyanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centrantherum punctatum Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centipeda minima (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chromolaena odorata (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthemum anethifolium Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chrysanthemum coronarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus angustifolia L. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus caudata SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus conferta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus hortensis M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus indica SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus kologa SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus parvifolia WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus pyriformis HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeagnus umbellata THUNB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus floribundus BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus ganitrus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus lanceolatus BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus munronii (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus oblongus GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus serratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus sphaericus (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus tuberculatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeodendron glaucum PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeodendron roxburghii W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema lineolatum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema platyphyllum WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatostema sessile FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleocharis dulcis (BURM.F.) TRIN. EX HENSCHEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elephantopus scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elettaria cardamomum MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elettaria cardamomum MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elettaria cardamomum MATON minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elettaria cardamomum MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elettaria repens BAILOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleusine aegyptiaca DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleusine coracana (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleusine indica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eleutherococcus senticosus (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elsholtzia blKalam (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elsholtzia ciliata (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elsholtzia densa BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elsholtzia pilosa BTH. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elsholtzia polystachya BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elsholtzia strobilifera BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elytraria acaulis (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elytrophorus spicatus (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia acutipetalum (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia ribes BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia robusta C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia subcoriacea (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embelia tsjeriam-cottam A.DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emblica officinalis GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Embryopteris glutinifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emilia javanica (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Emilia sonchifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Engelhardia polystachya RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Engelhardtia roxburghiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Engelhardtia spicata LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enhydra fluctuans LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enhydra fluctuns LOUR. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eniada scandens AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enicostemma axillare (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enicostemma hyssopifolium (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enicostemma littorale BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enicostemma verticillatum (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Entada phaseoloides MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Entada pursaetha DC. pursaetha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Entada rheedii SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Entada scandens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Enteropogon dolichostachyus (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epaltes divaricata (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephedra equisetina BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephedra gerardiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephedra intermedia SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephedra major HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephedra nevadensis WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephedra peduncularis BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephedra saxatilis STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephedra sinica STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephedra vulgaris HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ephemerantha macraei (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epidendrum retusum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epidendrum tenuifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epilobium angustifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epilobium hirsutum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epilobium roseum SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epilobium royleanum HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epimedium elatum MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Epipactis latifolia ALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Equisetum arvense L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Equisetum debile ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Equisetum diffusum DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Equisetum ramosissimum DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis amabilis (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis ciliata NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis cynosuroides BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis gangetica (ROXB.) STEUD. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis nutans (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis tremula HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eragrostis viscosa TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eranthemum bicolor SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eranthemum nervosum (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eranthemum purpurascens NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eranthemum roseum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erechtites valerianaefolia (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eremostachys acanthocalyx BOISS. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eremostachys loasifolia BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eremostachys superba ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eremostachys vicaryi BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eremurus himalaicus Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria calamifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eria pannea LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erianthus arundinaceus (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erianthus munja JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron alpinus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron asteroides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron bellidioides (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron bonariensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron canadensis TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron floribundus (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron multiradiatus (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erigeron sublyratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriglossum rubiginosum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriobotrya japonica LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriobotrya latifolia HOOK.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon setaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon sexangulare L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriocaulon sieboldianum S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriodendron anfractuosum BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erioglossum rubiginosum (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriolaena hookeriana WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriolaena quinquelocularis WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriosema chinense VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriosema himalaicum OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eritrichium canum (BTH.) KITAMURA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erodium cicutarium (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erodium moschatum L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erophila verna (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eruca sativa GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eruca vesicaria (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ervatamia coronaria (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ervatamia dichotoma (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ervatamia heyneana T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ervatamia orientalis (R.BR.) TURR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ervatmia divaricata (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erycibe paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erygium caeruleum BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erygium coeruleum BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eryngium biebersteinianum NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eryngium billardieri DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eryngium caeruleum BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eryngium foetidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erysimum altaicum C.A. MEY. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erysimum repandum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erysimum sisymbrioides C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythraea roxburghii G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina arborescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina corallodendron L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina fusca LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina resupinata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina stricta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina suberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythrina variegata L. orientalis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythronium indicum ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythropalum scandens BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylium coca LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum areolatum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum lucidum MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum monogyneum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum monogynum ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum monogynum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum moonii HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum retusum BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum retusum BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ethulia conyzoides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus camaldulensis DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus citriodora HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus globulus LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucalyptus resinifera HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euchresta horsfieldii (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euchretia buxifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eucomis undulata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia aromatica KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia bracteata (WILD.)ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia caryophyllaea WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia hemispherica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia jambolana LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia jambos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia malaccensis BLANCO and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia munroii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia occidentalis BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia operculata SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia spicata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eugenia uniflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulaliopsis binata (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia Kalammanensis REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia campestris WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia cullenii (WIGHT) BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia dabia (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia epidendraea (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia explanata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia herbacea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia nuda LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia pratensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia ramentacea WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eulophia spectabilis (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euodia lanu-ankenda (GAERTN.)MERR. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus atropurpureus JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus crenulatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus hamiltonianus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus indicus HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus javanicus BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus pendulus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus serratifolius BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus theophrasti WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus tingens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium adenophorum SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium ayapana VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium birmanicum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium cannabinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium glandulosum SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium odoratum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium perfoliatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eupatorium triplinerve VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia acaulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia antiquorum L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia atoto G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia barnhartii CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia bombaiensis SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia caducifolia HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia chamaesyce L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia cognata BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia dracunculoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia fusiformis BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia granulata FORSK. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia helioscopia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia hirta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia hispida BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia hypericifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia inaequilatera SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia laeta HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia lathyris LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia ligularia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia longan STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia longifolia D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia microphylla HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia milii DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia neriifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia nivulia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia onicrophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia orbiculata H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia pilosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia pilulifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia prostrata AIT. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia pulcherrima WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia resinifera BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia rosea RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia rothiana SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia royleana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia sanguinea HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia splendens BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia stracheyi BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia thomsoniana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia thymifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia tibetica BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia tirucalli L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia tortilis ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia trigona HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia turcomanica BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia uniflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphorbia wallichii HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphoria longana LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphrasia himalaica WETTST. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphrasia odontites LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphrasia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euphrasia platyphylla PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eurya acuminata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eurya japonica AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eurya nitida KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euryale ferox SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euryangium sumbul KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eurycoma longifolia JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evodia fraxinifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evodia lunu-ankenda MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evodia meliaefolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evodia roxburghiana BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evodia rutaecarpa HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evodia trichotoma (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evolvulus alsinoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evolvulus emarginatus BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Evolvulus nummularius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum bicolor ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum lawii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum pedunculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exacum tetragonum ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Excoecaria acerifolia F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Excoecaria agallocha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Excoecaria crenulata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Exogonium purga LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fabiana imbricata RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagonia arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagonia bruguieri DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagonia cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagonia indica L. schweinfurthii HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagopyrum cymosum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagopyrum dibotrys (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagopyrum esculentum MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagopyrum tataricum (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagraea ceilanica THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagraea imperialis MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagraea obovata WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagraea racemosa JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Farsetia aegyptiaca TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Farsetia edgeworthii HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Farsetia hamiltonii ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Farsetia jacquemontii HOOK. F. & TH. jacquemontii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Farsetia jacquemontii HOOK.F. TH. edgeworthii (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Feronia elephantum CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Feronia limonia (l.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula alliacea BOISS. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula assa-foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula foetida REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula galbaniflua BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula jaeschkeana VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula narthex BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula persica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula suaveolens AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula sumbul HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ferula thomsoni C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Festuca indica RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fibraurea chloroleuca Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fibraurea tinctoria LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus altissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus amplissima SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus arnottiana (MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus asperrima ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus auriculata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus bengalensis L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus benjamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus callosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus carica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus cunia HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus dalhousiae MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus drupacea THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus elastica ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus exasperata VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus fistulosa REINW. EX BI. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus fulva REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus gibbosa BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus glabella BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus glomerata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus heterophylla L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus hirta VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus hispida L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus infectoria SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus lacor BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus lacor BUCH.- HAM. infectoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus lacor BUCH.- HAM. lambertiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus lacor BUCH.- HAM. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus lucescens BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus microcarpa L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus mollis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus oppositifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus palmata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus racemosa L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus religiosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus retusa AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus ribes REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus rumphii BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus scandens ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus semicordata BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus talboti G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus tinctorea FORST. F. parasitica parasitica (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus tinctoria FORST. F. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus tomentosa ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus tsiela ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus tsjakela BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus virens AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ficus wightiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Filago arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Filicium decipiens (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis annua (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis argentea (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis bisumbellata (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis diphylla VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis falcata (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis junciformis KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis miliacea L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis ovata (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis polytrichoides (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fimbristylis sietiniana KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fioria vitifolia (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Firmiana colorata (ROXB.) R. BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fissendocarpa linifolia (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fissistigma polyanthum MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flacourtia cataphracta ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flacourtia indica (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flacourtia jangomas (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flacourtia ramontchi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flacourtia sapida WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flacourtia sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flagellaria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flaveria australasica HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia bracteata (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia chappar BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia congesta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia grahamiana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia macrophylla (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia nana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia paniculata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia procumbens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia semialata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia stricta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia strobilifera (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia tuberosa DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flemingia wightiana GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fleurya interrupta (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flickingeria fugax (RCHB.F.)SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flickingeria macraei (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flickingeria nodosa (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Floscopa scandens LOUR. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fluegea leucopyrus WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flueggea leucopyrus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flueggea microcarpa BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flueggea virosa BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Foeniculum capillaceum GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Foeniculum vulgare GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Foeniculum vulgare GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fomes officinalis (VIIL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fortunella japonica (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fragaria indica ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fragaria nilgherrensis SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Francoeria crispa CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Frankenia pulverulenta L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fraxinus excelsior L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fraxinus floribunda WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fraxinus hookeri WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fraxinus ornus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fritillaria cirrhosa D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fritillaria imperialis L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fritillaria roylei HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fucus distichus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fucus nodosus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fucus vesiculosus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fumaria indica PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fumaria officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fumaria parviflora AUCT. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fumaria vaillantii LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Furcraea foetida (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fynura bicolour (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gaillonia aucheri JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galega purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galega spinosa L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galeopsis tetrahit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galidium cartilagineum (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galinsoga parviflora CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium acutum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium aparine L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium asperifolium WALL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium elegans BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium mullugo L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium triflorum MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galium verum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ganophyllum falcatum BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia atroviridis GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia cambogia GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia cornea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia cowa ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia dulcis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia echinocarpa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia gummi-gutta (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia hanburyi HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia heterandra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia indica (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia kydia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia mangostana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia morella (GAERTN.) DESR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia pedunculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia pictoria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia purpurea G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia rubro-echinata KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia spicata (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia talbotii RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia tinctoria (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia travancorica BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia wightii T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia xanthochymus HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia augusta (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia campanulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia dumetorum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia floribunda ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia florida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia gummifera L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia incida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia jasminoides ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia latifolia AITON and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia lucida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia nummularioides DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia resinifera ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gardenia turgida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garuga pinnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gastrochilus longiflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gastrochilus pandurata RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gaultheria fragrantissima WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gaultheria nummularioides D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gaultheria procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gaultheria trichiphylla ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gelidium cartilagineum GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gelonium bifarium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gelsemium elegans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gelsemium semepervirens AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gemphostemma ovatum WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gendarussa vulgaris NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geniosporum gracilo BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geniosporum prostratum (L.) BENTH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geniosporum tenuiflorum (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana algida PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana argentea ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana borealis GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana carinata GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana chirayta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana decumbens L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana desonasa (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana kurroo ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana lutea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana moorcroftiana WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana olivieri GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana quadrifaria Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana renella FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana stipitata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana tenella FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentiana thianschanica RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentianella moorcroftiana (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentianella pedunculata (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentianella tenella (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gentianopsis detonsa (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geodorum densiflorum (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geodorum dilatatum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geophila herbacea KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geophila reniformis D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geophila repens (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium himalayense KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium lucidum L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium mascatense BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium molle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium nepalense SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium ocellatum CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium pusillum BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium rivulare VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium robertianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium sibiricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium wallichianum DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gerbera gossypina (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gerbera lanuginosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gerbera piloselloides (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geum alatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geum elatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geum roylei WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geum urbanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Giesekia pharnacoides L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ginkgo biloba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Girardinia diversifolia (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Girardinia heterophylla DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Girardinia leschenaultiana DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Girardinia zeylanica DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gironniera cuspidata (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gironniera reticulata THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gisekia pharnaceoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Givotia rottleriformis GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gleditsia sinensis LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gleditsia triacanthos L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gleichenia longissima BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glinus dictamnoides BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glinus lotoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glinus oppositifolius (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gliricidia maculata (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Globba clarkeii BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Globba marantina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Globba multiflora WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Globba orixensis ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Globba pauciflora KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion calocarpem KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion calocarpum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion ellipticum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion heyneanum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion hohenackeri BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion lanceolarium VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion multiloculare MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion oblatum HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion sumatrana MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion tomentosum DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glochidion zeylanicum A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gloriosa superba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glossocardia bosvallea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glossocardia linearifolia CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glossogyne bidens (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glossogyne pinnatifida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glossonema varians BENTH. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gluta travancorica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycine labialis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycine max (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycine pentaphylla DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycine soja SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis arborea (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis cochinchinensis PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis macrocarpa WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis mauritiana (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis mauritiana (LAMK.) TANAKA Kalammanensis (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis pentaphylla (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycyrrhiza glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycyrrhiza glabra L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycyrrhiza radix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycyrrhiza uralensis FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gmelina arborea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gmelina asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gmelina elliptica SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gmelina parviflora PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gmelina philippensis CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnaphalium indicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnaphalium luteo-album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnaphalium polycaulon PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnetum edule (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnetum gnemon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnetum montanum MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnetum scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnetum ula BRONGN and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gnidia glauca STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goldfussia thomsonii (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphia angustifolia VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphia serrata (GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphostemma crinitum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphostemma parviflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphostemma wallichii PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphrena celosioides MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphrena globosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gonatanthus pumilus (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniothalamus sequipedalis HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniothalamus waynaadensis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniothalamus wightii HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gonostegia hirta (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gonystylus macrophyllus (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goodyera repens (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goodyera schlectKalamliana RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goodyera secundiflora (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gordonia obtusa WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium acuminatum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium arboreum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium barbadense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium herbaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium hirsutum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium indicum TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium obtusifolium ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium purpurascens POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium religiosum WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium stocksii MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gouania leptostachya DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gouania microcarpa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gouania tiliaefolia LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Govania leptostachya DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gracilaria lichenoides GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grangea maderaspatana POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Graptophyllum hortense NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Graptophyllum pictum (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gratiola monnieria L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grevillea robusta A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia abutilifolia VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia asiatica L. vestita MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia asiatica MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia carpinifolia JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia elastica ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia helicterifolia WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia heterotricha MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia hirsuta VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia microcos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia obtusa WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia oppositifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia optiva DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia orbiculata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia polygama MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia populifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia rhamnifolia HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia rothii DC. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia salvifolia HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia sapida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia scabrophylla ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia sclerophylla ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia subinaequalis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia tenax (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia tiliaefolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia umbellata AUCT.NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia villosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guaiacum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guazuma tomentosa H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guazuma ulmifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guettarda speciosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guilandina bonducella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guizotia abyssinica CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnadenia himalayica SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnadenia orchidis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema aurantiaca WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema balsamicum and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema hirsutum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema khKalamlense SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema lactiferum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema latifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema montanum (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema spartium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnema sylvestre R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnocladus assamicus Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnopetalum cochinchinensis (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnopetalum wightii WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnosporia montana (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnosporia royleana M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnosporia spinosa MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gymnostachyum febrifugum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynandropsis gynandra BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynandropsis pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynocardia odorata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynostemma pentaphyllum (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura angulosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura cusimbua (D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura hispida THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynura pseudo-china DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gyrocarpus americanus JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria commelinifolia (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria crinifera LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria diphylla DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria edgeworthii HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria grandiflora LINDL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria intermedia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria longicorniculata GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria orchidis (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria ovalifolia WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria plantaginea LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria rariflora A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria rotundifolia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Habenaria roxburghii (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hackelochloa granularis (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haemanthus multiflorus MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haematoxylon campechianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hagenia abyssynica GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haldina cordifolia (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Halophila ovalis (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haloxylon multiflorum (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haloxylon recurvum BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haloxylon salicornicum BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hamamelis virginiana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hamelia patens JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hamiltonia suaveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haplanthodes verticillata (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haplanthus tentaculatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Haplanthus verticillata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hardwickia binata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hardwickia pinnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Harpagophytum procumbens DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Harpullia arborea (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hebanthe paniculata MART. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedeoma pulegioides (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedera helix C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedera nepalensis C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedgsonia macrocarpa (BI.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium acuminatum ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium coccineum HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium coronarium KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium ellipticum HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium gardnerianum SHEPPARD EX KER- GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium glaucum ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium gracile ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium marginatum C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium spicatum BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedychium wardii C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis articularis R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis auricularia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis auriculata (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis biflora (L.) LAMK and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis brachypoda (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis capitellata WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis corymbosa (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis costata (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis diffusa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis glabra R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis gracilis WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis herbacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis hispida (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis lineata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis pinifolia WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis pruinosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis puberula R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis pumila L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis tenelliflora BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis umbellata (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis uncinella HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis verticillata (L.) LAMK. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedyotis vestita R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedysarium sennoides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedysarum alhagi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedysarum gangeticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedysarum purpureum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedysarum sennoides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedysarum triflorum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hedysarum tuberosum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helianthus annuus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helianthus tuberosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicanthes elastica (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicia excelsa BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicia robusta (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicteres isora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicteres isora L. glabrescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicteres isora L. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliophylum indicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium bacciferum FORSK. tuberculosum (BOISS.) KAZMI bacciferum NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium brevifolium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium currassavicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium eichwaldi STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium ellipticum LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium keralense SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium ophioglossum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium ovalifolium FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium peruvianum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium rariflorum STOCKS and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium strigosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium subulatum HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium supinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium tuberculosum BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium undulatum VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heliotropium zeylanicum HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helixanthera wallichiana (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helleborus niger L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helleborus viridis BIEB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helminthostachys zeylanicus (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heltropium ophioglossum STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemarthria compressa (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemerocallis fulva L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemidesmus indicus (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemidictyum ceterach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemigraphis latebrosa NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hemionitis arifolia (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum cachemiricum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum candicans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum candolleanum (WT. & ARN.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum canescens WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum lanatum MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum nepalense D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum pinda DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum pinnatum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum rigens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heracleum wallichii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heritiera littoralis AITON and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heritiera minor LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heritiera papilio BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hermodactylus tuberosus (L.)MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hernandia ovigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hernandia peltata MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Herniaria glabra L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Herniaria hirsuta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Herniaria intermedia (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Herpestis monniera (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hesperethusa alata (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hesperethusa crenulata (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hetaeria obliqua Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heterophragma quadriloculare K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heterophragma roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heteropogon contortus (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heterostemma piperifolium KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heterostemma tanjorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hevea brasiliensis (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hewittia malabarica (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heylandia latebrosa D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heynea sumatrana MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heynea trijuga ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus abelmoschus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus aculeatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus cancellatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus canescens HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus cannabinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus ficulneus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus furcatus ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus hirtus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus hispidissimus GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus lampas CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus lunariifolius WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus manihot L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus micranthus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus mutabilis L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus obtusifolius WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus ovalifolius (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus platanifolius (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus populneus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus rosa-sinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus sabdariffa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus surattensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus syriacus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus tiliaceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus trionum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus vitifolias L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus vitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hieracium umbellatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hieracium virosum PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hieracium vulgatum (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hippocratea indica WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hippophae rhamnoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hippophae rhamnoides L. saticifolia (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hippophae salicifolia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hippophae tibetana SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hiptage benghalensis (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hiptage madablota GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hitchenia caulina BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hodgsonia macrocarpa (BI.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holarrhena antidysenterica (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holarrhena mitis R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holarrhena pubescens (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holboellia latifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna arnottiana HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna ferruginea MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna grahamii (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna longifolia BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna nigra BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holmskioldia sanguinea RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holoptelea integrifolia (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holostemma ada-kodien SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holostemma annulare (ROXB.) K.SCHUM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holostemma rheedianum SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holostemma rheedii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holosteum umbellatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Homalomena aromatica SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Homalomena rubescens KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Homonoia retusa (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Homonoia riparia LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea glabra WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea odorata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea parviflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea ponga (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea wightiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoppea dichotoma WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hordeum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hornstedtia costata (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Horsfieldia glabra (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Horsfieldia irya (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Horsfieldia kingii (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Houttuynia cordata THUNB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hovenia acerba LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya carnosa R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya globulosa HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya multiflora BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya ovalifolia WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya pendula WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya viridiflora R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hoya wightii HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hugonia mystax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Humboldtia unijuga BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Humboldtia vahliana WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Humulus lupulus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hunteria corymbosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hunteria legocii SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hunteria zeylanica (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Huperzia phlegmaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hura crepitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hybanthus enneaspermus (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyderangea macrophylla (THUNB.) SER. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus alpina WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus anthelminthica PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus castanea HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus inebrians VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus kurzii (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus laurifolia (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus macrocarpa (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus octandra THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus pentandra (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus venenata GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus wightiana BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnophytum Kalammanense BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnophytum formicarium JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrangea arborescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrangea aspera BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrangea macrophylla (THUNB.) SER. stylosa (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrangea paniculata SIEB. grandiflora SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrastis canandensis POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrilla verticillata (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocharis dubia (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocotyle asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocotyle javanica THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocotyle javanica THUNB. PODUNTHA MOLKENBOER EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocotyle rotundifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocotyle sibthorpiodes LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrolea zeylanica VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila auriculata (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila erecta (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila heinei SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila phlomoides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila polysperma (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila quadrivalvis (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila ringens (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila salicifolia NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila schulli (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygrophila spinosa T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hygroryza aristata NEES and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenaea courbaril L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenaea hornemannianum (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenocrater sessilifolius BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenodictyon excelsum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenodictyon obovatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenodictyon orixense (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyoscyamus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyoscyamus muticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyoscyamus niger L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyoscyamus pusillus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyoscyamus reticulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyoscyamus squarrosus GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypecoum leptocarpum HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypecoum pendulum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypecoum procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyperanthera moringa VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum cernuum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum chinense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum elodeoides CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum humifusum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum japonicum THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum laxum (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum monanthemum HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum monogynum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum mysurense HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum oblongifolium CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum patulum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum perforatum L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum sampsoni HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum uralum BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypobathrum microcarpum (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypochaeris glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypodematium crenatum (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypolepis punctata (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypolytrum nemorum (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypoxis aurea LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypoxis orchioides KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyptis brevipes POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyptis capitata JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyptis pectinata POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyptis suaveolens POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyssopus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hyssopus parviflora BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ichnocarpus frutescens R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex denticulata WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex godajam COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex paraguariensis A.ST.HIL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex wightiana WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Illecebrum lanatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Illicium anisatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Illicium griffithii HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Illicium religiosum S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Illicium verum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Illigera appendiculata BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Illigera villosa CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilysanthes oppositifolia (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilysanthes reptans (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens balsamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens brachycentra KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens chininsis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens gigantea EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens glandulifera ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens minor (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens roylei WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens scabrida DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens tilo (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens tripetala ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Imperata arundinacea CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Imperata cylindrica (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Incarvillea emodi (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera anil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera argentea BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera articulata GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera aspalathoides VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera astragalina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera caerulea ROXB. caerulea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera cassioides ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera ennaephylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera galegoides DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera gerardiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera glandulosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera hebepetala BENTH. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera heterantha WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera linifolia RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera linnaei ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera nil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera nummulariifolia (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera oblongifolia FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera paucifolia DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera pulchella ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera suffruticosa MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera sumatrana GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera tinctoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera trita L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indigofera uniflora HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indonessiella echicides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indonesiella echioides (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Indonesiella intermedia SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Intsia bijuga (Colebr.) O. Kuntze and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Inula cappa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Inula cuspidata C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Inula grandiflora WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Inula grantioides BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Inula graveolens DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Inula helenium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Inula obtusifolia KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Inula racemosa HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Inula royleana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ionidium enneaspermum VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ionidium suffruticosum GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iphigenia indica (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea aquatica FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea asarifolia (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea batatas (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea biloba FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea bona-nox HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea burmanni CHOISY NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea cairica (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea campanulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea candicans SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea carnea (MART. EX CHOISY) AUSTIN. fistulosa (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea carnea JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea coccinea L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea coptica (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea cymosa ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea dasysperma JACQ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea digitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea dissecta WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea eriocarpa R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea fastigiata (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea fistulosa MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea glaberrima BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea grandiflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea hederacea AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea hederifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea hispida ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea illustris (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea involucrata BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea marginata (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea mauritiana JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea maxima G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea muricata (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea nil (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea obscura KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea paniculata (L.) R.BR. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea pes-caprae (L,) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea pes-tigridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea petaloidea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea purga (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea purpurea (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea quamoclit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea reniformis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea reptans (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea sindica STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea staphylina R,BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea tridentata (L.)ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea turbinata LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea turpethum (L..) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea uniflora ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea violacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ipomoea vitifolia SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris decora WALL. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris ensata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris florentina KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris foetidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris germanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris kashmiriana BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris kemaonesis D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris nepalensis D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris songarica SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iris versicolor THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isachne globosa KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum muticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum pilosum HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ischaemum rugosum SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isopyrum acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isopyrum anemonoides KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Isopyrum thalictroides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Itea chinensis HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora alba L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora arborea ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora brunnescens KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora coccinea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora cuneifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora grandiflora Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora nigricans BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora parviflora VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora pavetta ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora polyantha WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora sub-sessilis WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ixora undulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., JacarKalam acutifolia HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jacobinia tinctoria HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jaeschkea gentianoides KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jaeschkea oligosperma (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Janakia arayalpathra JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum amplexicaule BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum anastomozans WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum angustifolium VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum arborescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum auriculatum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum azoricum L. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum bignoniaceum WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum calophyllum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum chrysanthemum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum cuspidatum ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum diversifolium KOBUSKI and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum flexile VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum grandiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum humile SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum malabaricum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum multiflorum (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum nervosum LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum pubescens (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum ritchiei CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum rottlerianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum sambac (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum sambac AIT. heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum scandens VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum subhumila W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum trichotomum HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jasminum undulatum KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jateorhiza palmata (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha curcas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha glandulifera ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha glandulosa VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha glauca VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha gossypifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha montana WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha nana DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jatropha panduraefolia ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Joannesia princeps VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juglans regia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juglans regia L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juncellus inundatus CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juncus inflexus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juncus lampocarpus EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juncus prismatocarpus R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juniperus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juniperus excelsa BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juniperus indica BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juniperus macropoda BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juniperus polycarpos C. KOCH. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juniperus recurva BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Juniperus wallichiana HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jurinea dolomiaea BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jurinea himalaica STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jurinea macrocephala (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jurinea macrophylla BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jussiaea repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jussiaea suffruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Jussiaea tenella BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia acaulis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia adhatoda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia beddomei (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia betonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia bicalyculata VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia bilvalvis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia ecbolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia gendarussa BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia madurensis BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia nasuta L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia paniculata (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia picta ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia prostrata (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia quinqueangularis KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia repens DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia simplex DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia tranquebariensis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Justicia vasculosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kaempferia angustifolia ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kaempferia galanga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kaempferia rotunda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe integra (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe laciniata (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe pinnata (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe rosea C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalanchoe spathulata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kallstroemia pubescens (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kamettia caryophyllata (ROXB.) NICOL. & SURESH and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kandelia candel (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kandelia rheedei WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kandelia rheedii W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kedrostis foetidissima (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kedrostis rostrata (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kickxia ramosissima (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kigelia africana (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kigelia pinnata (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kingiodendron pinnatum (ROXB. EX DC.) HARMS and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kirganelia reticulata BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kleinhovia hospita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kleinia grandiflora (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knema angustifolia (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knema attenuata (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knema erratica (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knema linifolia (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knoxia brachycarpa R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knoxia corymbosa WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knoxia roxburghii (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Knoxia sumatrensis (RETZ.) DC. hookeriana BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kochia indica WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kochia scoparia (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kochia sedoides SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Koelpinia linearis PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kokoona zeylanica THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kopsia flavida BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kopsia fruticosa A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kurrimia bipartita M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kydia calycina ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kyllinga brevifolia ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kyllinga monocephala ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kyllinga nemoralis HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kyllinga squamulata VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kyllinga triceps ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lablab purpureus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca dissecta D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca gracilis DC. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca heyneana D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca orientalis (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca remotiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca runcinata DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca scariola L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca serriola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca tataraica C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lactuca virosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagascea mollis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagascea spinosissima COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagenandra ovata (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagenandra toxicaria (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagenaria leucantha RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagenaria siceraria (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagenaria vulgaris SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia flos-reginae RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia hirsuta (LAM.) WILLD. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia lanceolata WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia microcarpa W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia parir-flosh ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia reginae PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagerstroemia speciosa (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laggera alata (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laggera aurita (WILD.) SCH. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laggera crispata (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laggera flava BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laggera pterodonta BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagotis cashmeriana (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lagotis glauca GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lallemantia royleana BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lamarkia aurea MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laminaria saccharina LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lamium album DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lamium amplexicaule L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lamprachaenium microcephalum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lancea tibetica HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Safed Musli farming for Diabetic neuropathy formulations: Impact of Lannea coromandelica (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lannea grandis (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lansium domesticum JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lantana aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lantana camara L. aculeata (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lantana camara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lantana indica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laportea crenulata GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laportea interrupta (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Larrea tridentata (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasia aculeata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasia heterophylla SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasia spinosa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasianthus Kalammanicus HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasiosiphon eriocephalus (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lasiurus hirsutus (FORSK.) BOISS. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lastrea filix-mas L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathraea squamaria L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus altaicus LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus aphaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus inconspicuus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus luteus BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus odoratus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus pratensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lathyrus sphaericus RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea acaulis (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea aspleniifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea capitata (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea chondrilloides HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea fallax (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea glomerata HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea nudicaulis HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea pinnatifida CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea procumbens (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea remotiflora (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea resedifolia (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launaea sarmentosa (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launea acaulis (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launea procumbens (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Launea sarmentosa ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens chandrasekharanii Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens clavicornu Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens cordata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens crenata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens cuspidata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens dasysperma Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens debilis Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens denisonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens disotis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens diversifolia Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens elegans Bedd. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens floribunda Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens fruticosa Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens goughii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens grandis Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens hensloviana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens herbicola Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens hookeriana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens inconspicua Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens jerdoniae Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens laticornis Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens lawsonii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens lenta Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens leptura Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens leschenaultii (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens levingei Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens ligulata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens maculata Wight and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens minor (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens modesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens munronii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens neo-barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens nilgirica Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens orchioides Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens parasitica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens parvifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens phoenicea Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens rufescens Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens scabriuscula Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens scapiflora Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens tangachee Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens tenella Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens tomentosa Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens trichocarpa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens umbellata Heyne ex Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens uncinata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens verticillata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens viridiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens viscida Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens viscosa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens wightiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acronychia pedunculata (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aegle marmelos (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atalantia monophylla (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atalantia racemosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Atalantia wightii Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boenninghausenia albiflora (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chloroxylon swietenia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Choisya ternata Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus aurantifolia (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus aurantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus limon (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus maxima (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus nobilis Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus reticulata Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Citrus sinensis (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena austro - indica B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena dentata (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena indica (Dalz.) OSkin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clausena lansium (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euodia fraxinifolia (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euodia lunu-ankenda (Gaertn.) Merr. var. lunu-ankenda and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euodia lunu-ankenda (Gaertn.) Merr. var. tirunelvelica Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fortunalla japonica (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis angustifolia Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis cyanocarpa (Blume) Spreng. var. cymosa Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis macrocarpa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis mauritiana (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis pentaphylla (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glycosmis tirunelveliensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limonia acidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luvunga eleutherandra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melicope indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melicope lunu-ankenda (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murraya koenigii (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murraya paniculata (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Naringi crenulata (Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pamburus missionis (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paramigyna beddomei Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paramignya monophylla Wight and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleiospermium alatum (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruta chalepensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetradium fraxinifolia (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toddalia asiatica (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triphasia trifolia (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vepris bilocularis (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum armatum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum ovalifolium Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum rhetsa (Roxb.) DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum limonellia (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ailanthus excelsa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ailanthus triphysa (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quassia amara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Suriana maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphia serrata (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna integerrima (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna jabotapita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna lanceolata Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna obtusata DC. var. obtusata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna gamblei King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Boswellia serrata Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bursera penicillata (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canarium strictum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canarium vulgare Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora berryi (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora caudata (Wight & Arn.) Engler var. caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Commiphora caudata (Wight & Arn.) Engler var. pubescens (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garuga floribunda Decne var. gamblei (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garuga pinnata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia apiocarpa (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia domestica (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia elaeagnoidea (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia edulis (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia lawii (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia tomentosa Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia odorata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aglaia simplicifolia (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aphanamixis polystachya (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Azadirachta indica A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chukrasia tabularis A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cipadessa baccifera (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysoxylum binectariferum (Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysoxylum ficiforme (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dysoxylum malabaricum Bedd. ex Hiern and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melia azedarach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Naregamia alata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reinwardtiodendron anamallayanum (Bedd.) Saldahnha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sandoricum koetjape (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Soymida febrifuga (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swietenia macrophylla King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swietenia mahagoni (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toona ciliata M. Roem. var. ciliata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toona ciliata M. Roem. var. pilistila (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichilia connaroides (Wight & Arn.) Bentvelzen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turraea villosa Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Walsura trifolia (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylocarpus granatum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dichapetalum gelonioides (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anacolosa densiflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olax scandens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olax imbricata Roxb. var. imbricata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olax imbricata Roxb. var. nigrescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strombosia ceylanica Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ximenia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cansjera rheedii Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opilia amentacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Apodytes dimidiata E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphandra coriacea Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gomphandra tetrandra (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miquelia dentata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothapodytes nimmoniana (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrenacantha volubilis Wight and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostigma kleinii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythropalum populifolium (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex aquifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex denticulata Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex opaca Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex walkeri Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ilex wightiana Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bhesa indica (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassine glauca (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cassine paniculata (Wight & Arn.) Lobr.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celastrus paniculatus Willd. var. paniculatus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celastrus paniculatus Willd. subsp. dependens (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Celastrus paniculatus Willd. subsp. aggregatus K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus angulatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus barberi C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus crenulatus Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus dichotomous Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus indicus Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus japonicus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus kanyakumariensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus paniculatus Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Euonymus serratifolius Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glyptopetalum grandiflorum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glyptopetalum lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Glyptopetalum zeylanicum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Loeseneriella bourdillonii (Gamble) Raju and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Loeseneriella obtusifolia (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lophopetalum wightianum Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maytenus emarginata (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maytenus heyneana (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maytenus ovatus (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maytenus rufa (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maytenus wallichiana (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microtropis microcarpa Wight var. microcarpa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microtropis microcarpa Wight var. densiflora Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microtropis latifolia Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microtropis ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microtropis ramiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microtropis stocksii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microtropis wallichiana Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleurostylia opposita (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reissantia grahamii (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reissantia indica (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia fruticosa Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia macrosperma Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia oblonga Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alphitonia excelsa Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colletia cruciata Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colletia ferox Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Colubrina asiatica (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gouania microcarpa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hovenia acerba Lindl. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maesopsis eminii Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Noltea africana (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pomaderris apetala Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pomaderris lanigera Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus cathartica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus dahuricus Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus virgatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus wightii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sageretia hamosa Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sageretia parviflora (Klein) G. Don and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutia myrtina (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ventilago denticulata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ventilago gamblei Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ventilago goughii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ventilago madraspatana Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus glabrata Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus horrida Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus incurva Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus mauritiana Lam. var. mauritiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus mauritiana Lam. var. fruticosa (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus nummularia (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus oenoplia (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus rugosa Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus xylopyrus (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus araneosa (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus divaricata (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus indica (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus latifolia (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus tomentosa (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ampelocissus wightiana Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia anemonifolia (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia auriculata (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia japonica (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia mollissima (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia pedata (Lam.) Juss. ex Gagnep. var. pedata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia pedata (Lam.) Juss. ex Gagnep. var. glabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia roxburghii (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia tenuifolia (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cayratia trifolia (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus arnottiana B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus adnata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus discolor Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus latifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus glyptocarpa (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus heyneana (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus repKalam Vahl and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus repens Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissus vitiginea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyphostemma setosum (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parthenocissus neilgherriensis (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parthenocissus semicordata (Wall.) Planchon var. roylei (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrastigma gamblei Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrastigma leucostaphylum (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrastigma nilagiricum (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrastigma sulcatum (Lawson) Gamble and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis vinifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea asiatica (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea guineensis G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea indica (Burm. F. ) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea macrophylla Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Allophylus cobbe (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardiospermum canescens Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardiospermum halicacabum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dimocarpus longan Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dodonaea viscosa (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Filicium decipiens (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Harpullia arborea (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepisanthes erecta (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepisanthes senegalensis (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepisanthes tetraphylla (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litchi chinensis Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Otonephelium stipulaceum (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapindus emarginatus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapindus trifoliata L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schleichera oleosa (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aesculus indica (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer caesium Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer oblongum Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acer pseudo-platanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melianthus major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turpinia malabarica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turpinia cochinchinensis (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meliosma pinnata (Roxb.) Maxim. subsp. barbulata (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meliosma simplicifolia (Roxb.) Walp. subsp. simplicifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meliosma simplicifolia (Roxb.) Walp. subsp. pungens (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sabia limoniacea Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anacardium occidentale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buchanania axillaris (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Buchanania lanzan Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gluta travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna arnottiana Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna beddomei Hook. f. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna ferruginea Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna grahamii (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Holigarna nigra Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Safed Musli farming for Diabetic neuropathy formulations: Impact of Lannea coromandelica (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mangifera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia aureo-fulva Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia colebrookeana (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia heyneana (Hook. f.) Gamble and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia racemosa (Dalz.) Ramam. var. racemosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia racemosa (Dalz.) Ramam. var. angustifolia (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia travancorica Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia vajravelui Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus mysorensis G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus paniculata Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schinus molle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schinus terebinthifolius Raddi and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Semecarpus anacardium L. var. anacardium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Semecarpus anacardium L. var. cuneifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Semecarpus auriculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Semecarpus travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spondias indica (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spondias pinnata (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corynocarpus laevigata Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moringa concanensis Nimmo ex Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moringa pterygosperma Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Connarus monocarpus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Connarus sclerocarpus (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Connarus wightii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ellipanthus tomentosus Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rourea minor (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abrus fruticulosus Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abrus precatorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abrus pulchellus Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeschynomene americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeschynomene aspera L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aeschynomene indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus beddomei Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus bupleurifolius (L.) DC. var. bupleurifolius and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus bupleurifolius (L.) Dc. var. gracilis (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus bupleurifolius (L.) Dc. var. hybridus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus heterrophyllus (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus longifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus monilifer (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus ovalifolius (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus racemosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus roxburghianus Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus glumaceus (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus scariosus Rottler. ex. Spring) Grah. ex. Thw. var. scariosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus scariosus (Rottler. ex. Spring) Grah. ex. Thw. var. pilifer (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus vaginalis (L.) DC. var. vaginalis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alysicarpus vaginalis (L.) DC. var. stocksii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arachis hypogaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butea acuminata (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butea monosperma (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butea parviflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Butea purpurea (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus albicans (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus goensis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus lineata (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus cajan (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus rugosus (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus scarabaeoides (L.) Thouars and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cajanus trinervius (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calopogonium mucunoides Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calpurnia aurea (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia cathartica Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia gladiata (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia maritima (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia mollis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Canavalia virosus (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Castanospermum australe A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Centrosema pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chorizema ilicifolium Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christia obcordata (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Christia vespertilionis (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cicer arietinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clianthus puniceus Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clitoria ternatea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laurentia longiflora (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laurus cassia BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laurus cinnamomum (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Laurus nobilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lavandula bipinnata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lavandula burmanni BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lavandula carnosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lavandula stoechas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lavandula vera DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lavatera kashmiriana CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lawsonia alba LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lawsonia inermis L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lawsonia spinosa L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lechea verticillata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea aequata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea alata EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea arguata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea asiatica (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea aspera EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea bracteata CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea compactiflora KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea crispa V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea guineensis G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea hirta ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea indica MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea macrophylla ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea robusta ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leea sambucina BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lemanea australis ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lemmaphyllum carnosum (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lemna globosa ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lemna obcordata BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lemna perpusilla TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lens culinaris MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lens esculenta MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonotis nepetaefolia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leontopodium jacotianum BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonurus cardiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonurus hamiltoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonurus incurva DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonurus japonicus HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonurus sibiricus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leonurus stelligera WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepeocercis serrata TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepianthes umbellata (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis cristata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis hamiltoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis incurva DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis pungens NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis scariosa NEES and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis trinervia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidagathis trinervis NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium apetalum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium capitatum HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium cartilagineum (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium draba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium iberis L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium iberis POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium perfoliatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium ruderale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium virginicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepionorus sylvestris BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepionurus sylvestris BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepisanthes Kalammanica KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepisanthes rubiginosa (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepisanthes tetraphylla (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptadenia pyrotechnica DCNE and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptadenia reticulata (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptadenia spartium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptochilus decurrens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptochloa malabarica (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptodermis lanceolatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptonychia heteroclita (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lespedeza sericea MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lettsomia aggregata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lettsomia atropurpurea C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lettsomia elliptica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lettsomia mysorensis CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lettsomia nervosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lettsomia setosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucaena glauca (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas aspera (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas capitata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas cephalotes (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas ciliata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas flaccida R.BR. scaberula (HOOK.F.) SRINIVASAN and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas indica (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas lanata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas lavandulifolia J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas linifolia SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas martinicensis (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas mollissima WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas plukenetii (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas stelligera WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas stricta BENTH. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas urticaefolia R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucas zeylanica (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leuconotis eugenifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucosceptrum canum SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucostegia immersa (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leucostegia nodosa BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leueas rosmarnifolia CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Levisticum officinale W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Licuala spinosa WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligularia amplexicaule DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligularia jacquemontiana (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligusticum elatum C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum indicum (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum lucidum (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum nicum (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum perrottetii A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ligustrum robustum BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lilium candidum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lilium giganteum WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lilium martagon L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lilium neilgherrense LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lilium polyphyllum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lilium wallichianum SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnanthemum cristatum GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnanthemum indicum GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnanthemum nymphaeoides LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila aromatica (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila gratioloides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila gratissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila indica (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila polystachya BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila racemosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila roxburghii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila rugosa (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophila sessiliflora (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnophyton obtusifolium (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limodrum spatulatum WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limonia acidissima L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limonia alata W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limonia crenulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limonium cabulicum (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linaria cirrhosa H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linaria minor DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linaria ramosissima WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindelofia longiflora (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindenbergia indica (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindenbergia muraria (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindenbergia urticaefolia LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindera caudata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindera neesiana BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindera pulcherrima BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia anagallis (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia antipoda (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia caespitosa (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia ciliata (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia cordifolia (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia crustacea (L.) F. V. MUELL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia hyssopioides (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia oppositifolia (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia procumbens (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia pyxidaria ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia rotundifolia (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindernia ruellioides (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lindsaea cultrata (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linociera malabarica WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linociera ramiflora (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linum perenne L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linum strictum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linum usitatissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis nervosa (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liparis parviflora LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lippia alba N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lippia geminata H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lippia javanica (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lippia nodiflora MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liquidambar orientalis MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liquidambar styraciflua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liqustrum indicum (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Liriodendron tulipifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litchi chinensis SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lithocarpus pachyphyllus (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lithospermum arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lithospermum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea chinensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea citrata BL. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea coriacea (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea cubeba (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea glutimosa (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea glutinosa (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea lancifolia HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea monopetala (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea polyantha JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea quinqueflora (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea sebifera PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea stocksii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea umbrosa NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Litsea zeylanica C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia alsinoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia chinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia cordigera CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia excelsa LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia inflata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia leschenaultiana (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia nicotianaefolia ROTH. EX. R. & S. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobelia pyramidalis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobularia maritima DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lochnera pusilla K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lochnera rosea REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lodoicea maldivica (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lodoicea seychellarum LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Loeseneriella obtusifolia (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lomatogonium carinthiacum (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera glauca HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera japonica THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera leschenaultii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera macrantha (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera semenovii REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera spinosa (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lonicera webbiana WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lophopetalum wallichii KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Loranthus coriaceus DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Loranthus elasticus DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Loranthus falcatus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Loranthus longiflorus DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Loranthus pentandrus HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lotus corniculatus LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Loxococcus rupicola WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia adscendens (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia clavelliana GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia hyssopifolia (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia octovalvis (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia octovalvis (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia perennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia peruviana (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ludwigia prostrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa acutangula (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa acutangula ROXB. amara (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa aegyptiaca MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa amara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa cylindrica (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa echinata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa graveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa graveolens ROXB. longystyla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa pentandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luffa umbellata (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luisia tenuifolia BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lumnitzera racemosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lupinus albus L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lupinus angustifolius L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lupinus digitatus FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lupinus luteus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luvunga eleutherandra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luvunga scandens (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Luzula campestris (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lychnis apetala L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lychnis coronaria LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycianthes laevis (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycianthes laevis (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycium barbarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycium europaeum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycium ruthenicum MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycoperdon gemmatum BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycoperdon pusillum PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycopersicon esculentum MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycopersicon lycopersicum (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycopersicum esculentum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycopodium cernum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycopodium clavatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycopodium phlegmaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycopus europaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lycoris radiata (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lygodium circinatum (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lygodium flexuosum (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lygodium japonicum (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lygodium microphyllum (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lygodium pinnatifidum SW. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lygodium scandens (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lyonia ovalifolia (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maba bauxifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maba buxifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macadamia ternifolia F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga denticulata (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga indica W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga nicobarica BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga peltata (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga roxburghi WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga tanarius (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macaranga tetracoccus (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Machilus bombycina KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Machilus macrantha NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Machilus villosa HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maclura pomifera (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macropanax dispermus (BI.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrosolen cochinchinensis (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrosolen parasiticus (L.) DANSER and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrotomia benthamii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrotomia perennis BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrotomia speciosa AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Macrotyloma uniflorum (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca butyracea (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca diplostemon (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca indica GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca insignis (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca longifolia (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca malabarica (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Madhuca neriifolia (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maerua apetala (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maerua arenaria HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maerua oblongifolia (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maesa chisia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maesa indica (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maesa montana DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maesa ramentacea WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maharanga emodi (WALL.) DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mahonia acanthifolia DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mahonia borealis TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mahonia leschenaultii (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mahonia manipurensis TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mahonia nepaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mahonia pycnophylla (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mahonia sikkimensis TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mahonia simonsii TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Majorana hortensis MOENCH and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malachra capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malaxis acuminata D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malaxis biloba (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malaxis mackinnonii (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malaxis muscifera (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malaxis rheedei SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malaxis saprophyta (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus ferrugineus (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus peltatus (GEIS.) MUELL.-ARG. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus philippensis (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus repandus (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus rhamnifolius (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mallotus tetracoccus (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malpighia glabra L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malpighia punicifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malus pumila MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malus sylvestris MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malva neglecta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malva parviflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malva rotundifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malva sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malva verticillata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malvastrum americanum (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malvastrum coromandelianum GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mammea americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mammea longifolia PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mammea suriga (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mandragora autumnalis SPRENG. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mandragora officinalis MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mangifera caesia JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mangifera domestica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mangifera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mangifera sylvatica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manihot esculenta CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manihot utilissima POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manilkara hexandra (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manilkara kauki (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manilkara zapota (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Manisuris granularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maoutia puya WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mappia foetida MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maranta arundinaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maranta arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marchantia palmata - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marchantia polymorpha - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mariscus concinnus SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mariscus javanicus (HOUTT.) MERR. & METCALF and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marlea tomentosa ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marrubium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia brunoniana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia hamiltonii W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia lucida EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia roylei WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia tenacissima (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia tinctoria R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsdenia volubilis (L.F). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsilea dentata KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsilea grandifolia LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsilea minuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Marsilea quadrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Martnia diandra GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Martynia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Martynia diandra GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mastersia assamica BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mastixia arborea CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mathiola incana R.BR. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Matricaria aurea (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Matricaria chamomilla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Matricaria lasiocarpa BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Matricaria recutita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Matthiola flavida BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Matthiola incana R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Matthiola tristis R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mattiastrum thomsonii (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maytenus emarginata (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maytenus heyneana (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maytenus senegalensis (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mazus japonicus (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mazus pumilus (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meconopsis aculeata ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meconopsis nepaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meconopsis paniculata (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meconopsis robusta HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meconopsis simplicifolia (G.DON)WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meconopsis wallichii HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mecoropsis napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Medicago lupulina L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Medicago minima L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Medicago polymorpha L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Medicago sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Megacarpaea polyandra BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melaleuca alternifolia (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melaleuca cajaputi ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melaleuca leucadendron L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melanorrhoea curtisii OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melanorrhoea usitata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melanorrhoea wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melanthesa rhamnoides (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melanthesa turbinata (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melanthium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melasma thompsonii (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melastoma affine D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melastoma asperum L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melastoma decemfidum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melastoma malabathricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melia azadirachta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melia azedarach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melia composita WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melia dubia HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melianthus major LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melica ciliata DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melica jacquemontii DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melilotus indica (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melilotus officinalis (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melilotus parviflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meliosma arnottiana WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meliosma simplicifolia (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melissa axillaris (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melissa officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melissa parviflora BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melocalamus compactiflorus BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melocanna bambusiodes TRIN. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melocanna bambusoides TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melochia corchorifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melodinus monogynus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melothria heterophylla COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melothria indica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melothria maderaspatana (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melothria perpusilla COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melothria scabra (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon amplexicaule ROXB. malabarica CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon angustifolium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon edule ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon gracile BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon heyneanum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon malabaricum (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon sessile BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon talbotianum BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Memecylon umbellatum BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Menanthes sumatrana (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Menispermum cocculus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Menispermum columba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Menispermum cordifolium WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Menispermum glabrum BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha cordifolia OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha crispa GARSAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha dumetorium SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha longifolia (L.) HUDS. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha mulleriana SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha niliaca JACQ. alopecuroides NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha piperita STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha pulegium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha rotundifolia (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha sativa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha spicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha verticillata D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mentha viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meriandra benghalensis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meriandra strobilifera BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia dissecta (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia emarginata (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia gangetica (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia hastata (DESR.) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia hederacea (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia mammosa (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia peltata (Linn.) Merr. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia tridentata (L.) HAILLIER tridentata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia tridentata (L.) HALL. F. hastata (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia tridentata (L.)H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia tuberosa (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia turpethum RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia umbellata (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Merremia vitifolia (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mesembryanthemum crystallinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mesua ferrea L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mesua nagassarium (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Metathelypteris gracilescens (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meyna laxiflora ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meyna spinosa ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mezoneuron cucullatum (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mezoneuron sumatranum W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Michelia champaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Michelia doltsopa BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Michelia montana BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Michelia nilagirica ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micranthus oppositifolius WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microcos paniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microglossa pyrifolia (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microglossa volubilis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microlepia puberula VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microlepia speluncae (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micromelum hirsutum OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micromelum integerrimum (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micromelum minutum (FORST. F.) WT. & ARN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micromelum pubescens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micromeria biflora (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micromeria capitellata BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micrometum integerrimum (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Micropus xanthopus (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microrhynchus nudicaulis LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microsorium alternifolium COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microsorium punctatum (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microsorium scolopendria (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microstegium ciliatum A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microstylis muscifera RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microstylis saprophyta KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microstylis versicolor (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microstylis wallichii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microtoena insuavis (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Microula tibetica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mikania cordata (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mikania micrantha H.B.K. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Milium ramosum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miliusa roxburghiana (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miliusa tomentosa (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miliusa velutina HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millettia auriculata BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millettia caudata (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millettia extensa (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millettia pachycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millettia piscidia WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millettia racemosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Millingtonia hortensis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa abstergens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa amara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa cineraria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa cinerea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa ferruginea ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa flexuosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa hamata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa intsia L. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa invisa MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa lucida ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa paniculata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa pudica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa pudica L. hispida BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa pudica L. tetrandra (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa pudica L. unijuga (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa rubicaulis AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa rubicaulis LAMK. himalayana (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa spinisilqua KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimosa suma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimulus moschatus DOUGI. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimulus strictus BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimusops elengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimusops hexandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimusops indica A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mimusops kauki L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mirabilis jalapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mischocarpus sundaicus Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mitracarpus villosus (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mitragyna parvifolia KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mitragyna parvifollia KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mitragyna rotundifolia KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mnesithea laevis (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Modecca palmata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Modecca trilobata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Modecca wightiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moghania bracteata HIU-LIN-LI. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moghania chappar KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moghania macrophylla KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moghania nana MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moghania phursia O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moghania semialata (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moghania stricta (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moghania strobilifera J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moghania tuberosa KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Molineria crassifolia BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Molinia coerulea MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo cerviana SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo hirta THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo lotoides (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo nedicaulis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo nudicaulis LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo spergula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mollugo stricta L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica balsamina WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica charantia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica charantia L. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica charantia L. muricata (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica cochinchinensis SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica cymbalaria HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica dioica ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica exserta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica muricata VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica tuberosa COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Momordica umbellata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Monetia barlerioides L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moniera cuneate and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moniera cuneifolia MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Monochoria hastaefolia PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Monochoria hastata SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Monochoria vaginalis PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Monotropa uniflora L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morchella esculenta PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morina coulteriana ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morina longifolia WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morina persica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda angustifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda citrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda coreia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda pubescens J.E.SMITH IN REES pubescens VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda pubescens SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda tinctoria ROXB. tomentosa (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda tomentosa HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moringa concanensis NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moringa conconensis NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moringa oleifera LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moringa pterygosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morus acedosa GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morus alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morus australis POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morus laevigata WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Morus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moschosma polystachyum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Moullava spicata (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna bracteata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna capitata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna cochinchinensis Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna gigantea (WILLD.) DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna hirsuta WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna monosperma DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna nigricans (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna pruriens (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna prurita HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mucuna utilis Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mukia maderaspatana (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mukia scabrella (L..F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mundulea sericea (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mundulea suberosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Munronia pinnata (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Muntingia calabura L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia edulis (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia elata (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia japonica (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia nudiflora (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia scapiflora (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia semiteres (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murdannia vaginata (L.) BRUECK. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Muricia cochinchinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murraya exotica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murraya koenigii (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Murraya paniculata (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa balbisiana COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa chinensis SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa ornata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa paradisiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa rosacea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa sapientum O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa sapietum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa superba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa textilis NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa troglodytarum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Musa velutina WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda belilla BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda erythrophylla SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda frondosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda glabra VAHL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda glabrata VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda hirsutissima (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda laxa (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda macrophylla WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mussaenda roxburghii HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mutilla occidentalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mylitta lapidescens HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myosoton aquaticum (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrica cerifera L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrica esculenta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrica integrifolia ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrica nagi THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrica pensylvanica LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrica sapida WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myricaria bracteata ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myricaria coulteriana ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myricaria elegans ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myricaria germanica DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myriogyne minuta LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrioneuron nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myriophyllum spicatum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica argentea WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica dactyloides GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica fragrans HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica laurifolia HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica malabarica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica moschata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myristica officinalis L..F. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myropyrum similacifolium BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrsine africana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrsine capitellata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrsine semiserrata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrsine serrata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrtus caryophyllata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myrtus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myxopyrum serratulum A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Myxopyrum smilacifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nannorrhops ritchieana H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Naravelia zeylanica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Narcissus tazetta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nardostachys grandiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nardostachys jatamansi DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Naregamia alata WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Naringi alata (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Naringi crenulata (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nasturtium fontanum ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nasturtium indicum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nasturtium officinale R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nasturtium palustre DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Natsiatum herpeticum BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nauclea aculeata H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nauclea cadamba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nauclea missionis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nauclea orientalis (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nauclea ovalifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nauclea sessilifolia ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis hirsuta (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neanotis rheedei (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neillia thyrsiflora DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neisosperma oppositifolium (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nelsonia canescens (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nelumbium speciosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nelumbo nucifera GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neodissochaeta celebica (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolamarckia cadamba (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolitsea cassia (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolitsea chinensis (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolitsea scrobiculata (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolitsea umbrosa (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neolitsea zeylancia (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neonauclea sessilifolia (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepenthes distillatoria AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepenthes khasiana KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta cataria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta ciliaris BENTH and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta coerulascens MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta connata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta discolor ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta elliptica ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta eriostachya BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta floccosa BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta glomerulosa BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta glutinosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta hindostana (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta leucophylla BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta longibracteata (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta malabarica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta podostachys BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta royleana STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta ruderalis HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nepeta spicata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nephelium lappaceum LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nephelium litchi (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nephelium longana CAMB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nephelium stipulaceum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nephrolepis biserrata SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nephrolepis cordifolia (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nephrolepis multiflora (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neptunia natans (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neptunia oleracea LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neptunia prostrata (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neptunia triquetra BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nerium antidysentericum L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nerium coronarium JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nerium indicum MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nerium odorum SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nerium oleander L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nerium tomentosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nervilia aragoana GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nervilia plicata SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nervilia prainiana (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nesaea lanceolata (WT. &ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nesaea prostrata (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neuracanthus sphaerostachyus DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Neuracanthus trinervis WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicandra physalodes (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana macrophylla SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana plumbaginifolia VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana rustica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nicotiana tabacum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Niebuhria linearis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nigella damascena LINN. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nigella sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nilgirianthus ciliatus (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nilgirianthus heyneanus (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nipa fruticans WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nomocharis nana (KLOTZ.)WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nopalea cochenillifera (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothapodytes nimmoniana (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Notholaena eckloniana KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopanax fruticosum MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia castaneifolia (Roth)Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothopegia colebrookiana BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nothosaerva brachiata WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Notonia grandiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nyctanthes arbor-tristis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea caerulea SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea cyanea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea edulis D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea lotus HOOK. F.( NON L). and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea nouchali BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea odorata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea pubescens WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea rubra ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea stellata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea stellata WILLD. cyanea H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea tetragona GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphoides cristata (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphoides hydrophylla (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphoides indica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphoides indicum (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphoides macrospermum VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphoides peltata (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nypa fruticans Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochlandra brandisii GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochlandra rheedii BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochlandra scriptoria (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochlandra travancorica GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna gamblei KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna jabotapita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna lanceolata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna obtusata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna pumila HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochna squarrosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochradeneus baccatus DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochradenus baccatus DEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochreinauclea missionis (WALL.EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochrocarpus longifolius (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ochthochloa coracana EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum adscendens WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum basilicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum basilicum L. basilicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum basilicum L. majus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum basilicum L. pilosum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum basilicum L. minimum DAMERT and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum canum SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum caryophyllatum SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum gratissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum kilimandscharicum GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum pilosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum polystachyon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum prostratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum sanctum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ocimum tenuiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Odina pinnata KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Odina wodier ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oenanthe javanica (BI.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oenothera biennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olax acuminata WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olax imbricata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olax nana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olax scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia auricularia K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia biflora LINN. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia corymbosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia dichotoma HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia diffusa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia fruticosa (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia glandulifera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia herbacea (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia heynii BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oldenlandia umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olea cuspidata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olea dioica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olea europea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olea ferruginea ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olea glandulifera WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Olea polygama WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oleandra neriiformis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oleandra pistillaris (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oleandra wallichii PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oligochaeta ramosa (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oligomeris linifolia (VAHL) MACB. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Onosma bracteatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Onosma echioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Onosma hispidum WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Onosma hookeri CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Onychium contiguum (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Onychium japonicum O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Onychium siliculosum (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Operculina petaloidea (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Operculina turpethum (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophelia angustifolia D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophelia chiraita GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophelia densifolia GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophelia elegans WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophelia multiflora DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiocephalus striatus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophioglossum costatum R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophioglossum fibrosum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophioglossum nudicaule L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophioglossum pendulum L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophioglossum thermale KUMAROV NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophioglossum vulgaatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophioglossum vulgatum (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiopogon intermedius DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiopogon japonicum KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiopogon malcolmsonii ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiopogon wallichianus HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza nicobarica BALAKR. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza nutans C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza ochroleuca HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza pauciflora HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiorrhiza rugosa WALL. ARGUITEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophioxylon serpentinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophiuros exaltatus KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ophrestia pentaphylla (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opilia amentacea ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oplismenus burmannii (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opopanax chironium KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia cochinellifera MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia dillenii (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia elatior MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia ferox HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia ficus-indica (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia monacantha HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia nigricans HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia stricta (HAW.) HAW. dillenii (KER.GAWL)BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Opuntia vulgaris MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orchis chusua D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orchis habenarioides K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orchis latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orchis laxiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orchis mascula L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orchis spathulata L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oreocnide frutescens (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oreocnide integrifolia (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Origanum majorana L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Origanum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ormocarpum cochinchinense (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ormocarpum sennoides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ormosia travancoria BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orobanche aegyptiaca PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orobanche solmsii CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orophea katschallica KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oroxylum indicum (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon aristatus (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon diffuses BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon glabratus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon grandiflorus BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon incurvus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon pallidus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon rubicundus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon spiralis (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon stamineus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orthosiphon thymiflorus (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orygia decumbens FORSK. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza granulata Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza meyeriana (Zoll.&Mor.)Baill granulata Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza mutica STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza rufipogon GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oryza sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia aspera BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia capitata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia crinita BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia cupularis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia nepalensis HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia sexatilis (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia sikkimensis CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia stellata KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osbeckia zeylanica L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osmanthus fragrans LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osmunda claytoniana L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osmunda regalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osyris arborea WALL. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osyris quadripartita SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Osyris wightiana WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Othonnopsis intermedia BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Otostegia aucheri BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Otostegia limbata HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ottelia alismoides (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ougeinia dalbergioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ougeinia oojeinensis (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ouratea angustifolia BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis corniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis corymbosa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis debilis H.B.K. corymbosa (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis latifolia H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis martiana ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis pubescens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxyria digyna (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxyspora paniculata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxystelma esculentum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxystelma secamone (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxytenanthera nigrociliata MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxytenanthera thwaitesii MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxytropis lapponica (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxytropis mollis ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxytropis tatarica BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pachygone ovata (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pachygone zeylanica (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pachyrrhizus angulatus RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pachyrrhizus erosus (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pachystoma senile (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Padus cornuta (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paederia foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paederia scandens (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paederia tomentosa BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paeonia emodi WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pajanelia longifolia (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Palaquium ellipticum (DOLZ.) BAILLON and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Palhinhaea cernua (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pamburus missionis (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panax ginseng MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panax pseudoginseng WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panax quinquefolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panax wangianus Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pancratium triflorum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pancratium zeylanicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus fascicularis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus foetidus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus furcatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus kaida KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus odoratissimus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus tectorius AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus thwaitesii MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., PKalamnus unipapillatus DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum antidotale RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum argyptiacum HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum brizoides JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum crus-corvi L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum flavo-marginatum MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum floro-marginatum MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum frumentaceum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum grossarium GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum grosslarium GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum incomtum TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum isachne ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum italicum L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum macimum FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum maximum JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum miliaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum milliare AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum psilopodium TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum psilopodium TRIN. psilopodium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum sarmentosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum stagninum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Panicum sumatrense ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver argemone L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver dubium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver hybridum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver nudicaule L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver rhoeas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver somniferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paphiopedilum druryi (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pholidota pallida Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paracalyx scariosa (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paraleptochilus decurrens (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parameria barbata (BI.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parameria polyneura HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paramignya angulata KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paramignya longispina HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paramignya monophylla WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pardanthus chinensis KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paris polyphylla SMITH and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parkia biglandulosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parkia javanica MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parkia roxburghii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parkia timoriana (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parkinsonia aculeata L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parmelia cirrhata FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parmelia kamstchadalis ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parmelia nilgherrensis NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parmelia perforata ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parmelia perlata (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parmignya monophylla WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parnassia laxmannii PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parnassia nubicola HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parnassia palustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parnassia pusilla HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parochetus communis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parsonsia alboflavescens (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parsonsia helicandra HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parsonsia laevigata (Moon) Alston. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parsonsia spiralis WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Parthenium hysterophorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pasania truncata (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum conjugatum BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum distichum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum scrobiculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paspalum scrobiculatum L. commersonii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora assamica CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora edulis SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora incarnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora perpera MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Passiflora quadrangularis LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Paullinia cupana H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pausinystalia yohimba PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta crassicaulis BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta indica L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavetta tomentosa ROXB. EX SMITH and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavonia odorata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavonia procumbens SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavonia propinqua GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavonia repKalam (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavonia zeylanica CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Payena lucida A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pecteilis susannae (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedalium murex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis bicornuta CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis cheilanthifolia SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis comosa LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis longiflora RUDOLPH tubiformis (KLOTZSCH)PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis pectinata WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis pycnantha BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis pyramidata ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedicularis siphonantha D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pedilanthus tithymaloides (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peganum harmala L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pegia nitida COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pegolettia senegalensis CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pegonatherum crinitum KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium graveolens L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium roseum R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peliosanthes bakeri HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peliosanthes teta ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pellaea colomelanos LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pellaea hastata (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peltigera canina WILLD and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peltophorum dasyrhachis (MIQ.)KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peltophorum pterocarpum (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pemphis acidula FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum alopecuroides (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum americanum (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum compressum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum flaccidum GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum glaucum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum spicatum ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum typhoides (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pennisetum typhoideum (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentanema indicum (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentaneura khasiana KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentapetes phoenicea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentaptera tomentosa BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentatropis capensis (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentatropis cynanchoides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentatropis microphylla (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentatropis nivalis (GMEL.) FIELD & WOOD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentatropis spiralis DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia pellucida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia reflexa (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peperomia tetraphylla (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peranama cyatheoides D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pergularia aktensa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pergularia daemia (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pergularia extensa N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pergularia tomentosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pericampylus glaucus (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pericampylus incanus MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Perilepta auriculata (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Perilla frutescens (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Periploca aphylla DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Periploca indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Periploca sylvestris RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristrophe bicalyculata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristrophe bivalvis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristrophe paniculata (FORSK.) BRUMMITT and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristrophe roxburghiana (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peristylus stocksii (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Perotis indica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Perovskia abrotanoides KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Perovskia atriplicifolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persea fructifera KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persea gamblei (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Persea macrantha (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Petrea volubilis GAERTN. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Petroselinum crispum NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peucedanum aucheri BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peucedanum dhana BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peucedanum grande CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peucedanum graveolens BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Peucedanum nagpurense (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaius grandifolius LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaius tancarvilleae (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaius wallichii LINDL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phalaenopsis amabilis LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phalaris arundinacea L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phalaris canariensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phallus rubicundus (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pharbitis nil CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pharnaceum cerviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pharnaceum mollugo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus aconitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus adenanthus G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus aureus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus dalzellii COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus lunatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus mungo (L) MANT. radiatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus mungo (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus pauciflorus DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus radiatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus roxburghii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus semierectus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus sublobatus ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus trilobus AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaseolus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaulopsis dorsiflora (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phaulopsis imbricata (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlegmariurus phlegmaria (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlogacanthus curviflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlogacanthus guttatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlogacanthus jenkinsii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlogacanthus pubinervis T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlogacanthus thrysiflorus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlogacanthus thyrsiflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlogacanthus thyrsiformis (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phlomis bracteosa ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoebe lanceolata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoebe wightii MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix acaulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix asperulatus HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix dactylifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix farinifera ROXB. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix humilis ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix loureirii KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix paludosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix pusilla GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoenix sylvestris ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pholidota chinensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pholidota imbricata (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pholidota pallida LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phoradendron leucarpum (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Photinia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Photinia serrulata LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phragmites australis (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phragmites communis TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phragmites karka TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phragmites maxima BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phragmites roxburghii (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phrymium dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyla nodiflora (L.) GREENE and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllagathis rotundifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus acidus (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus airy-shawii BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus amarus SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus clarkei HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus debilis KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus distichus (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus emblica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus fraternus WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus gomphocarpus HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus indofischeri BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus maderaspatensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus missionis HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus mukherjeeanus MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus multiflorus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus niruri SENSU HOOK.F.Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus polyphyllus DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus reticulatus POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus rhamnoides WILLD and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus rheedii WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus simplex RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus urinaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllanthus virgatus G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllocephalum indicum (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllochlamys taxoides KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phyllostachys bambusoides SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phymatodes ebenipes (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phymatodes scolopendria (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis alkekengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis alkekengi LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis angulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis divaricata D.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis flexuosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis minima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physalis peruviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physochlaina praealta (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Physostigma venenosum BALF. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phytolacca acinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phytolacca americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Phytolacca lathenia (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picarasma guassioides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picea abies (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picrasma javanica BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picrasma nepalensis BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picrasma quassioides BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picris hieracioides L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picrorhiza kurroa ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picrorhiza scrophulariiflora PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Picrorrhiza kurrooa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pieris ovalifolia D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pilea microphylla (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pilea umbrosa WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piliostigma malabaricum (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pilocarpus jaborandi HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimenta acris KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimenta racemosa J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella anisum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella bracteata HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella diversifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella heyneana (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella involucrata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella saxifraga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella stocksii BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pimpinella tirupatiensis BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinanga dicksonii (ROXB.) BL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinanga manii BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus dammara LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus deodara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus excelsa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus gerardiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus griffithi M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus insularis ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus kesiya GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus longifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus maritima LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus merkussi JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus picea PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus roxburghii SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus sylvestris LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus wallichiana JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pinus webbiana WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper argyrophyllum MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper attenuatum BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper aurantiacum WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper auranticum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper baccatum CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper bachystachyum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper bantamense BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper barberi GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper betele LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper betle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper betleoides C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper boehmeriaefolium WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper caninum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper chaba HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper clusii C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper crassipes KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper cubeba L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper dichotomum HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper diffusum VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper gamblei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper griffithii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper guineense SCHUM & THONN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper lanceolatum RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper longum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper mullesua D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper officinarum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper pedicellatum C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper pedicellosum WALL.EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper peepuloides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper retrofractum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper ribesioides WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper sarmentosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper sylvaticum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper thomsoni Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper thomsonii HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper trichostachyon (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper trioicum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Piper wallichii (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pipturus velutinus WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisonia aculeata L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisonia alba SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisonia grandis R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisonia mitis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisonia morindifolia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisonia umbellata (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistacia chinensis BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistacia chinensis BUNGE integerrima (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistacia integerrima STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistacia khinjuk STOCKS. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistacia lentiscus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistacia terebinthus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistacia vera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistia stratiotes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pistia stratiotes LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisum arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pisum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecellobium angulatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecellobium bigeminum MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecellobium clypearia BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecellobium dulce (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecellobium fasciculatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecellobium globosum KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecellobium lobatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecellobium monadelphum (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecolobium dulce BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecolobium subcoriaceum THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pithecolobium umbelletum (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum floribundum SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum nepaulense (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum nilghirense WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum tetraspermum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pityrogramma calomelanos (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Planchonella obovata (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago amplexicaulis CAV. bauphula (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago arenaria DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago brachyphylla EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago ciliata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago depressa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago erosa WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago himalaica PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago ispaghula ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago lagocephala BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago media L. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago ovata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago psyllium LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago pumila WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago stocksii BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plantago tibetica HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Platanthera susannae (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Platanus orientalis LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Platostoma africanum BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Platostoma africanus BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Platostoma flaccidum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plecospermum spinosum TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus ambonicus (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus barbatus ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus coetsa HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus fruticosus WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus incanus LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus japonicus (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus lophanthoides (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus mollis (AITON) SPLRENG. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus nilgherricus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus rugosus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus striatus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus ternifolius D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectranthus vettiveroides (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectronia didyma KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plectronia parviflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleione maculata (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleiospermium alatum (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleopeltis contorta (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleopeltis lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleopeltis macrocarpa (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleopeltis nuda HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plesmonium margaretiferum (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleurospermum angelicoides (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleurospermum brunonis (DC.)BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleurospermum candollei (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pleurostylia opposita (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pluchea indica LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pluchea lanceolata OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pluchea pinnatifida HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pluchea tomentosa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pluechea indica LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumbago auriculata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumbago capensis THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumbago indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumbago rosea L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumbago zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumeria acuminata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumeria acutifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumeria alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumeria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumieria acutifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumieria alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plumieria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poa cynosuroides RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poa malabarica KLEIN.EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Podocarpus latifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Podocarpus neriifolius DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Podophyllum emodi WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Podophyllum hexandrum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Podophyllum peltatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poeciloneuron indicum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poeciloneuron pauciflorum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogonatherum crinitum (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogonia plicata (ROXB.) LINDL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon auricularis (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon benghalensis (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon cablin (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon elsholtzioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon heyneanus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon paniculatus (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon parviflorus BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon patchouli PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon plectranthoides DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon pubescens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon purpurascens DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon vestitus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pogostemon villosus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poikilospermum suaveolens (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poinciana elata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poinciana gilbesii HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poinciana pulcherrima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polanisia felina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polanisia icosandra WIGHT & ARN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polemonium caeruleum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polianthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia cerasoides (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia coffeoides (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia fragrans BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia korinti (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia longifolia BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia simiarum BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia suberosa (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyanthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polycarpaea corymbosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polycarpon prostratum (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala abyssinica (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala arillata HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala arvensis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala crotalarioides HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala elongata KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala erioptera DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala glomerata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala irregularis BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala leptalea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala longifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala persicaraefolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala senega L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala sibirica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala telephioides WILLD. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala vulgaris THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygallata arillata BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonatum cirrhifolium ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonatum multiflorum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonatum verticillatum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum affine DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum alatum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum alpinum ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum amphibium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum amplexicaule DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum auriculatum MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum aviculare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum barbatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum bistorta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum bistorta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum capitatum BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum chinense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum chinense LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum convolvulus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum cymosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum flaccidum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum glabrum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum hydropiper LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum lapathifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum macrophyllum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum minus HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum molle D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum multiflorum THUNB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum nepalense MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum paronychioides MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum perfoliatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum persicaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum plebeium R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum plebeium R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum polystachyum WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum posumbi HAM. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum pulchrum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum recumbens ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum roettleri ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum rumicifolium ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum serrulatum LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum sphaerostachyum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum stagninum (BUCH.-HAM. EX MEISSN.) STEWARD stagninum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum stewartianum DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum strigosum BR. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum tenellum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum tomentosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum tortuosum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum vaccinifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygonum viviparum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polypodium irioides LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polypodium quercifolium L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polypodium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyporus anthelminticus BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyporus officinalis FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyscias fruticosa (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polysolenia wallichii HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polystichum aculeatum (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polystichum biaristatum (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polystichum squarrosum (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polytoca barbata STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polytrichum juniperinum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pometia pinnata Forst. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ponerorchis chusua (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pongamia glabra VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pongamia pinnata (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pontederia vaginalis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Populus alba LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Populus caspica BORNM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Populus ciliata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Populus euphratica OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Populus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Porana paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Porphyra umbilicalis (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Porphyra vulgaris LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca grandiflora HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca guadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca meridiana LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca pilosa LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca quadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca sativa LINN. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla anserina LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla arbuscula D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla argyrophylla WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla atrosanguinea LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla bifurca L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla fragarioides LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla fruticosa L. rigida (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla fulgens WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla gerardiana LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla kleiniana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla lineata TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla moonaiana WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calophyllum inophyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calophyllum polyanthum Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia cowa Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia gummi-gutta (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia mangostana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia morella (Gaertn.) Desr. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia papilla Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia rubro-echinata Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia spicata (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia talbotii Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia wightii T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Garcinia xanthochymus Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum androsaemum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum humifusum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum japonicum Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum mysurense Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum patulum Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum uralum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hypericum wightianum Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mammea suriga (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mesua ferrea L. subsp. ferrea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mesua ferrea L. subsp. pulchella (Planch. & Triana) Vesque var. pulchella and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mesua ferrea L. subsp. pulchella (Planch. & Triana) Vesque var. coromandeliana (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poeciloneuron indicum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Poeciloneuron pauciflorum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Camellia japonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Camellia sinensis (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eurya nitida Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gordonia obtusa Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schima wallichii (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ternstroemia japonica (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saurauia fasciculata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saurauia napaulensis DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachyurus himalaicus Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dipterocarpus indicus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea erosa (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea glabra Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea parviflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea ponga (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hopea utilis (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Shorea roxburghii G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vateria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ancistrocladus heyneanus Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus angulosus Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus esculentus (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus ficulneus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus manihot (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abelmoschus moschatus Medicus subsp. tuberosus (Span.) Borss. Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon crispum (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon hirtum (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon indicum (L.) Sweet subsp. indicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon indicum (L.) Sweet subsp. guineense (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon megapotamicum (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon neilgherrense Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon pannosum (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon persicum (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon ramosum (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon striatum Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Abutilon theophrastii Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alcea rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Decaschistia crotonifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Decaschistia rufa Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium arboreum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium barbadense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium herbaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gossypium hirsutum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus canescens Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus cannabinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus furcatus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus hirtus L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus lobatus (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus lunariifolius Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus mutabilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus micranthus L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus panduriformis Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus platanifolius (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus radiatus Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus rosa-sinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus sabdariffa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus schizopetalus (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus surattensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus syriacus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus tiliaceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus trionum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hibiscus vitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kydia calycina Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malachra capitata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malva parviflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malva sylvestris L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malva verticillata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malvastrum coromandelianum (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malvaviscus arboreus Cav. var. arboreus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malvaviscus arboreus Dill ex Cav. var. penduliflorus (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Modiola caroliniana (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavonia odorata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavonia procumbens (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pavonia zeylanica (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Plagianthus pulchellus A. Gray and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida acuta Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida cordata (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida mysorensisWight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida rhombifolia L. var. rhombifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida rhombifolia L. var. retusa (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida schimperiana Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thespesia lampas (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thespesia populnea (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urena lobata L. subsp. lobata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urena lobata L. subsp. sinuata (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Adansonia digitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bombax ceiba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bombax ellipticum Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bombax insigne Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ceiba pentandra (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chorisia speciosa St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cullenia exarillata Robyns and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Durio zibethinus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Byttneria herbacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cola acuminata (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dombeya acutangula Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dombeya burgessiae Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dombeya mastersii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dombeya mollis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dombeya platanifolia Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dombeya spectabilis Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dombeya wallichii (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriolaena hookeriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriolaena lushingtonii Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriolaena quinquelocularis (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eriolaena stocksii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Firmiana colorata (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guazuma ulmifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Helicteres isora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Heritiera papilio Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hildegardia populnifolia (Roxb.) Schott & Endl. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kleinhovia hospita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Leptonychia moacurroides Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melhania balakrishnanii K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melhania cannabina Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melhania hamiltoniana Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melhania incana Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melochia corchorifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melochia nodiflora Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Melochia pyramidata L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pentapetes phoenicea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum acerifolium (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum canescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum diversifolium Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum obtusifolium Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum reticulatum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum rubiginosum Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum xylocarpum (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterygota alata (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia balanghas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia guttata Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia urens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia villosa Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Theobroma cacao L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Waltheria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berrya cordifolia (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berrya javanica (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus aestuans L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus capsularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus fascicularis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus olitorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus tridens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus trilocularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corchorus urticifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia abutilifolia Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia abutilifolia Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia barberi Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia bracteata Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia damine Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia flavescens Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia gamblei Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia heterotricha Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia hirsuta Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia lanceaefolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia nervosa (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia oppositifolia Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia orbiculata Rottl. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia pKalamica Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia rhamnifolia Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia rothii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia serrulata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia tenax (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia tiliifolia Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia umbellifera Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Grewia villosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Muntingia calabura L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta pentandra A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta pilosa Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta rhomboidea Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta rotundifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus amoenus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus blascoi Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus lanceifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus munronii (Wight) Mast. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus recurvatus Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus rugosus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus serratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus glandulosus Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus tuberculatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elaeocarpus venustus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hugonia mystax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linum mysurense Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Linum usitatissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reinwardtia indica Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum coca Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum lanceolatum (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum monogynum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum moonii Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erythroxylum obtusifolium (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aspidopterys canarensis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aspidopterys indica (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Galphimia gracilis Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hiptage benghalensis (L.) Kurz and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hiptage obtusifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hiptage parvifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malpighia coccigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malpighia glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malpighia heternantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Malpighia punicifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tristellateia australasiae A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Balanites aegyptiaca (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fagonia cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Guaiacum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tribulus lanuginosis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tribulus subramanii P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Erodium moschatum (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Geranium nepalense Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium capitatum (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium cucullatum (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium x domesticum L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium graveolens L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium grossularioides (L.) Ait. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium x hortorum L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium inquinans (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pelargonium peltatum Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tropaeolum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tropaeolum pentaphyllum Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Limnanthes douglasii R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum insignis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum intermedium Wight var. pulneyensis Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum longibracteatum Tad. & Jacob and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum nudum (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum polyphyllum Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum proliferum (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum reinwardtii (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum sensitivum (L.) DC. var. sensitivum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum sensitivum (L.) DC var. candolleanum (Wight) Edgew . & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Biophytum sensitivum (L.) DC var. nervifolium (Thw.) Edgew . & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis cernua Thunb. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis corniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis corymbosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis deppei Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis latifolia H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis pubescens H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oxalis variabilis Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Averrhoa bilimbi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Averrhoa carambola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydrocera triflora (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens acaulis Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens auriculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens balsamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Impatiens campanulata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla nepalensis HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla reptans LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla salesoviana STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla sericea LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla sibbaldi HOOK.F. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla sundaica (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Potentilla supina LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pothomorphe subpeltata (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pothos cathcarti SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pothos kunstleri HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pothos officinalis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pothos scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia bennettiana WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia frondosa (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia hirta HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia indica GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia quinquenervis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia sanguinea (BI.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia viminea WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pouzolzia zeylanica (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prangos pabularia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pratia begonifolia (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pratia nummularia KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna barbata WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna coriacea CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna corymbosa ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna divaricata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna esculenta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna flavescens HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna integrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna latifolia ROXB. mucronata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna macrophylla WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna mucronata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna obtusifolia R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna parasitica BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna serratifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna thyrsoidea WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna tomentosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Premna villosa CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Primula denticulata HK. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Primula macrophylla D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Primula reticulata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prinsepia utilis ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prismatomeris tetrandra K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Priva cordifolia (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Priva leptostachya JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pronephrium nudatum (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prosopis chilensis (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prosopis cineraria (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prosopis farcta (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prosopis juliflora (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prosopis spicigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Protium kataf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Protium pubescens ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Protium serratum (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus amygdalus BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus avium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus carmesiana HARA and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus cerasoides D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus cerasus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus ceylanica (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus communis FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus communis HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus cornuta (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus domestica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus dulcis (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus insititia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus mahaleb L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus malus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus persica BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus puddum (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus salicina LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus triflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Prunus undulata HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Przewalskia tangutica MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psalliota campestris L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psammogeton biternatum EDGEW. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psammogeton canescens (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudarthria viscida WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseuderanthemum bicolor (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseuderanthemum platiferum (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudodissochaeta assamica (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudodrynaria caronas (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseudognaphalium luteoalbum (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pseuduvaria prainii (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psidium cattleyanum SABINE and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psidium guajava L. pomiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psidium guyava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psidium pomiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psidium pyriferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psidium quajava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psilanthus travancorensis (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psilotrichum trichotomum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psilotum nudum BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psophocarpus tetragonolobus DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psoralea corylifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psoralea plicata DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psoralea tetragonoloba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria calocarpa KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria curviflora THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria dalzelii J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria glandulosa (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria ipecacuanha LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria montana BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria sarmentosa BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychotria viridiflora REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Psychrogeton andryaloides (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteridium aquilinum (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteris aquilina BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteris biaurita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteris cretica L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteris ensiformis BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteris longipes DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteris multifida POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteris vitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteris wallichiana AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pternandra coerulescens JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterocarpus dalbergioides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterocarpus indicus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterocarpus marsupium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterocarpus santalinus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterococcus corniculatus (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterocymbium javanicum R. BR. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterolobium hexapetalum (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pteropyrum olivierii JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum acerifolium WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum canescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum diversifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum heyneanum WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum rubiginosum HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum suberifolium (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterospermum xylocarpum (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pterygota alata R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ptesmonium margaritiferum (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ptychopetalum olacoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ptychopetalum uncinatum ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ptychotis ajowan DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pueraria hirsuta (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pueraria lobata (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pueraria phaseoloides (ROXB.)BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pueraria tuberosa (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pulicaria crispa SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pulicaria dysenterica (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pulicaria glaucescens JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pulicaria wightiana (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Puneeria coagulans STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Punica granatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pupalia lappacea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pupalia orbiculata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Putranjiva roxburghii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Putranjiva zeylanica MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycnocycla aucheriana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycnocycla glauca ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pycnospora lutescens (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pygeum gardneri HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pygeum wightianum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pygmaeopremna herbacea (ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pygmaeopremna pyrifolia - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrethrum indicum DC. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrethrum umbeliferum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrola rotundifolia LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrrosia adnascens (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrrosia heterophylla (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrrosia lanceolata (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrrosia mannii (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrrosia penangiana (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrus aucuparia GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrus chinensis ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrus cydonia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrus lindleyi REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrus malus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrus pashia BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pyrus tomentosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quamoclit coccinea MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quamoclit phoenicea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quamoclit pinnata BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quamoclit vulgaris CHOISY and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quassia indica (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus acutissima CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus floribunda LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus ilex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus incana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus infectoria OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus lamellosa SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus leucotrichophora A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus pachyphylla KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus robur PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quercus truncata KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Quisqualis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Radermachera xylocarpa (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia cochinchinensis (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia densiflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia dumetorum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia fasciculata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia longiflora LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia longispina DC. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia malabaricum LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia rugulosa (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia spinosa POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia tetrasperma BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia tomentosa HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Randia uliginosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus aquatilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus cantoniensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus diffusus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus falcatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus hirtellus ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus hyperboreus ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus laetus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus lingua L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus muricatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus pensylvanicus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus sceleratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus trichophyllus CHAIX IN VILL. DAUPH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus tricuspis MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Raphanus caudatus ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Raphanus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia canescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia densiflora (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia micrantha HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia reflexa T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia serpentina (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rauvolfia tetraphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ravenala madagascarensis SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reaumuria hypericoides WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reinwardtia indica DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reinwardtia trigyna PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reissantia arborea (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reissantia grahamii (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reissantia indica (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Remirea maritima AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Remusatia vivipara SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reseda odorata L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhabdia lycioides SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus dahuricus PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus nepalensis WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus prostrata JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus purpurea EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus purshiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus triquetra (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus virgatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhamnus wightii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhaphidophora decursiva SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhaphidophora laciniata (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhaphidophora pertusa SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhazya stricta DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum acuminatum HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum australe D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum emodi WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum moorcroftianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum nobile HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum officinale BAILL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum palmatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum rhaponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum spiciforeme ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum spiciforme ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum undulatum PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rheum webbianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhinacanthus calcaratus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhinacanthus communis NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhinacanthus nasuta (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhinchoglossum obliquum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhizophora apiculata BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhizophora mangle Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhizophora mucronata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhodamnia trinervia BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhodiola heterodonta (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhodiola imbricata EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron anthopogon D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron arboreum SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron barbatum WALL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron campanulatum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron chrysanthum PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron cinnabarinum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron decipiens LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron falconeri HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron javanicum BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron lepidotum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron ponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron setosum D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhododendron thomsonii HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhodomyrtus parviflora ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhodomyrtus semialata MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhodomyrtus tomentosa WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus chinensis MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus coriaria L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus hookeri SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus insignis HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus javanica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus parviflora ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus punjabensis J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus semialata MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus succedanea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhus wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchocarpa foetida SCHRAD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchoglossum obliquum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia minima (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchosia nummularia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchospermum verticillatum REIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rhynchostylis retusa (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ribes alpestre WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ribes emodense REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ribes grossularia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ribes himalense ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ribes nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ribes orientale DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ribes rubrum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Richardia scabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ricinus communis L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Riedlea corchorifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rikliella squarrosa (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rivea hypocrateriformis CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rivea ornata CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Roccella montagnei BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Roripa islandica (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rorippa dubia HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rorippa indica (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rorippa indieca HIERN. APETALA HOCHR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rorippa islandica (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rorippa montana SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rorippa nasturtium-aquaticum (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa banksiae AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa brunonii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa centifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa chinensis JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa eglanteria MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa foetida HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa gallica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa macrophylla LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa moschata HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa multiflora THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa rubra BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa sericea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosa webbiana WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Roscoea alpina ROYLE and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Roscoea procera WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Roscoea purpurea ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosmarinus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rostellularia procumbens (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rosularia rosulata (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala baccifera KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala densiflora (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala indica (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotala rotundifolia KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rothia indica (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rotula aquatica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rourea mimosoides PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rourea minor (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rourea santaloides WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Roylea cinerea (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Roylea elegans WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubia cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubia munjista ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubia sikkimensis KURZ. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubia tinctorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus biflorus HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus contennifer KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus ellipticus SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus fruticosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus idaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus lasiocarpus SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus lucens FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus moluccanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus niveus THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus paniculata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus rugosus SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus saxatilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus strigosus MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rubus ulmifolicus SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rudolphia frondosa POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruellia patula JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruellia prostrata POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruellia secundra BLANCO and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruellia strepens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruellia suffruticosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruellia tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex dentatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex hastatus DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex hymenosepalus TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex maritimus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex nepalensis SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex orientalis BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex paulsenianus RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex scutatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumex vesicarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rumphia amboinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia parviflora NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia pectinata (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rungia repens (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruscus aculeatus L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Russelia equisetiformis SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruta angustifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruta chalepensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruta graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ruta tuberculata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rytilix granularis (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sabia lanceolata COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sabia robusta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharomyces cerevisiae MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum arundinaceum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum bengalense RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum ciliare ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum fuscum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum munja ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum officinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum robustum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum sara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum sinense ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccharum spontaneum L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sacciolepis indica CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sacciolepis interrupta (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccolabium guttatum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccolabium papillosum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saccolabium praemorsum HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sageraea dalzelli BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sageraea laurifolia (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sagina saginoides (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sagittaria sagittifolia L. sagittifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saguerus rumphii ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia fruticosa HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia grandiflora KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia macrophylla BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia macrosperma WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia oblonga WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salacia reticulata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salicornia brachiata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salicornia indica DREGE and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix acmophylla BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix acutifolia WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix babylonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix caprea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix daphnoides VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix elegans WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix pychnostachya ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salix tetrasperma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salmalia insignis (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salmalia malabarica SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salomonia cantoniensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salsola baryosma (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salsola foetida DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salsola kali LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvadora indica ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvadora oleoides DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvadora persica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvadora persica L. wightiana (PLANCH EX THW.) VERDC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvadora wightiana PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia aegyptiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia bengalensis KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia cabulica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia coccinea BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia glutinosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia haematodes W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia hians ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia lanata ROXB. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia macrosiphon BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia moorcroftiana WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia mukerjeea BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia plebeia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia pumila BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia sclarea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvia spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Salvinia cucullata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalamdera indica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalamdera lucida WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Kalamnea Kalamn (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sambucus ebulus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sambucus hookeri REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sambucus javanica REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sambucus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sambucus wightiana WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sandoricum indicum CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sandoricum koetjape (BURM.F.) MERRILL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sanguinaria canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sanicula europaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria cylindrica BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria ebracteata (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria hyacinthoides (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria lanuginosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria roxburghiana SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria trifasciata HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sansevieria zeylanica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Santaloides minus SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Santalum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Santalum flonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Santolina chamaecyparissus LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapindus emarginatus VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapindus laurifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapindus mukorossi GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapindus trifoliatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapium indicum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapium insigne TRIMEN and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sapium sebiferum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saponaria vaccaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saprosma ternatum (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saraca asoca (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saraca indica AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcandra glabra (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcocephalus cordatus MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcocephalus missionis HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcococca saligna (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcolobus globosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma acidium (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma acidum VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma brevistigma WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma brunonianum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma intermedium DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma secamone (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostemma stocksii HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sarcostigma kleinii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sassafras albidum (NUTT.) NESS and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sassafras officinale NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Satureja hortensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Satureja montana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Satyrium nepalense D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saurauia armata KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saurauia macrotricha KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saurauia napaulensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saurauia nepalensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saurauia robusta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saurauia roxburghii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sauromatum guttatum (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sauromatum pedatum (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sauromatum venosum (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sauropus androgynus (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sauropus quadrangularis MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea affinis SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea albescens (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea auriculata (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea bracteata DECNE. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea candicans CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea ceratocarpa DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea costus (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea gossypiphora DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea gracilis DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea heteromalla (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea hypoleuca SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea lappa C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea obvallata (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea sacra EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea schultzii H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea simpsoniana (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saussurea taraxacifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saxifraga diversifolia WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saxifraga imbricata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saxifraga ligulata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scabiosa speciosa ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scaevola frutescens KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scaevola koenigii VAHL. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scaevola sericea VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scaevola taccada (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scaphium affine RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scaphium wallichii SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scapiflora species (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera elata (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera elliptica (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera hypoleuca (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera shypoleucoids HARMS. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera stellata (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera venulosa (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schefflera venulosum WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schima wallichii (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schinus molle HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schisandra chinensis (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schisandra neglecta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schizachyrium exile STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schizaea dichotoma (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schizandra neglecta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schizophyllum commune FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schleichera oleosa (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schleichera trijuga WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schlerichera trijuga WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schrebera swietenioides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schultzia benthami C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schumannianthus virgatus (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schweinfurthia papilionacea MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Schweinfurthia sphaerocarpa A.BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scilla coromandeliana ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scilla hohenackeri FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scilla hyacinthina (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scilla indica BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scindapsus aureus (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scindapsus officinalis SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus barbatus ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus corymbosus HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus grossus L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus inclinatus (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus kysoor ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus lacustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scirpus tuberosus DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria hebecarpa NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria levis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria lithosperma (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria pergracilis (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria poaeformis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleria terrestris (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sclerocarya birrea HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleropyrum pentandrum (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleropyrum wallichianum (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scolopia aculeata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scolopia crenata CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scoparia dulcis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scopolia anomala (LINK & OTTO) AIRY-SHAW NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scopolia lurida DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scopolia stramonifolia (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scorzonera virgata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scrophularia koelzii PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scrophularia variegata M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scurrula parasitica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scurrula philippensis (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria angulosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria assamica MUKHERJEE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria discolor COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria galericulata L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria glandulosa COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria heydei HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutellaria indica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutia indica BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scutia myrtina (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scyphiphora hydrophyllacea GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sebastiana chamaelea MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Secamone emetica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sechium edule SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Securinega leucopyrus (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Securinega suffruticosa (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Securinega virosa BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum asiaticum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum crassipes WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum ewersii LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum multicaule WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum quadrifidum PALL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum tibeticum HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum tillacoides DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum trifidum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sedum wallichianum HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella bryopteris (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella chrysocaulos (HOOK. & GREV.)SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella ciliaris (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella involvens SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella krausiana A.BR.F. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella monosperma SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella plumosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella radicata (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella repKalam (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella rupestris and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selaginella willdenowii (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selenicereus grandiflorus (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selinum candollei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selinum filicifolium EDGEW. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selinum striatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selinum tenuifolium WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Selinum vaginatum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Semecarpus anacardium L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Semecarpus heterophylla BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Semecarpus kurzii ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Semecarpus travancorica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sempervium sedoides JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senebiera didyma PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio aureus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio bhutanicus BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio cappa DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio graciliflorus . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio hohenackeri HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio jacquemontianus BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio kraschenninikovii SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio laetus EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio nudicaulis HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio quinquelobus HOOK. F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio scandens DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio tenuifolius BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senecio vulgaris L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Senna prostrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Serenoa repens (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesamum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesamum laciniatum KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesamum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesamum prostratum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania aculeata PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania aculeata PERS. cannabina (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania aegyptiaca POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania bispinosa (JACQ.) W.F. WIGHT bispinosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania cannabina RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania grandiflora (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania paludosa PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania sesban (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania sesban (L.) MERR. bicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania sesban (L.) MERR. picta (CON.) SANTAPAU and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania sesban (L.) MERR. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania sesban (L.) MERR. sesban sesban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesbania speciosa TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Seseli diffusum (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Seseli indicum WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Seseli sibiricum BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sesuvium portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria glauca BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria italica (L.) BEAUV and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria planifolia STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria plicata (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria verticillata (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Setaria viridis BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Shorea robusta GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Shorea roxburghii G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Shorea tumbaggaia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida acuminata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida acuta BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida carpinifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida cordata (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida humilis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida lanceolata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida mauritiana JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida orientalis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida ovata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida retusa L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida rhombifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida rhombifolia L. retusa (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida rhombifolia L. retusa (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida rhombifolia L. rhombifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida rhombifolia L. rhomboidea (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida rhomboidea ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sida veronicaefolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sideroxylon spinosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sideroxylon tomentosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Siegesbeckia orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sigesbeckia orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silene apetala WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silene inflata SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silene laxantha MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silene moorcroftiana WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silene vulgaris (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silybum marianum GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Simmondsia chinensis (LINK) C.K. SCHNEID. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sinapis alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sinapis chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sinapis juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sinapis ramosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sison ammi HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sisymbrium altissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sisymbrium irio L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sisymbrium loeselii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sisymbrium orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sisymbrium sophia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sium latijugam C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Skimmia anquetilia N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Skimmia arborescens T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Skimmia laureola (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax china L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax glabra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax glaucophylla KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax lanceifolia ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax macrophylla ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax ocreata A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax ovalifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax parvifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax perfoliata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax prolifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax pseudo-china WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax wightii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smilax zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia conferta J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia geminiflora ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Smithia sensitiva AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum aculeatissimum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum albicaule KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum americanum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum anguivi LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum aviculare FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum capsicoides ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum ciliatum LAMK. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum denticulatum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum dulcamara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum erianthum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum ferox L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum giganteum JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum gracilipes DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum hirsutum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum incanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum insanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum jacquini WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum khasianum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum kurzii PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum laciniatum AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum lasiocarpum DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum lycopersicum LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum mauritianum SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum melongena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum melongena L. incanum KUNTZE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum myriacanthum DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum pseudocapsicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum pubescens HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum sarmentosum NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum seaforthianum ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum sisymbrifolium LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum spirale ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum surattense BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum torvum SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum trilobatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum tuberosum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum verbascifolium AUCT NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum viarum DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum villosum SCHUR. puniceum (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum violaceum ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solanum xanthocarpum SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solena amplexicaulis (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Solena heterophylla LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus arvensis L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus asper (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus brachytus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus maritimus L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonchus wightianus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila maculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila rheedei WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonerila tenera ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonneratia acida L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonneratia apetala BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonneratia caseolaris (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sonneratia griffithii KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sophora glauca LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sophora griffithii STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sophora mollis (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sophora tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sophora wightii BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sopubia delphinifolia G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorbaria tomentosa (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorbus aucuparia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorbus tianshanica RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum bicolor MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum halepense (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum saccharatum PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sorghum vulgare PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Soymida febrifuga (ROXB.) A.JUSS. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sparganium stoloniferum BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spathodea campanulata P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spathoglottis plicata BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spatholobus parviflorus (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spatholobus roxburghii BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spergula arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spergularia rubra (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce articularis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermacoce hispida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spermadictyon suaveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaeranthus africanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaeranthus amaranthoides BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaeranthus hirtus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaeranthus indicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaeranthus microcephalus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaeranthus senegalensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaerostephanos subtractus (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphaerostephanos unitus (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphenoclea zeylanica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphenodesme involucrata (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphenodesme pentandra JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphenomeris chinensis (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphenomeris chusana COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sphyranthera lutescens (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spilanthes acmella MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spilanthes calva WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spilanthes oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spilanthes paniculata WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spinacia oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spinifex littoreus (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiraea aruncus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiraea bella SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiraea canescens D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spiraea lindleyana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spondias acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spondias mangifera WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spondias mombin L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spondias pinnata (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachyphrynium spicatum (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachys floccosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachys officinalis (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachys palustris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachys parviflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachys sylvatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachys tuberosa LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachytarpheta indica (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachytarpheta jamaicensis (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachytarpheta mutabilis (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stachytarpheta urticaefolia (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Statice aegyptica DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stauranthera grandifolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stauranthera umbrosa CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stellaria alsine GRIMM. undulata (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stellaria aquatica SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stellaria media WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stellera chamaejasme L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stemodia viscosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stemona tuberosa LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenochlaena palustris (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenolobium stans SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenoloma chinensis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stenotaphrum dimidiatum (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania glabra (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania glandulifera MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania hernandifolia (WILLD.) WALP. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania japanica (THUNB.) MIERS discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania japonica (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania japonica (THUNB.) MIERS. japonica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania rotunda LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania wightii (A,) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephegyne parvifolia KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia alata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia balanghas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia foetida L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia guttata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia rubiginosa VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia scaphigera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia urens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sterculia villosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stereospermum chelonoides (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stereospermum colais (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stereospermum neuranthrum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stereospermum personatum (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stereospermum suaveolens DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stereospermum tetragonum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stereospermum xylocarpum WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Steudnera virosa (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stichoneuron caudatum RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stictocardia campanulata (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stipa capensis THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stipa capillata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stipa sibirica (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stipa tortilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stranvaesia glaucescens LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Streblus asper LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Streblus taxoides (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Striga asiatica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Striga gesnerioides (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Striga lutea LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Striga orobanchoides BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes acrocephalus T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes auriculatus NEES and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes callosus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes ciliatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes consanguineus C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes dalhousianus C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes flaccidifolius NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes heyneanus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes kunthiana T.ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes lupulinus NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes nobilis CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes wallichii NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strobilanthes wightianus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stroemia tetrandra VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strophanthus dichotomus DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strophanthus wallichii A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strophanthus wightianus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos aenea A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos axillaris COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos cinnamomifolia THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos colubrina AUCTT. PL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos gaultheriana PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos ignatia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos ignatii BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos maingayi CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos minor DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos nux-blKalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos nux-vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos potatorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos rheedei CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Strychnos wallichiana STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stylocoryne lucens GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stylophorum lactucoides (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stylosanthes fruticosa (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Styrax benzoin DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Styrax hookeri CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Styrax officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Styrax serrulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Styrax tonkinensis CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Suaeda fruticosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Suaeda monoica FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Suregada angustifolia (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Suregada multiflora (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia affinis CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia alata ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia anguestifolia BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia angustifolia HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia chirata (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia chirayita ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia ciliata (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia cordata CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia corymbosa (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia decussata NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia densiflora (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia densifolia (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia lawii BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia minor (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia paniculata WALL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia perennis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia petiolata DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia pulchella C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia purpurascens WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swertia thomsonii CI. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swietenia febrifuga ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swietenia macrophylla KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Swietenia mahagoni (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symphorema involucratum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symphorema polyandrum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symphytum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos beddomei C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos caudata WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos chinensis (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos cochinchinensis S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos cochinchinensis S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos crataegoides BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos laurina WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos monantha WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos paniculata (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos racemosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos spicata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos sumuntia D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Symplocos theaefolia BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Synadenium grantii HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Synantherias sylvatica SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Synapis dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Synedrella nodiflora GAERTN. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Synnema uliginosum (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syringa emodi WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syringa persica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium alternifolium (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium aromaticum (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium caryophyllaeum AUCT.NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium caryophyllatum (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium cerasoides (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium cerasoideum (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium cumini (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium hemisphericum (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium heyneanum WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium jambolana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium jambolanum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium jambos (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium malaccense (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium neyneanum (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium operculatum (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium operculatum GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium Kalamrangense (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium travancoricum GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Syzygium zeylanicum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana alternifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana coronaria R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana crispa ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana divaricata (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana sphaerocarpa BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tabernaemontana wallichiana STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tacca aspera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tacca integrifolia KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tacca leontopetaloides (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tacca pinnatifida J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tagetes erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tagetes minuta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tagetes patula L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarindus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix aphylla (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix ariticulata VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix dioica ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix ericoides ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix gallica AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix indica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix troupii HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum dolichophyllum KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum fruticulosum LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum gracile HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum longifolium WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum parthenium (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum tenuifolium JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum tibeticum HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum tomentosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tanacetum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taraktogenos kurzii KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taraktogenos macrocarpa (BEDD.) BALAK. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taraxacum officinale WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taraxacum officinale WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tarenna asiatica KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taverniera cuneifolia (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taverniera nummularia BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxillus tomentosus (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxillus umbellifer (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxus baccata L. wallichiana Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Taxus wallichiana ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tecoma capensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tecoma grandiflora LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tecoma radicans JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tecoma stans JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tecoma undulata G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tecomella undulata (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tectaria coadunata (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tectaria macrodonta (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tectaria polymorpha (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tectona grandis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Telosma minor CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Telosma pallida (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teona ciliata ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia candida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia hamiltonii J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia hirta (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia petrosa BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia procumbens BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia purpurea PERS. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia purpurea PERS. pumila and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia rheedei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia senticosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia spinosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia tinctoria PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia uniflora PERS. petrosa (BLATT. & HALLB.) GILLETT & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia uniflora PERS. petrosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tephrosia villosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teramnus labialis (L.F.) SPRENG. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teramnus mollis BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia alata HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia arjuna (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia bellerica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia bellerica ROXB. laurinoides CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia bellirica (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia bialata STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia catappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia chebula RETZ. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia chebula RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia citrina FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia coriacea (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia crenulata ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia manii KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia myriocarpa HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia oSkini BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia pallida BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia paniculata ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia pyrifolia KURZ. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia reticulata ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia tomentosa (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Terminalia travancorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Termitomyces microcarpus (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ternstroemia gymnanthera (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ternstroemia japonica AUCT.NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetracera akara (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetracera indica (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetracera laevis AUCT. NON VAHL and 15 wasteland weeds based

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetracera scandens (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrameles nudiflora R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetranthera roxburghii NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrastigma lanceolarium (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrastigma leucostaphylum (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetrastigma serrulata (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teucrium chamaedrys LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teucrium polium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teucrium scordium L. and 15 wasteland weeds based Green Spray with

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Teucrium stocksianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum alpinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum cultratum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum dalzelli HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum foetidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum foliolosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum javanicum BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum minus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum pauciflorum ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum pedunculatum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum reniforme WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thamnolia vermicularis (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thea assamica J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thecagonium biflorum (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thelypteris gracilescens (BI.) CHING. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Themeda arguens (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Themeda arundinacea (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Themeda gigantea HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Themeda triandra FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Theobroma cacao LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Theriophonum infaustum N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Theriophonum minutum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thespesia lampas (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thespesia populnea (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Theum tibeticum MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thevetia neriifolia JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thevetia peruviana MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thlaspi arvense L. and 15 wasteland weeds based Green Spray with

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thlaspi kotschyanum BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thlaspi tetragona HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thomsonia nepalensis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thonningia axillaris (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thottea siliquosa (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thuja orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia alata BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia erecta (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia fragrans ROXB. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia grandiflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia hawtayneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thunbergia laurifolia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thymus linearis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thymus serpyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thymus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thysanolaena acarifera NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thysanolaena agrostis NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thysanolaena maxima (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thysanolaena procera MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tiaridium indicum LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tiliacora acuminata MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tiliacora racemosa COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tinospora cordifolia (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tinospora crispa (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tinospora malabarica (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tinospora sinensis (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tinospora tomentosa (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tithonia diversifolia (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tithonia tagetiflora DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toddalia aculeata PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toddalia asiatica (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toddalia bilocularis W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tonningia axillaris KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toona ciliata ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia bicolor DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia parviflora BUCH. and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia polygonoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia thouarsii KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia travancorica GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Torenia vagans ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tournefortia candollii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tournefortia montana LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tovara virginiana (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Toxocarpus villosus DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachelospermum fragrans HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachelospermum lucidum (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachycarpus martianus H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachydium lehmanni BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachyspermum ammi (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachyspermum khasianum (CI.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trachyspermum roxburghianum (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tradescantia axillaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia bicolor MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia cannabina L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia cordata MICHX. and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia cordifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia involucrata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia muelleriana PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragia plukenetii A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragopogon gracilis D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragopogon porrifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tragopogon pratensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trapa bicornis L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trapa bispinosa ROXB. and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trapa natans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trapa natans L. bispinosa (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trema cannabina LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trema orientalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trevesia palmata (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trewia nudiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trewia polycarpa BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema decandra L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema govinda BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema govindia BUCH-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema monogyna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema pentandra LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trianthema triquetra ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tribulus alatus DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tribulus lanuginosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tribulus terrestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tricalysia singularis (KORTH.) K. SCHUM and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tricalysia sphaerocarpa (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichilia connaroides (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichilia spinosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichodesma africanum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichodesma indicum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichodesma zeylanicum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tricholepis angustifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tricholepis glaberrima DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tricholepis montana DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tricholepis procumbens WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichomanes javanicum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichopus zeylanicus GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichopus zeylanicus GAERTN. travancoricus (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes anaimalaienis BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes anguina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes bracteata (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes cordata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes cucumerina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes dioica ROXB. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes incisa ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes laciniosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes lobata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes nervifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes palmata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes tricuspidata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trichosanthes wallichiana (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tridax procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium alexandrinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium alexandrium L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium fragiferum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium indicum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium officinalis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trifolium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triglochin maritima L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triglochin palustris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonella corniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonella emodi BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonella foenum-graecum L. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonella hamosa (L.) WILLD. uncata (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonella incisa BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonella occulta DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonella polycerata L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonella uncata BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trigonostemon longifolius BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trillium govanianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trimufetta rhomboidea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triphasia trifolia (BURM. F.) P. WILS. NULL and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tripleurospermum maritimum (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triticum aestivum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triticum amyleum SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triticum durum DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triticum pilosum (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triticum sativum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triticum spelta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triticum vulgare WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta annua L. and 15 wasteland weeds based Green Spray with

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta bartramia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta rhomboidea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta rotundifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta semitriloba L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Triumfetta tomentosa NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tropaeolum minus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Trophis aspera RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tropidia curculigoides LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tuber cibarium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tulipa stellata HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turbina corymbosa (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turnera angustifolia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turnera diffusa WILLD. APHRODISIACA (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turnera ulmifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turpinia nepalensis WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turpinia pomifera (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Turraea villosa BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tussilago farfara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora asthmatica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora dalzelli HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora fasciculata BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora hirsuta WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora indica (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora tenuis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora tenuissima (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tylophora tetrapetala (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typha angustata BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typha angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typha australis SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typha elephantina GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typha laxmannii LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typhonium divaricatum DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typhonium flagelliforme (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typhonium roxburghii SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Typhonium trilobatum (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ulmus campestris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ulmus wallichiana PLANCH. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uncaria cordata (LOUR.) MERR. ferruginea (BL.) RIDSD. FORMA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uncaria gambier ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uncaria sessilifructus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Unona narum DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria alopecuroides WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria crinita DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria hamosa WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria lagopodioides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria picta DESV. and 15 wasteland weeds based Green Spray with

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria prunellaefolia GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uraria rufescens (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urena lobata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urena repKalam ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urena simiata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urena sinuata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urginea coromandeliana HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urginea indica (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urginea maritima (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urginea nagarjunae Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urtica ardens LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urtica dioica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urtica hyperborea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urtica parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Urtica pilulifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Usena sikkimensis BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Usnea flexilis STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Usnea florida (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Usnea hirta (L.) WIGG. NULL and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Usnea longissima ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Usnea rubicunda STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Usnea sikkimensis BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Usnea venosa MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uteleria sallicifolia BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utleria salicifolia BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia bifida L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia gibbosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia reticulata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Utricularia stellaris L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uvaria dulcis DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uvaria ebracteolata PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uvaria hookeri KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uvaria micrantha (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uvaria narum (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uvaria zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vaccaria pyramidata MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vaccinium leschenaultii WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vaccinium macrocarpon AIT. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana brunoniana W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana dubia BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana hardwickii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana jatamansi JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana pyrolaefolia DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Valeriana wallichii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vallaris heynei SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vallaris pergulanus BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vallaris solanacea (ROTH.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vallisneria spiralis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam coerulea GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam parviflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam roxburghii R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam spathulata (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam teres LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam tessellata (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., VKalam testacea (LINDL.) REICHB.F. and 15 wasteland weeds based

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vandellia erecta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vandellia pedunculata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vandellia pyxidaria MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vangueria pubescens KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vangueria spinosa SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vanilla planifolia ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vanilla wightiana LINDL.EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vateria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vateria macrocarpa B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vateria malabarica BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vatica lancaefolia BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ventilago calycina TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ventilago calyculata TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ventilago denticulata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ventilago madraspatana GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vepris bilocularis (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veratrum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veratrum viride AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbascum chinense (L.) SANT. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbascum coromandelianum (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbascum thapsus PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbena nodiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verbesina calendulacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Verchellia farnesiana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia albicans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia anthelmintica (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia arborea HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia aspera BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia cinerea LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia patula MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia pyramidale (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia revoluta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia roxburghii LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia squarrosa (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vernonia teres WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica agrestis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica anagallis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica arvensis L. NULL and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica beccabunga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica biloba L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica hederaefolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Veronica serpyllifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vetiveria zizanioides (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum acuminatum WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum colebrookianum WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum coriaceum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum corylifolium HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum cotinifolium DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum cylindricum BUCH.-HAM.EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum foetidum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum hebanthum THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum nervosum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum obovatum WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viburnum punctatum BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicatia wolffiana (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicia faba LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicia hirsuta KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicia sativa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicoa auriculata CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vicoa indica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna aconitifolia (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna adenantha (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna angularis (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna catjang ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna cylindrica SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna dalzelliana (O.KTZE) VERDC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna grahmiana (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna mungo (L.) HEPPER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna pilosa BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna radiata (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna radiata (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna trilobata (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna umbellata (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna unguiculata (L.) WALP. cylindrica (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna unguiculeta (L.) WALP. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vigna vexillata (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vinca major LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vinca minor SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vinca parviflora RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vinca pusilla MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vinca rosea L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vincetoxicum album (MILL.)ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vincetoxicum hirundinaria MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola biflora L. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola caespitosa D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola canescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola cinerea BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola diffusa GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola odorata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola patrinii GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola pilosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola serpens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola suffruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola sylvestris LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum articulatum BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum monoicum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum nepalense SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viscum orientale WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex agnus-castus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex altissima L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex glabrata F. MUELL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex leucoxylon SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex negundo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex negundo L. incisa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex negundo L. negundo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex negundo L. purpurascens SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex paniculata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex peduncularis WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex pubescens VAHL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex quinata (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitex trifolia L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis adnata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis araneosus DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis carnosa (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis hastata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis heyneana ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis indica W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis lanata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis objecta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis pallida W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis parvifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis pedata VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis planicaulis HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis polystachya WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis quadrangularis WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis repens WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis rugosa HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis setosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis tomentosa HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis vinifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vitis vitiginea HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vittaria elongata SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vittaria zosterifolia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viverra zibetha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Volkameria inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Volutarella divaricata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wagatea spicata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wahlenbergia marginata (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Waldheimia glabra (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Waldheimia stoliczki (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Waldheimia tomentosa (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wallichia disticha T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Walsura piscidia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Walsura trifoliata (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Waltheria indica L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wattakaka volubilis (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Webera corymbosa WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Webera tetrandra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wedelia biflora (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wedelia calendulacea LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wedelia chinensis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wedelia wallichii LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wendlandia exerta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wendlandia heynei (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wendlandia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wendlandia pendula DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wendlandia tinctoria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wikstroemia canescens MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wikstroemia indica (L.) C. A. MEY. viridiflora (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wikstroemia ridleyi GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wikstroemia viridiflora MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Willughbeia edulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Withania coagulans DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Withania somnifera DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wolffia globosa (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wollastonia biflora (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Woodfordia floribunda SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Woodfordia fruticosa (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia antidysenterica GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia arborea (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia coccinea SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia tinctoria R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia tomentosa R.& S. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Wrightia zeylanica R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xanthium indicum KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xanthium strumarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xanthophyllum arnottianum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xanthophyllum flavescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xanthoxylum fraxineum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xantolis tomentosa (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xeromphis spinosa (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xeromphis uliginosa (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ximenia aegyptiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ximenia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylaria polymorpha PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylia dolabriformis BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylia xylocarpa (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylocarpus granatum KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylopia parvifolia HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylosma longifolium CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xyris anceps LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xyris auceps AUCT. NON LAM. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xyris complanata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xyris indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xyris pauciflora WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Youngia japonica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Yucca aloifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Yucca filamentosa WOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Yucca gloriosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zaleya decandra (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zaleya govindia (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zaleya pentandra (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zalia decandra (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zannichellia indica ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanonia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zantedeschia aethiopica (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum acanthopodium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum alatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum armatum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum budrunga (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum hamiltonianum WALL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum hostile WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum limonella (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum nitidum (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum ovalifolium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum oxphyllum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum rhetsa (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum tetraspsermum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zanthoxylum triphyllum WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zataria multiflora BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zea mays L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zehneria hookeriana ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zehneria indica (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zehneria maysorensis (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zehneria scabra (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zehneria thwaitesii (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zehneria umbellata THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zephyranthes ajax SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zephyranthes grandiflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zephyranthes rosea LINDL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zeuxine longilabris (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zeuxine strateumatica (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zeuxine sulcata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber capitatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber cassumunar ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber cernuum DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber chrysanthum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber mioga ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber montanum (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber officinale ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber officinalis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber purpureum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber roseum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber rubens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber squarrosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zingiber zerumbet ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zinnia elegans JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zizania caduciflora HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zizania latifolia TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphora clinopodioides M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphora tenuior L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus glabarata HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus glabrata HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus jujuba LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus mauritiana LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus napeca WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus nummularia WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus oenoplia MILL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus oxyphylla EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus rugaosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus rugosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus sativa GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus sororia ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus trinervia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus trinervius ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemone hupehensis Lemoine ex Boynton var. japonica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anemone rivularis Buch.- Ham.ex DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aquilegia vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis gouriana Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis munroiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis smilacifolia Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis theobromina Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Clematis wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Consolida ambigua (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Delphinium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Naravelia zeylanica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus diffusus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus muricatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus reniformis Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ranunculus wallichianus Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum foliolosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum javanicum Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thalictrum saniculaeforme DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Chimonanthus praecox(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Acrotrema arnottianum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dillenia bracteata Wight and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dillenia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dillenia pentagyna Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dillenia retusa Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dillenia suffruticosa (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tetracera akara (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Magnolia campbellii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Magnolia grandiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Magnolia liliflora Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Magnolia x alba DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Michelia champaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Michelia nilagirica Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alphonsea lutea (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alphonsea sclerocarpa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Alphonsea zeylanica Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Annona cherimola Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Annona muricata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Annona reticulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Annona squamosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artabotrys hexapetalus (L. f.) BhKalamri and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Artabotrys zeylanicus Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cananga odorata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyathocalyx zeylanicus Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmos lawii (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Desmos viridiflorus (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniothalamus cardiopetalus (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniothalamus rhynchantherus Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniothalamus salicina Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniothalamus thwaitesii Hook. f. & Thoms. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniothalamus wightii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Goniothalamus wynadensis (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meiogyne pannosa (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Meiogyne ramarowii (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miliusa eriocarpa Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miliusa montana Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miliusa nilagirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miliusa tomentosa (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Miliusa wightiana Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mitrephora heyneana (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orophea erythrocarpa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orophea thomsonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Orophea uniflora Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia cerasoides (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia coffeoides (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia fragrans (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia korintii (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia longifolia (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia rufescens Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia suberosa (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polyalthia tirunelveliensis M. B. Viswan. & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Popowia beddomeana Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sageraea dalzellii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uvaria macropoda Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uvaria narum (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Uvaria zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylopia parvifolia (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Anamirta cocculus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cissampelos pareira L. var. hirsuta (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus hirsutus (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus laurifolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cocculus pendulus (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coscinium fenestratum (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclea arnottii Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cyclea peltata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Diploclisia glaucescens (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pachygone ovata (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania japonica (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stephania wightii (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tiliacora acuminata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tinospora cordifolia (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tinospora sinensis (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis lycium Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis nilghiriensis Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis tinctoria Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Berberis wightiana Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mahonia leschenaultii (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nelumbo nucifera Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea nouchali Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea pubescens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Nymphaea rubra Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Argemone mexicana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Eschscholzia californica Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Mecanopsis wallichii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver caucasicum Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver fugax Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver rhoeas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Papaver somniferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Romneya coulteri Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Corydalis lutea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dicentra scandens (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fumaria indica (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Fumaria officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barbarea intermedia Boreau and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barbarea verna (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Barbarea vulgaris R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica juncea (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica nigra (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica oleracea L. var. botrytis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica oleracea L. var. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica oleracea L. var. gemmifera Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica oleracea L. var. gongylodes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Brassica rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capsella bursa-pastoris (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardamine africana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardamine hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cardamine trichocarpa Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cheiranthus cheiri L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Coronopus didymus (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iberis amara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Iberis umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium ruderale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium sativum L. and 15 wasteland weeds based Green Spray with

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lepidium virginicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lobularia maritima (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Matthiola incana (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Raphanus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rorippa indica (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Rorippa nasturtium - aquaticum (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sisymbrium volgense Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Thlaspi arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cadaba fruticosa (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cadaba trifoliata (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis brevispina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis decidua (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis divaricata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis diversifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis fusifera Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis grandiflora Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis kollimalayana Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis moonii Wight and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis nilgiriensis Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis rotundifolia Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis sepiaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis shevaroyensis Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Capparis zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome angustifolia Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome aspera Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome burmannii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome chelidonii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome felina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome hassleriana Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome monophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome rutidosperma DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome speciosa Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cleome viscosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crateva adansonii DC. subsp. odora (Buch. - Ham.) Jacobs and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Crateva magna (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gynandropsis gynandra (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maerua apetala (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Maerua oblongifolia (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Steriphoma clemoides Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reseda alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Reseda luteola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hybanthus enneaspermus (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hybanthus travancoricus (Bedd.) Melch. and 15 wasteland weeds based

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola arcuata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola betonicifolia J. E. Smith subsp. betonicifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola canescens Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola hamiltoniana D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Viola pilosa Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bixa orellana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cochlospermum religiosum (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Aphloia theiformis (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia championii Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia graveolens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia ovata (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia rubescens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia thwaitesii Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia tomentosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Casearia wynadensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flacourtia indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flacourtia jangomas (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Flacourtia montana Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Homalium jainii A. N. Henry & Swamin. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Homalium travancoricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Homalium ceylanicum (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus alpina Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus macrocarpa (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hydnocarpus pentandra (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Oncoba spinosa Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scolopia crenata (Wight & Arn.) Clos var. crenata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scolopia crenata (Wright & Arn.) Clos var. brevifolia Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylosma latifolium Hoof. F. & Thoms. and 15 wasteland weeds based

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xylosma longifolia Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Hymenosporum flavum (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum anamallayense Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum bicolor Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum ceylanicum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum crassifolium Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum dasycaulon Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum eugenioides A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum napaulense (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum neelgherrense Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum tetraspermum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum tobira (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum umbellatum Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum undulatum Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Pittosporum viridulum Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sollya heterophylla Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Muraltia juniperifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala arillata Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala arvensis Willd. and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala bolbothrix Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala elongata Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala erioptera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala jacobii Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala javana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala longifolia Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala myrtifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala persicariifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala rosmarinifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala sibirica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala telephioides Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala virgata Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polygala wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Securidaca bracteata Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xanthophyllum flavescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Xanthophyllum manickamii Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Arenaria neelgerrensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerastium glomeratum Thuill. and 15 wasteland weeds based Green

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Cerastium indicum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Dianthus caryophyllus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drymaria cordata (L.) Willd. ex Roem. & Schultes subsp. diandra (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Drymaria villosa Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Gypsophila elegans M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Lychnis coronaria (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polycarpaea aurea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polycarpaea corymbosa (L.) Lam. var. corymbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polycarpaea corymbosa (L.) Lam. var. longipetala Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polycarpaea diffusa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polycarpaea spicata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polycarpon prostratum (Forsk.) Asch. & Sehweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Polycarpon tetraphyllum (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Sagina saginoides (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Saponaria officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Scleranthus annus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silene armeria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silene coeli - rosa (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Silene gallica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Spergula arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stellaria media (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stellaria monosperma Buch. - Ham. ex D. Don var. paniculata (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Stellaria vestita Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Vaccaria pyramidata Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca oleracea L. var. oleracea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca oleracea L. var. linearifolia Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca pilosa L. subsp. pilosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca pilosa L. subsp. pilosa var. tuberosa (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca pilosa subsp. grandiflora (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca quadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulaca wightiana Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Portulacaria afra Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Talinum portulacifolium (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Talinum triangulare Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix aphylla (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix ericoides Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Tamarix indica Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergia ammannioides Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Bergia capensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatine ambigua Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Elatine triandra Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calophyllum apetalum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Calophyllum austroindicum Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus vulgaris LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Ziziphus xylopyrus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zornia diphylla (L.) PERS. and 15 wasteland weeds based Green Spray

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zornia gibbosa SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zosima absinthifolia (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Pholidota pallida Lindl., Zosima orientalis HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <a href="http://www.pankajoudhia.com">http://www.pankajoudhia.com</a>,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com